

CSL SILICONES INC -- 127-1104 NAPA GASKETS -- 2520-00-077-0506

=====
Product Identification
=====

Product ID:127-1104 NAPA GASKETS

MSDS Date:10/20/1989

FSC:2520

NIIN:00-077-0506

MSDS Number: CCMNN

=== Responsible Party ===

Company Name:CSL SILICONES INC

Address:144 WOODLAWN ROAD WEST

City:GUELPH, ONTARIO

Info Phone Num:519-836-9044

Emergency Phone Num:519-836-9044

CAGE:38735

=== Contractor Identifi

cation ===

Company Name:BALKAMP INC

Address:2601 S HOLT ROAD

Box:City:INDIANAPOLIS

State:IN

ZIP:46241

Country:US

Phone:317-244-7241

CAGE:70842

Company Name:CSL SILICONES INC

Address:144 WOODLAWN ROAD WEST

Box:City:GUELPH, ONTARIO

Phone:519-836-9044/ -9069 FAX

CAGE:38735

Company Name:NAPA, A DIVISION OF LINCOLN AUTOMOTIVE

Address:ONE LINCOLN WAY

Box:City:ST. LOUIS

State:MO

ZIP:63120-1578

Country:US

Phone:414-255-5520

CAGE:050Q3

=====
Composition/Information on Ingredients
=====

==

Ingred Name:POLYDIMETHYLSILOXANE
Fraction by Wt: 87.49%
Other REC Limits:NONE RECOMMENDED

Ingred Name:HIGH PURITY AMORPHOUS SILICA
Fraction by Wt: 7.4%
Other REC Limits:NONE RECOMMENDED

Ingred Name:ALKYL TRIACETOXY SILANE
Fraction by Wt: 4.1%
Other REC Limits:NONE RECOMMENDED

Ingred Name:CARBON BLACK
CAS:1333-86-4
RTECS #:FF5800000
Fraction by Wt: 1.0%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:3.5 MG/M3
ACGIH TLV:3.5 MG/M3; 9596

Ingred Name:DIBUTYL TIN DIACETATE
Fraction by Wt: 0.01%
Other REC Limits:NONE RECOMMENDED

=====
===== Hazards Identification =====

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER.
Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:PULMONARY EDEMA, DERMATITIS.
Explanation of Carcinogenicity:PER MSDS:NO KNOWN CARCINOGENS.
Effects of Overexposure:COUGHING, CHOKING, HEADACHE, DIZZINESS,
DERMATITIS, MUCOUS MEMBRANE IRRITATION.

=====
===== First Aid Measures =====

First Aid:INHAL-REMOVE FROM FURTHER EXPOSURE.TREAT PULMONARY
EDEMA.CONTACT W/EYES-RINSE W/CLEAN TAP WATER 10-15MINS.CONSULT
PHYSICIAN.CONTACT W/SKIN-RINSE W/CLEAN SOAPY WATER, APPLY
HANDCREAM.

=====
===== Fire Fighting Measures =====

Flash Point:NA
Autoignition Temp:Autoignition Temp Text:NA
Lower Limits:NP
Upper Limits:NP
Extinguishing Media:DRY CHEMICAL, WATERSPRAY, FOAM, CO2.

=====

===== Accidental Release Measures =====

Spill Release Procedures:WIPE OR SCRAPE UP.
Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

===== Handling and Storage =====

Handling and Storage Precautions:STORE UNDER COOL DRY CONDITIONS.KEEP
CONTAINERS CLOSED WHEN NOT IN USE.DO NOT INHAL OR INGEST.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:IF VENTILATION NOT ADEQUATE USE MASK W/FILTER

FOR ACETIC ACID VAPOR.

Ventilation:LOCAL EXHAUST.PROVIDE GOOD VENTILATION.

Protective Gloves:RUBBER OR PLASTIC GLOVES.

Eye Protection:GOGGLES.

Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:N1

Boiling Pt:B.P. Text:NA

Melt/Freeze Pt:M.P/F.P Text:NA

Decomp Temp:Decomp Text:NP

Vapor Pres:NA

Vapor Density:NA

Spec Gravity:1.04

pH:NP

Viscosity:NP

Evaporation Rate & Reference:NA

Solubility in Water:NIL.

Appearance and Odor:SMOOTH BLACK PAST
E EVOLVES ACETIC ACID ODOR DURING
CURE ONLY.

Percent Volatiles by Volume:NP

Corrosion Rate:NP

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

Stability Condition to Avoid:HEAT, OPEN FLAME, FIRE.

Hazardous Decomposition Products:CO, CO2, SIO2.

===== Disposal Considerations =====

Waste Disposal Methods:STANDARD METHODS AS APPROVED IN YOUR AREA.

Disclaimer (provided with this information by the

compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.