

FEL-PRO CHEMICAL PRODUCTS, L.P. -- GS-3 GASKET SEALER 51071,51072 -- 8030-00-252-3391

=====
Product Identification
=====

Product ID:GS-3 GASKET SEALER 51071,51072

MSDS Date:03/16/1995

FSC:8030

NIIN:00-252-3391

MSDS Number: CCMPW

=== Responsible Party ===

Company Name:FEL-PRO CHEMICAL PRODUCTS, L.P.

Address:3412 W. TOUHY AVE.

City:SKOKIE

State:IL

ZIP:60076

Country:US

Info Phone Num:800-424-9300

Em

ergency Phone Num:800-424-9300

Preparer's Name:CATHY GRIFFITH

CAGE:GO402

=== Contractor Identification ===

Company Name:FEL-PRO CHEMICAL PRODUCTS DIV OF FELT PRODUCTS

Address:7450 N MCCORMICK

Box:1205

City:SKOKIE

State:IL

ZIP:60076-8205

Country:US

Phone:303-289-5651

CAGE:GO402

Company Name:FEL-PRO CHEMICAL PRODUCTS LP

Address:3412 WEST TOUHY AVE

Box:City:LINCOLNWOOD

State:IL

ZIP:60645

Country:US

Phone:303-289-5651

CAGE:05VH4

=====
Composition/Information on Ingredients
=====

Ingred Name:ISOPROPYL ALCOHOL (SARA 313)(LD50 ORAL RAT 5045 MG/KG)
CAS:67-63-0
RTECS #:NT8050000
Fraction by Wt: 30.0%
Other REC Limits:MFR REC TLV 400 PPM
OSHA PEL:400 PPM
ACGIH TLV:400 PPM/STEL 500

Ingred Name:1-METHOXY-2-PROPANOL (LD50 ORAL RAT 5660 MG/KG)
CAS:107-98-2
RTECS #:UB7700000
Fraction by Wt: 5.0%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:100 MG/M3
ACGIH TLV:100 MG/M3/STEL 150

=====
Hazards Identification
=====

Routes of Entry: Inhalation:YES S
kin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:ACUTE: EYE: SEVERE IRRIT. SKIN: MILD
IRRITANT. CHRONIC CONTACT MAY CAUSE DEFATTING/REDNESS. INHAL:
BREATHING LIQ PARTICLES MAY INJURE LUNGS/LIVER/KIDNEYS. VAPOR MAY
HAVE STRONG OFFENSIVE ODOR CAUSING HEADACHE/NAUSEA/VOMITING.
CAUSES RESP TRACT IRRIT. INGEST: MAY BE HARMFUL/FATAL. MAY CAUSE
NAUSEA/VOMITING.
Medical Cond Aggravated by Exposure:PREEXISTING PULMINARY &

DERMATOLOGICAL DISORDERS W/EXPOSURE TO HAZARDOUS COMPONENTS.

=====
First Aid Measures
=====

First Aid:EYES: IMMEDIATELY FLUSH W/PLENTY OF WATER >15 MINUTES. GET
MEDICAL AID. SKIN: REMOVE CONTAM CLOTHES. WASH W/SOAP & WATER. GET
MEDICAL AID. INHALATION: MOVE TO FRESH AIR. IF NOT BREATHING GIVE
ARTIF RE SP. IF TROUBLE BREATHING GIVE OXYGEN. GET MED AID.
INGESTION: DON'T INDUCE VOMITING. GIVE GLASS WATER/MILK. CALL
DR/POISON CONTROL IMMED
. NEVER GIVE ANYTHING BY MOUTH TO
UNCONSCIOUS PERSON.

=====
Fire Fighting Measures
=====

Flash Point Method:TCC
Flash Point:45.0F,7.2C
Lower Limits:2.5
Upper Limits:12.0
Extinguishing Media:WATER FOG, CO2, DRY CHEMICAL, FOAM.
Fire Fighting Procedures:NIOSH APPROVED SCBA/FULL PROTECTIVE CLOTHES.
USE WATER TO COOL EXPOSED CNTNRS. WATER STREAM DIRECTED AT FIRE MAY
CAUSE FROTHING W/SPREAD OF FLAME.
Unusual Fire/Explosion Hazard:CLSD CNTNRS EXPOSED TO H

IGH HEAT MAY

RUPTURE/EXPLODE. VAPORS >AIR. MAY TRAVEL ALONG GROUND/REIGNITE AT DISTANT SOURCE/FLASHBACK.

===== Accidental Release Measures =====

Spill Release Procedures:REMOVE IGNITION SOURCES. DIKE/CONTAIN SPILL. WEAR APPROPRIATE PROTECTIVE EQUIPMENT. ABSORB W/INERT MATERIAL (CLAY). SWEEP/SHOVEL INTO LOOSELY COVERED WASTE CONTAINER. REMOVE TO APPROPRIATE WASTE AREA.

===== Handling and Storage =====

Handling

and Storage Precautions:STORE CNTNRS AWAY FROM HEAT/SPARKS/FLAME/OTHER IGNIT SOURCES. USE W/ADEQUATE VENTILATION. FOLLOW ALL LABEL PRECAUTIONS EVEN IF CNTNR EMPTY.

Other Precautions:CONTAINER MAY RETAIN RESIDUE. GROUND/BOND CONTAINER WHEN TRANSFERRING MATERIAL. AVOID CONTACT W/EYES, SKIN, CLOTHES. FOR INDUSTRIAL USE ONLY. KEEP CLOSED WHEN NOT IN USE. KEEP AWAY FROM CHILDREN.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:IF TLV/PE

L EXCEEDED, USED IN POORLY VENTILATED

SPACE, OR IF INHALATION EFFECTS OCCUR, USE NIOSH APPROVED VAPOR CARTRIDGE RESPIRATOR ACCORDING TO APPLICABLE HEALTH/SAFETY REGULATIONS & MANUFACTURER REC OMMENDATIONS.

Ventilation:LOCAL EXHAUST NEEDED TO CONTROL VAPOR OR DUST LEVELS TO BELOW LOWEST COMPONENT TLV.

Protective Gloves:BUTYL RUBBER, NITRILE, PVA GLOVES

Eye Protection:CHEMICAL SPLASH GOGGLES

Other Protective Equipment:ACCESSIBLE EYEWASH & SAFETY SHOWER. CLEAN CLOTHES TO COVER S

KIN.

Work Hygienic Practices:GEN INDUSTRIAL SAFETY PRECAUTIONS. DON'T SMOKE/EAT DURING USE.DON'T REUSE EMPTY CNTNRS W/O COMMERCIAL CLEAN/RECONDITION.

Supplemental Safety and Health

NK

===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:180 TO 206F

Melt/Freeze Pt:M.P/F.P Text: