

RESIN TECHNOLOGY GROUP INC -- A-2 EPOXY ADHESIVE RESIN, PART A

=====  
MSDS Safety Information  
=====

FSC: 1660  
NIIN: 00-325-0283  
MSDS Date: 12/13/1994  
MSDS Num: CCMQG  
Product ID: A-2 EPOXY ADHESIVE RESIN, PART A  
MFN: 01  
Kit Part: Y  
Responsible Party  
Cage: 0JVX9  
Name: RESIN TECHNOLOGY GROUP INC  
Address: 28 NORFOLK AVE  
City: SOUTH EASTON MA 02375  
Info Phone Number: 508-230-8070 FAX: 508-230-2318  
Emergency Phone Number: 800-424-9300 CHEMTREC  
Preparer's Name: UNKNOWN  
Proprietary Ind: Y  
Review Ind: Y  
Published: Y

=====  
Contractor Summary  
=====

Cage: 98911  
Name: MORTON THIOKOL,INC;ARMSTRONG PRODUCTS COMPANY  
Address: 407-ARGONNE ROAD  
Box: 647  
City: WARSAW IN 46580-3811  
Phone: 219-267-3226  
Cage: 0JVX9  
Name: RESIN TEC  
HNOLOGY GROUP INC  
Address: 28 NORFOLK AVE  
City: S EASTON MA 02375  
Phone: 508-230-8070

=====  
Item Description Information  
=====

Item Manager: FHZ  
Item Name: PARTS KIT,SCOOP,OVERHAUL  
Specification Number: NONE  
Type/Grade/Class: NONE  
Unit of Issue: EA  
UI Container Qty: 1  
Type of Container: GLASS BOTTLE

=====  
Ingredients  
=====

=====  
Name: \*\*\* PROPRIETARY \*\*\*  
-----  
=====

Health Hazards Data  
=====

LD50 LC50 Mixture: NONE SPECIFIED BY MANUFACTURER.

Route Of Entry Inds - Inhalation: NO

Skin: YES

Ingestion: YES

Carcinogenicity Inds - NTP: NO

IARC: NO

OSHA: NO

Effects of Exposure: ACUTE: CONTACT CAN CAUSE MODERATE IRRITATION OF SKIN & EYES; MAY CAUSE HYPERSENSITIVITY IN SOME

INDIVIDUALS. INGESTION MAY CAUSE GI

TRACT IRRITATION. NORMALLY, NO ADVERSE EFFECTS FROM INHALATION. CHRONIC: NONE SPECIFIED BY MANUFACTURER.

Explanation Of Carcinogenicity: EPICHLOROHYDRIN LISTED BY CALIFORNIA (PROP 65)

AS KNOWN TO CAUSE CANCER, BIRTH DEFECTS OR OTHER REPRODUCTIVE HARM.

Signs And Symptoms Of Overexposure: EYES-IRRITATION. SKIN-IRRITATION.

INGESTED-GI TRACT IRRITATION.

Medical Cond Aggravated By Exposure: POSSIBLY ADVERSELY AFFECTED: SKIN, EYES, RESPIRATORY SYSTEM,

IMMUNE SYSTEM.

First Aid: IN ALL CASES GET MEDICAL ATTENTION. EYES-FLUSH WITH WATER FOR 15

MINUTES. SKIN-REMOVE CONTAMINATED CLOTHES. WASH WITH MILD SOAP & WATER.

INHALED-REMOVE TO FRESH AIR. ADMINISTER OXYGEN OR ARTIFICIAL RESPIRATION AS

NEEDED. INGESTED-CONTACT POISON CONTROL CENTER AND OBTAIN IMMEDIATE MEDICAL ATTENTION. UNLESS OTHERWISE DIRECTED, INDUCE VOMITING.

=====  
Handling and Disposal  
=====

=====  
Spill Release Procedures: VENTILATE AREA. EVACUATE AREA IF TLV/PEL EXCEEDED.

CONTAIN SPILL. IF ENOUGH SPILLED, RECOVER WITH PUMPS OR VACUUM TRUCK.

OTHERWISE, COVER WITH ABSORBENT MATERIAL & SCOOP INTO CONTAINER FOR LATER DISPOSAL. OBSERVE ALL REGULATIONS PERTAINING TO REPORTS.

Neutralizing Agent: NONE SPECIFIED BY MANUFACTURER.

Waste Disposal Methods: DISPOSE OF IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL ENVIRONMENTAL REGULATIONS.

Handling And Storage Precautions: S

TORE IN A COOL, DRY, WELL-VENTILATED PLACE.

DO NOT STORE ABOVE 120F. AVOID CONTACT WITH EYES, SKIN & CLOTHING. USE APPROPRIATE VENTILATION.

Other Precautions: CERTAIN INDIVIDUALS MAY BE MORE SUSCEPTIBLE TO THE EFFECTS OF OVEREXPOSURE AND SHOULD TAKE APPROPRIATE PRECAUTIONS WHEN HANDLING THIS PRODUCT.

=====  
Fire and Explosion Hazard Information  
=====

Flash Point Method: SCC

Flash Poin

t Text: >200F,>93C

Extinguishing Media: SMALL FIRES: USE WATER FOG, CARBON DIOXIDE, DRY CHEMICAL, FOAM. LARGE FIRES: WATER, FOAM.

Fire Fighting Procedures: WEAR SELF-CONTAINED BREATHING APPARATUS AND FULL FIRE FIGHTER'S PROTECTIVE GEAR. USE WATER TO COOL FIRE EXPOSED CONTAINERS.

Unusual Fire/Explosion Hazard: MAY LIBERATE IRRITATING VAPORS DURING COMBUSTION OR DECOMPOSITION.

=====  
Control Measures  
=====

Respiratory Protection: IF ENGINEERING CONTROLS FAIL OR NON-ROUTINE USE OR AN EMERGENCY OCCURS; WEAR AN MSHA/NIOSH APPROVED RESPIRATOR WITH ORGANIC VAPOR CARTRIDGE OR AN AIR-SUPPLIED RESPIRATOR OR SCBA, AS REQUIRED. USE IAW 29 CFR 1910.134.

Ventilation: USE ADEQUATE MECHANICAL VENTILATION OR ENCLOSURE/LOCAL EXHAUST TO MAINTAIN EXPOSURE BELOW TLV(S).

Protective Gloves: IMPERVIOUS-PVA, VITON.

Eye Protection: SAFETY GLASSES/CHEMICAL SPLASH GOGGLES.

Other Protective Equi

ipment: EYE WASH STATION & SAFETY SHOWER.

Work Hygienic Practices: WASH HANDS AFTER HANDLING AND BEFORE EATING, DRINKING, OR SMOKING. LAUNDER CONTAMINATED CLOTHES BEFORE REUSE.

Supplemental Safety and Health: KEY1=T6. PART A OF A 81 PART KIT; 3 OF WHICH ARE KNOWN BY DLA- TO BE HAZARDOUS (ALL ARE PART OF THE ADHESIVE WHICH IS PACKED SEPARATEY FROM REST OF KIT).

=====  
Physical/Chemical Properties  
=====

=====

HCC: F6

B.P. Text: UNKNOWN

M.P/F.P Text: UNKNOWN

Decomp Text: UNKNOWN

Vapor Pres: &lt;20

Spec Gravity: 1.80

Viscosity: UNKNOWN

Evaporation Rate & Reference: NONE SPECIFIED BY MFR.

Solubility in Water: SLIGHT

Appearance and Odor: OFF-WHITE, VISCOUS LIQUID; MILD ODOR.

Percent Volatiles by Volume: 0

Corrosion Rate: UNKNOWN

=====

Reactivity Data

=====

Stability Indicator: YES

Stability

Condition To Avoid: AVOID CONTACT WITH INCOMPATIBLE MATERIALS.

Materials To Avoid: AMINES, MERCAPTANS, OXIDIZING AGENTS, ACIDS, STRONG BASES, AMMONIA, CHMICALLY ACTIVE METALS (NICKEL, COBALT, IRON COPPER

Hazardous Decomposition Products: PHENOLICS, SMOKE, SOOT, CARBON MONOXIDE, CARBON DIOXIDE, AND SOME METALLIC OXIDES.

Hazardous Polymerization Indicator: NO

Conditions To Avoid Polymerization: WILL NOT OCCUR.

=====

Toxicological Information

=

=====

=====

Ecological Information

=====

=====

MSDS Transport Information

=====

=====

Regulatory Information

=====

=====

=====

Other Information

=====

=====

Transportation Information

=====

Responsible Party Cage: 0JVX9

Trans ID NO: 69578

Product ID: A-2 EPOXY ADHESIVE RESIN, PART A

MSDS Prepared Date: 12/13/1994

Review Date: 02/06/1997

MFN: 1

Net Unit Weight: 0.5 OZ

Multiple KIT Number: 0

Kit Part IND: Y

Review IND: Y

Unit Of Issue: EA

Container Q

TY: 1  
Type Of Container: GLASS BOTTLE

=====  
Detail DOT Information  
=====

DOT PSN Code: ZZZ  
DOT Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION  
=====

Detail IMO Information  
=====

IMO PSN Code: ZZZ  
IMO Proper Shipping Name: NOT REGULATED FOR THIS MODE OF TRANSPORTATION  
=====

=====  
Detail IATA Information  
=====

IATA PSN Code: ZZZ  
IATA Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION  
=====

Detail AFI Information  
=====

AFI PSN Code: ZZZ  
AFI Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION  
=====

HA  
ZCOM Label  
=====

Product ID: A-2 EPOXY ADHESIVE RESIN, PART A  
Cage: 0J VX9  
Company Name: RESIN TECHNOLOGY GROUP INC  
Street: 28 NORFOLK AVE  
City: S EASTON MA  
Zipcode: 02375  
Health Emergency Phone: 219-267-3226  
Label Required IND: Y  
Date Of Label Review: 02/06/1997  
Status Code: C  
Label Date: 02/06/1997  
Year Procured: 1994  
Origination Code: F  
Eye Protection IND: YES  
Skin Protection IND: YES  
Signal Word: CAUTION  
Respiratory Protection IND: YES  
Health

Hazard: Slight

Contact Hazard: Slight

Fire Hazard: Slight

Reactivity Hazard: None

Hazard And Precautions: CONTACT CAN CAUSE MODERATE IRRITATION OF SKIN & EYES; MAY CAUSE HYPERSENSITIVITY IN SOME INDIVIDUALS. INGESTION MAY CAUSE GI TRACT IRRITATION. TARGET ORGANS: SKIN, EYES, GI TRACT. FIRST AID: IN ALL CASES GET MEDICAL ATTENTION. EYES-FLUSH WITH WATER FOR 15 MINUTES. SKIN-REMOVE CONTAMINATED CLOTHES. WASH WITH MILD SOAP & WATER. INHALED-REMOVE TO FRESH AIR. ADMINISTER OXYGEN OR ARTIFICIAL RESPIRATION AS NEEDED. INGESTED-CONTACT POISON CONTROL CENTER AND OBTAIN IMMEDIATE MEDICAL ATTENTION. UNLESS OTHERWISE DIRECTED, INDUCE VOMITING.

=====  
Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever expressly or implied warrants, states, or intends said information to have any application, use or viability by or to any person or persons outside the Department of Defense nor any person or persons contracting with any instrumentality of the United States of America and disclaims all liability for such use. Any person utilizing this instruction who is not a military or civilian employee of the United States of America should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation regardless of similarity to a corresponding Department of Defense or other government situation.