View NSN Online: https://aerobasegroup.com/nsn/8030-01-395-2726

COURTAULDS AEROSPACE INC -- P/S 870 C-12, ACCELERATOR -- 8030-01-395-2726

Product ID:P/S 870 C-12, ACCELERATOR

MSDS Date:06/03/1994

FSC:8030

NIIN:01-395-2726

Kit Part:Y

MSDS Number: CCMXX === Responsible Party ===

Company Name: COURTAULDS AEROSPACE INC

Address:5430 SAN FERNANDO ROAD

Box:1800

City:GLENDALE

State:CA ZIP:91209 Country:US

Info Phone Num:818-549-7586

Emergency Phone Num:818-549-7586

CAGE:83574

=== Contractor Identification ===

Company Name: PRC-DESOTO INTERNATIONAL, INC. A PPG INDUSTRIES COMPANY

Address:5430 SAN FERNANDO RD

Box:1800

City:GLENDALE

State:CA ZIP:91209 Country:US

Phone:818-240-2060

CAGE:83574

======= Composition/Information on Ingredients ========

Ingred Name: HYDROGENATED TERPHENYLS

CAS:61788-32-7 RTECS #:WZ6535000 Fraction by Wt: 35%

Other REC Limits: NONE RECOMMENDED

OSHA PEL:0.5 PPM

ACGIH TLV:0.5 PPM; 9596

Ingre

d Name:MANGANESE DIOXIDE CAS:1313-13-9 RTECS #:OP0350000 Fraction by Wt: 40% Other REC Limits: NONE RECOMMENDED OSHA PEL:5 MG MN/M3 CEILING ACGIH TLV:5 MG MN/M3 Ingred Name: MAGNESIUM DICHROMATE CAS:13423-61-5 Fraction by Wt: 25% Other REC Limits: NONE RECOMMENDED OSHA PEL:0.5 MG/M3 ACGIH TLV:0.05 MG/M3 TWA Ingred Name:1,3 DIPHENYL GUANIDINE, CAS:102-06-7 RTECS #:MF0875000 Fraction by Wt: 93.3C, 200.F Extinguishing Media: CARBON DIOXIDE, DRY CHEMICAL, FOAM, WATER. Fire Fighting Procedures: USE AIR SUPPLIED RESPIRATOR. USE WATER TO COOL HEAT EXPOSED CONTAINERS. Unusual Fire/Explosion Hazard: EXCESSIVE HEAT MAY CAUSE DECOMPOSITION OF MAGNESIUM DIOXIDE, RESULTING IN OXIDATION AND POSSIBLE IGNITION OF HYDROCARBON VEHICLE. Spill Release Procedures: SCOOP INTO CONTAINERS. CLEAN-UP RESIDUE WITH A SUITABLE SOLVENT. ============= Handling and Storage ========================== Handling and Storage Precautio ns:AVOID INGESTION. Other Precautions: NONE. ===== Exposure Controls/Personal Protection ======== Respiratory Protection: NOT REQUIRED. Ventilation: GENERAL VENTILATION. Protective Gloves: SOLVENT RESISTANT GLOVES. Eye Protection: SAFETY GLASSES. Other Protective Equipment: NONE KNOWN. Work Hygienic Practices: WASH THOROUGHLY AFTER HANDLING & BEFORE SMOKING OR EATING. Supplemental Safety and Health KEY 1: V5. THIS IS PART A OF A TWO PART KIT. ======== Physical/Chemical

Boiling Pt:=340.C, 644.F Spec Gravity:1.801
Appearance and Odor:BLACK PASTE.
Percent Volatiles by Volume:0.0
Torochi Volatilo by Volatilo.0.0
========= Stability and Reactivity Data =========
Stability Indicator/Materials to Avoid:YES
EASILY OXIDIZABLE MATERIALS.
Stability Condition to Avoid:NOT KNOWN.
Hazardous Decomposition Products:OXIDES OF CARBON AND NITROGEN.
MAGNESIUM AND CHROMIUM COMPOUNDS.
======= Disposal Considerations ==========
Waste Disposal Methods:EPA NO. D-007 HAZARDOUS WASTE. DISPOSE OF IN COMPLIANCE WITH FEDERAL AND STATE REGULATIONS.
Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent pro
fessional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.

Properties ========

HCC:F2