

ADVANCED CHEMICAL DESIGN INC -- BOROTHENE SOLVENT

=====  
MSDS Safety Information  
=====

FSC: 6850  
NIIN: 01-424-8166  
MSDS Date: 05/07/1997  
MSDS Num: CCMZG  
Product ID: BOROTHENE SOLVENT  
MFN: 01  
Responsible Party  
Cage: ADVCI  
Name: ADVANCED CHEMICAL DESIGN INC  
Address: 498 SOUTH BELVOIR BLVD  
City: SOUTH EUCLI  
D OH 44121  
Info Phone Number: 216-382-2032 FAX # 216-291-5949  
Emergency Phone Number: 216-382-2032/800-255-3924(CHEM-TEL)  
Preparer's Name: RICH HENRY  
Proprietary Ind: Y  
Review Ind: Y  
Published: Y

=====  
Contractor Summary  
=====

Cage: 05HH6  
Name: ADVANCED CHEMICAL DESIGN INC  
Address: UNKNOWN  
Box: UNKNOW  
City: UNKNOWN NK 00000  
Phone: UNKNOWN  
Cage: ADVCI  
Name: ADVANCED CHEMICAL INDUSTRIES  
Address: HW  
Y 2 AND 52 WEST  
City: MINOT ND 58701-5000  
Phone: 701-852-5130  
Cage: 0F2M5  
Name: TULSTAR PRODUCTS INC  
Address: 1722 S CARSON, SUITE 2907  
City: TULSA OK 74119  
Phone: 918-587-7878/FAX -3297 (DAVID COOK)

=====  
Item Description Information  
=====

Item Manager: S9G  
Item Name: CLEANING COMPOUND,SOLVENT  
Specification Number: UNKNOWN  
Unit of Issue: CN  
Quantitative Expression: 00000000005GL  
UI Container Qty

: 1

Type of Container: CAN

=====  
Ingredients  
=====

Name: \*\*\* PROPRIETARY \*\*\*  
-----

=====  
Health Hazards Data  
=====

LD50 LC50 Mixture: TLV:200PPM.

Route Of Entry Inds - Inhalation: YES

Skin: YES

Ingestion: YES

Carcinogenicity Inds - NTP: NO

IARC: NO

OSHA: NO

Effects of Expo

sure: INHAL:HI CONC IRRIT RESP TRACT.MAY CAUSE

HEAD,DIZZ,NAU,VOMIT,NARCOSIS IN CONFINED/POORLY VENTI AREA.SKIN:BRIEF CONTACT  
MAY CAUSE SLIGHT IRRIT,PROL CONTACT MAY CAUSE MODERATE IRRIT,DERM.PROBLEM MAY  
BE ACCENTUATED BY LIQ BECOMING TRAPPED AGAINST SKIN BY CONTAM  
CLOTH/SHOES.EYE:CONTACT/HI VAP CONC MAY CAUSE IRRIT,(SUPPL)

Explanation Of Carcinogenicity: PER MSDS:CARCINOGENCITY:NTP/IARC/CA PROP 65:NOT  
LISTED,

OSHA:NOT REGULATED.

Signs And Symptions Of Overexposure: IRRIT RESP  
TRACT

,HEADACHE,DIZZINESS,NAUSEA,VOMITING,NARCOSIS.SLIGHT SKIN IRRIT,MODERATE  
IRRIT,DERM.EYE IRRIT/PAIN.IRRIT OF MOUTH/GASTROINTESTINATL TRACT,ABDOMINAL  
PAIN,VOMITING.

Medical Cond Aggravated By Exposure: NONE SPECIFIED BY MANUFACTURER.

First Aid: INHAL:REMOVE TO FRESH AIR.PROVIDE OXY IF BREATH DIFFI;ADMIN CPR IF  
NOT BREATH.SEEK MED ATTN.SKIN:REMOVE CONTAM CLOTH.WSH AREA W/PLENTY OF  
SOAP/WATER.IRRIT PERSIST SEEK MED ATTN.EYE:FLUSH W/WATER FOR 1 5MINS WHILE  
HOLDING EYELIDS OPN.IRRIT PERSIST S

EEK MED ATTN.INGEST:IF CONSC HAVE HIM

DRINK LG AMTS OF WATER.DONT INDUCE VOMIT.DONT GIVE ANYTHING BY MOUTH IF  
UNCONSC.SEEK IMMED MED ATTN.

=====  
Handling and Disposal  
=====

Spill Release Procedures: EVACUATE AREA.STOP LEAK W/O RISK.CONTAIN & COVER  
W/VERMICULITE OR SAND.

Neutralizing Agent: NONE SPECIFIED BY MANUFACTURER.

Waste Disposal Methods: DISPO OF IAW LOC/STATE/FED REGS.DONT FLUSH

TO SANITARY

SEWER/WATERWAY.REF TO RCRA REGS 40CFR260-281 FOR WASTE DISPO INSTRUCTIONS.

Handling And Storage Precautions: KEEP CNTNR TIGHTLY CLSD WHEN OT IN USE.PROTECT FROM EXTREME TEPS.ISOLATE INCOMPATIBLE MATLS.

Other Precautions: KEEP THIS MATL OUT OF REACH OF CHILDREN.MINIMIZE BODY CONTACT W/THIS PRODUCT.AVOID INHAL FUMES/VAPORS.

=====  
Fire and Explosion Hazard Information  
=====

Flash P

oint Text: NON-FLAMMAMBLE

Extinguishing Media: MATERIAL IS NON-FLAMMABLE.

Fire Fighting Procedures: FIRE FIGHTERS SHOULD WEAR NIOSH APPROVED SELF-CONTAINED BREATHING APPARATUS IN POSITIVE PRESSURE MODE.

Unusual Fire/Explosion Hazard: PRODUCT WILL DECOMPOSE AT TEMPERATURES ABOVE 400F RELEASING TOXIC FUMES OF CO, CO2, AND HYDROGEN BROMIDE.

=====  
Control Measures  
=====

Respiratory Protection: AT HIGH LEVELS OF CONCENTRATION USE SELF-CONTAINED BREATHING APPARATUS.

Ventilation: USE ADQUATE MECHANICAL/LOC EXHAU VENTI TO KEEP VAPOR/MIST LEVELS AS LOW AS POSSIBLE.

Protective Gloves: IMPERV TO CHEMS-VITON,POLYETHYLENE,NITRI

Eye Protection: SPLASH-PROOF CHEM SAF GOGG,FCSHIELD.

Other Protective Equipment: CONTACT LENS SHOULDN'T BE WORN WHEN WORK W/MATL.CLEAN BODY-COVER CLOTH,APRON,BOOTS NOT MADE OF NAT RUBB.SAF EYEBATH/SHOWR

Work Hygienic Practices: LAUNDER CONTAM CLOTH BEFORE REUSE.ELI MINATE BODY

CONTACT W/CHEM.DONT EAT/DRINK/SMOKE TIL AFT WORK WASHING.

Supplemental Safety and Health: HEALTH:PAIN.INEST:MAY RESULT IN IRRIT OF MOUTH & GI TRACT,ABDOMINAL PAIN,VOMIT IN ADDN TO EFFECTS SIMILAR TO THOSE CAUSED BY INHAL.

=====  
Physical/Chemical Properties  
=====

HCC: T4

B.P. Text: 154F,68C

M.P/F.P Text: -113F,-81C

Decomp Text: >400F,>204C

Vapor Pres: 117

Vapor Density:

6.0

Spec Gravity: 1.74

Evaporation Rate & Reference: FAST,NO REF GIVEN

Solubility in Water: NEGLIGIBLE

Appearance and Odor: CLEAR COLORLESS LIQUID, SWEET ODOR

Reactivity Data

Stability Indicator: YES

Stability Condition To Avoid: AVOID TEMPERATURE ABOVE 400F.

Materials To Avoid: AVOID STRONG OXIDIZERS & ACIDS.MAY ATTACK SOME PLASTICS,RUBBERS & COATINGS.THOROUGHLY TEST FOR ALL A PPLICATIONS BEF USE.

Hazardous Decomposition Products: THERMAL DECOMPOSITION MAY YIELD CO, CO2, HBR.

Hazardous Polymerization Indicator: NO

Toxicological Information

Ecological Information

MSDS Transport Information

Regulatory Information

Other Information

Transportation Information

Responsible Party Cage: ADVCI

Trans ID

NO: 136104

Product ID: BOROTHENE SOLVENT

MSDS Prepared Date: 05/07/1997

Review Date: 01/27/1998

MFN: 1

Tech Entry NOS Shipping Nm: HALOGENATED HYDROCARBON

Net Unit Weight: 79.2 LBS

Multiple KIT Number: 0

Review IND: Y

Unit Of Issue: CN

Container QTY: 1

Type Of Container: CAN

Additional Data: PER MSDS:TRANSPO INFO PROPER SHIPPING NAME:POISONOUS LIQ, HALOGENATED HYDROCARBON, 6.1, ID#:NONE, PK G GROUP III, LABE:KEEP AWAY FROM FOOD.QUANT LIMITATIONS:PASSENGER AIRCRAFT/RAIL CAR:60L(15.85GAL);CAR

GO  
AIRCRAFT ONLY:220L(58.11GAL). PER CTFD:24-26 GAUGE.

=====  
Detail DOT Information  
=====

DOT PSN Code: QKO  
Symbols: G  
DOT Proper Shipping Name: TOXIC LIQUIDS, ORGANIC, N.O.S.  
Hazard Class: 6.1  
UN ID Num: UN2810  
DOT Packaging Group: III  
Label: KEEP AWAY FROM FOOD  
Special Provision: T7  
Packaging Exception: 153  
Non Bulk Pack: 203  
Bulk Pack: 241  
Max Qty Pass: 60 L  
Max Qty Cargo: 220 L  
Vessel Stow  
Req: A  
Water/Ship/Other Req: 40

=====  
Detail IMO Information  
=====

IMO PSN Code: HWH  
IMO Proper Shipping Name: HALOGENATED IRRITATING LIQUID, N.O.S. y  
IMDG Page Number: 6157  
UN Number: 1610  
UN Hazard Class: 6.1  
IMO Packaging Group: II/III  
Subsidiary Risk Label: -  
EMS Number: 6.1-02  
MED First Aid Guide NUM: 740

=====  
Detail IATA Information  
=====

IATA PSN Code: YIF  
IATA UN ID Num: 2810  
IATA Proper Shipping Name: TOXIC LIQUID, ORGANIC, N.O.S. \*  
IATA UN Class: 6.1  
IATA Label: TOXIC  
UN Packing Group: III  
Packing Note Passenger: 611  
Max Quant Pass: 60L  
Max Quant Cargo: 220L  
Packaging Note Cargo: 618

=====  
Detail AFI Information  
=====

AFI PSN Code: NBL  
AFI Symbols: \*  
AFI Proper Shipping Name: H

ALOGENATED IRRITATING LIQUID, N.O.S.

AFI Hazard Class: 6.1

AFI UN ID NUM: UN1610

AFI Packing Group: III

Special Provisions: P5

Back Pack Reference: A10.5

=====

HAZCOM Label

=====

Product ID: BOROTHENE SOLVENT

Cage: ADVCI

Company Name: ADVANCED CHEMICAL INDUSTRIES

Street: HWY 2 AND 52 WEST

City: MINOT ND

Zipcode: 58701-5000

Health Emergency Phone: 216-382-2032/800-255-3924(CHEM-TEL)

Label Required

IND: Y

Date Of Label Review: 01/21/1998

Status Code: C

MFG Label NO: NONE

Label Date: 01/21/1998

Year Procured: 1997

Origination Code: F

Chronic Hazard IND: Y

Eye Protection IND: YES

Skin Protection IND: YES

Signal Word: CAUTION

Respiratory Protection IND: YES

Health Hazard: Moderate

Contact Hazard: Slight

Fire Hazard: None

Reactivity Hazard: None

Hazard And Precautions: INHAL:HI CONC IRRIT RESP

TRACT,HEAD,DIZZ,NAU,VOMIT,NARCOSIS IN CONF/POORLY VENTI AREA.SKIN:BRIEF  
CONTACT SLIGHT IRRIT,PRO

L CONTACT MODERATE IRRIT,DERM.PROBLEM ACCENTUATED BY

TRAPPED LIQ AGAINST SKIN B Y CONTAM CLOTH/SHOES.EYE:CONTACT/HI VAPCONC

IRRIT/PAIN.INGEST:IRRIT MOUTH/GI TRACT,ABD PAIN,VOMIT.TARGET

ORGANS:CNS/EYE/SKIN/GI TRACT.1ST AID:INHAL:MOVE TO FRESH AIR.DIFFI BREATH GIVE

OXY;NOT BREATH CP R.GET MED ATTN.SKIN:REMOVE CONTAM CLOTH.WASH AREA W/LOTS OF  
SOAP/H2O.IRRIT PERSIST GET MED ATTN.EYE:FLUSH W/H2O 15MINS,HOLD OPN

EYELIDS.IRRIT PERSIST GET MED ATTN.INGEST:IF CONSC GIVE LG AMTS OF H2O T O  
DR

INK.DONT INDUCE VOMIT.GET IMMED MED ATTN.

=====  
Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever expressly or implied warrants, states, or intends said information to have any application, use or viability by or to any person or persons outside the Department of Defense nor any perso

n or persons contracting with any instrumentality of the United States of America and disclaims all liability for such use. Any person utilizing this instruction who is not a military or civilian employee of the United States of America should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation regardless of similarity to a corresponding Department of Defense or other government situation.