

ENGINEERED FABRICS CORP. -- 82C16, PART A -- 8040-01-129-2559

===== Product Identification =====

Product ID:82C16, PART A

MSDS Date:09/01/1992

FSC:8040

NIIN:01-129-2559

Kit Part:Y

MSDS Number: CCQTS

=== Responsible Party ===

Company Name:ENGINEERED FABRICS CORP.

Address:669 GOODYEAR STREET

City:ROCKMART

State:GA

ZIP:30153

Info Phone Num:(404)684-7855

Emergency Phone Num:(216)379-8562, (202)483-76

16

Preparer's Name:WILLIAM R. RITTER

CAGE:0KDP8

=== Contractor Identification ===

Company Name:AERO HARDWARE AND PARTS CO INC

Address:130 BUSINESS PARK DRIVE

Box:City:ARMONK

State:NY

ZIP:10504

Country:US

Phone:914-273-8550

CAGE:4A766

Company Name:ENGINEERED FABRICS CORP

Address:669 GOODYEAR ST

Box:548

City:ROCKMART

State:GA

ZIP:30153

Country:US

Phone:404-684-7855

CAGE:0KDP8

Company Name:ENGINEERED FABRICS CORPORATION

Address:669 GOODYEAR STREET

Box:548

City:ROCKMART

State:GA

ZIP:30153

Country:US

Phone:706-684-7855

CAGE:56221

=====
Composition/Information on Ingredients
=====

Ingred Name:POLYURETHANE PREPOLYMER

Fraction by Wt: 90-95%

Ingred Name:LEAD DIOXIDE (SARA 313)

CAS:1309-60-0

RTECS #:OG0700000

Fraction by Wt: 160F.

=====
Accidental Release Measures
=====

Spill Release Procedures:REMOVE IGNIT SOURCE. VENT AREA. WEAR PERSONAL
PROT EQUIP AS NECESSARY. DIKE/CNTAIN SPILL W/ABSORBANT/OTHER MATL.
DONT ALLOW DISCHARGE TO STORM/SA
NITARY SEWER. SHOVEL/SCOOP MATL
INTO ORIGINAL CNTNR OR CLEAN/EMPTY CNTNR OF SAME DOT
SPEC/LABELING.*

=====
Handling and Storage
=====

Handling and Storage Precautions:STORAGE AREA SHOULD BE WELL
VENTILATED. STORE AWAY FROM HEAT/OPEN FLAMES. KEEP CONTAINER CLOSED
WHEN NOT IN USE.

=====
Exposure Controls/Personal Protection
=====

Respiratory Protection:IF WORKPLACE CONCENTRATIONS EXCEED RECOMMENDED
TLV'S,USE NIOSH/MSHA A

PPROVED RESPIRATOR TO PREVENT OVEREXPOSURE.

IN ACCORDANCE W/29CFR 1910.134 USE EITHER ATOMOSPHERE-SUPPLYING
RESPIRATOR OR AIR-PURIF YING RESPIRATOR FOR ORGANC VAPORS.

Ventilation:EXHAUST VENT ADEQUATE TO MAINTAIN CONCENTRATION