

AIRKEM PROFESSIONAL PRODUCTS DIV. OF ECOLAB INC. -- QUICK FILL 540 -- 7930-01-398-0975
===== Product Identification =====

Product ID:QUICK FILL 540

MSDS Date:01/03/1995

FSC:7930

NIIN:01-398-0975

MSDS Number: CCQWD

=== Responsible Party ===

Company Name:AIRKEM PROFESSIONAL PRODUCTS DIV. OF ECOLAB INC.

Address:ECOLAB CENTER

City:ST. PAUL

State:MN

ZIP:55102

Country:US

Info Phone Num:800-247-5362

Eme

rgency Phone Num:800-328-0026

CAGE:AIRKE

=== Contractor Identification ===

Company Name:AIRKEM PROFESSIONAL PRODUCTS/DIV OF ECOLAB INC

Address:ECOLAB CENTER

City:ST. PAUL

State:MN

ZIP:55102

Country:US

Phone:800-328-0026

CAGE:AIRKE

Company Name:ECOLAB PROFESSIONAL PRODUCTS DIVISION OF ECOLAB INC.

Address:ECOLAB CENTER

Box:City:ST PAUL

State:MN

ZIP:55102

Country:US

Phone:800-352-5326

CAGE:85884

===== Composition/Information on Ingredients =====

Ingred Name:POTASSIUM HYPOCHLORIT

E SOLUTION
CAS:7778-66-7
RTECS #:TT2825000
Fraction by Wt: 2.0%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:CHLORINE=3 MG/M3 C
ACGIH TLV:STEL = 3 MG/M3

Ingred Name:POTASSIUM HYDROXIDE (CERCLA)
CAS:1310-58-3
RTECS #:TT2100000
Fraction by Wt: 7.0%
Other REC Limits:NONE RECOMMENDED
ACGIH TLV:C 2 MG/M3
EPA Rpt Qty:1000 LBS
DOT Rpt Qty:1000 LBS

Ingred Name:WATER
CAS:7732-18-5
RTECS #:ZC0110000
Other REC Limits:NONE RECOMMENDED

=====
===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:SKIN/EYES: CAUSES SEVERE CHEMICAL
BURNS. EYE CONTACT MAY CAUSE BLINDNESS. HARMFUL CONTACT MAY NOT
CAUSE IMMEDIATE PAIN. HARMFUL/FATAL IF SWALLOWED. CAUSES CHEM BURNS
OF MOUTH/THROAT/STOMACH. INHAL DAM AGES AIRWAYS/LUNGS DEPENDING ON
AMOUNT/DURATION OF EXPOSURE. EFFECTS CAN VARY FROM SLIGHT IRRIT TO
BRONCHITIS/PNEMONIA.

Medical Cond Aggra
vated by Exposure:ASTHMA, LUNG PROBLEMS.

=====
===== First Aid Measures =====

First Aid:EYES: IMMEDIATELY FLUSH WITH LOTS OF COOL RUNNING WATER. NO CONTACTS,
KEEP FLUSHING >15 MIN HOLDING LIDS OPEN TO RINSE ENTIRE EYE. CALL
DR. SKIN: IMMEDIATELY FLUSH WITH LOTS OF COOL RUNNING WATER >15 MIN. REMOVE
CONTAMINATED CLOTHES/WASH BEFORE REUSE. INGEST: RINSE MOUTH IMMEDIATELY WITH 1-2
GLASSES OF WATER/MILK. DON'T INDUCE VOMITING. NEVER GIVE ANYTHING
BY MOUTH TO UNCONSCIOUS PERSON. INHAL

ATION: IMED GET FRESH AIR.
CALL DR IMMED.

=====
Fire Fighting Measures
=====

Extinguishing Media:THIS PRODUCT DOES NOT SUPPORT COMBUSTION
Unusual Fire/Explosion Hazard:NONE

=====
Accidental Release Measures
=====

Spill Release Procedures:DIKE OR DAM LARGE SPILLS. PUMP TO CONTAINERS
OR SOAK UP ON INERT ABSORBENT. FLUSH RESIDUE TO SANITARY SEWER.

=====
Handling and Storage
=====

Handling
and Storage Precautions:USE SOLUTION PH: 12.5

=====
Exposure Controls/Personal Protection
=====

Respiratory Protection:AVOID BREATHING MISTS OR VAPORS OF THIS PRODUCT.
Protective Gloves:RUBBER. PROTECT CUFF/GAUNTLET PREFERRED.
Eye Protection:CHEMICAL SPLASH GOGGLES*
Other Protective Equipment:*FOR CONTINUED EXPOSURE, WEAR SAFETY SHIELD
OVER GOGGLES.
Supplemental Safety and Health
AVOID CONTACT W/USE SOLUTIONS. THESE MAY ALSO BE HAZARDOUS.

=====
Physical/Chemical Properties
=====

Boiling Pt:B.P. Text:>212F,>100C
Spec Gravity:1.15
pH:13.6
Solubility in Water:COMPLETE
Appearance and Odor:CLEAR, LIGHT YELLOW LIQUID, CHLORINE ODOR

=====
Stability and Reactivity Data
=====

Stability Indicator/Materials to Avoid:YES
DON'T MIX W/ACIDS OR AMMONIA. CAUSES HAZARDOUS VAPORS. REACTS VIOLENTLY
W/ACIDS. REACTS W/SOFT METALS (ALUMINUM,/ZINC).
Stability Condition to Avoid:DO NOT MIX W/ANYTHING BUT WATER.

=====

===== Disposal Considerations =====

Waste Disposal Methods: UNUSED PRODUCT AS WASTE IS CORROSIVE (D002) BY RCRA CRITERIA. CONSULT STATE & LOCAL AUTHORITIES FOR RESTRICTIONS ON DISPOSAL OF CHEMICAL WASTE.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.