

GAS TECH INC. JOHNSON INSTRUMENT DIV -- CARBON MONOXIDE (0-6.5%) IN NITROGEN --
6695-01-407-8327

===== Product Identification =====

Product ID:CARBON MONOXIDE (0-6.5%) IN NITROGEN

MSDS Date:06/11/1993

FSC:6695

NIIN:01-407-8327

MSDS Number: CCSYF

=== Responsible Party ===

Company Name:GAS TECH INC. JOHNSON INSTRUMENT DIV

Address:8445 CENTRAL AVE

City:NEWARK

State:CA

ZIP:94560-3431

Country:US

Info

Phone Num:510-794-6200

Emergency Phone Num:510-794-6200

CAGE:51906

=== Contractor Identification ===

Company Name:GAS TECH INC. JOHNSON INSTRUMENT DIV

Address:8445 CENTRAL AVE

Box:City:NEWARK

State:CA

ZIP:94560-3431

Country:US

Phone:510-794-6200

CAGE:51906

Company Name:NEW ERA CONTRACT SALES

Address:2513 TACOMA AVE S

Box:City:TACOMA

State:WA

ZIP:98402-1308

Country:US

Phone:253-272-3553

CAGE:0FA68

===== Composition/Information on Ingredients =====

Ingred Name:CARBON MONOXIDE

C

AS:630-08-0
RTECS #:FG3500000
Fraction by Wt: 0-6.5%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:50 PPM
ACGIH TLV:25 PPM; 9293

Ingred Name:NITROGEN
CAS:7727-37-9
RTECS #:QW9700000
Fraction by Wt: BALANCE
Other REC Limits:NONE RECOMMENDED
ACGIH TLV:ASPHYXIAN; 9596

=====
===== Hazards Identification =====
=====

Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:ACUTE: HEADACHE, TACHYP
NEA, NASUEA,
WEAKNESS, DIZZINESS, CONFUSION, HALUCINATIONS, CYANOSIS, ABNORMAL
ELECTROCARDIOGRAM, ANGINA, SYNCOPE. CHRONIC: SOME ACUTE EFFECTS
IDENTIFIED MAY BECOME CHRONIC.
Effects of Overexposure:TARGET ORGANS: CARDIOVASCULAR SYSTEM, LUNGS,
BLOOD, CENTRAL NERVOUS SYSTEM.
Medical Cond Aggravated by Exposure:CHRONIC RESPIRATORY PROBLEMS,
CORONARY ARTERY DISEASE OR HEART DISEASE.

=====
===== First Aid Measures =====
=====

First Aid:RESPIRATORY: PROV
IDE FRESH AIR OR OXYGEN AND CONSULT
PHYSICIAN.

=====
===== Fire Fighting Measures =====
=====

Extinguishing Media:USE METHOD APPROPRIATE TO SURROUNDING FIRE.
Fire Fighting Procedures:NONE
Unusual Fire/Explosion Hazard:COMPRESSED GAS CYLINDERS MAY EXPLODE IN
HEAT OF FIRE. WITH DRAW IMMEDIATELY IN CASE OF RISING SOUND FROM
VENTING SAFETY DEVICE.

=====
===== Accidental Release Measures =====
=====

Spill Release Procedures:EVACUATE AND VENTILATE

AREA.

=====
Handling and Storage
=====

Handling and Storage Precautions:STORE IN COOL, DRY AREA. DO NOT PUNCTURE CYLINDER. USE SAFE STORAGE PRACTICES FOR THE STORAGE OF COMPRESSED GAS CYLINDERS.

Other Precautions:EXPOSURE TO TEMPERATURES ABOVE 150F MAY OPERATE EXCESS- PRESSURE VALVE.

=====
Exposure Controls/Personal Protection
=====

Respiratory Protection:NONE NECESSARY.

Ventilation:LOCAL EXHAUST AND MECHANICAL VENTILATION RECOMMENDED.

Protective Gloves:NOT REQUIRED

Eye Protection:SAFETY GLASSES RECOMMENDED.

Other Protective Equipment:NONE SPECIFIED BY MANUFACTURER.

Work Hygienic Practices:NO SPECIAL PRACTICES REQUIRED.

Supplemental Safety and Health

NONE

=====
Physical/Chemical Properties
=====

HCC:G3

Vapor Density:0.97

Solubility in Water:SLIGHT

Appearance and Odor:GAS, COLORLESS, ODORLESS.

=====
Stability and Reactivity Data
=====

Stability Indicator/Materia

Is to Avoid:YES

STRONG OXIDIZERS, BROMINE TRIFLUORIDE, CHLORINE TRIFLUORIDE, LITHIUM, NICKEL, AND OIL IN HIGH PRESSURE EQUIPMENT.

Stability Condition to Avoid:NONE IDENTIFIED.

Hazardous Decomposition Products:CARBON MONOXIDE, CARBON DIOXIDE.

=====
Disposal Considerations
=====

Waste Disposal Methods:EMPTY CONTAINERS MAY BE DISCARDED AS METAL REFUSE, OBSERVING FEDERAL, STATE, AND LOCAL REGULATIONS. DO NOT INCINERATE.

Disclaimer (provided with this i

nformation by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.