

ANNISTON ARMY DEPOT -- 30402103,FIRE EXTINGUISHER (MONOBROMOTRIFLUOROMETHANE) --
1680-00-168-5737

===== Product Identification =====

Product ID:30402103,FIRE EXTINGUISHER (MONOBROMOTRIFLUOROMETHANE)

MSDS Date:01/16/1997

FSC:1680

NIIN:00-168-5737

MSDS Number: CCVQY

=== Responsible Party ===

Company Name:ANNISTON ARMY DEPOT

Address:7 FRANKFORD AVENUE

City:ANNISTON

State:AL

ZIP:35201-4199

Country:US

Info Phone Num:205-235-7776

Emergency Phone Num:800-851-8061

Preparer's Name:HMIS-VBA

CAGE:75117

=== Contractor Identification ===

Company Name:ANNISTON ARMY DEPOT

Address:7 FRANKFORD AVENUE

Box:City:ANNISTON

State:AL

ZIP:35201-4199

Country:US

Phone:205-235-7776

CAGE:75117

===== Composition/Information on Ingredients =====

Ingred Name:BROMOTRIFLUOROMETHANE

CAS:75-63-8

Fraction by Wt: 3.0% LBS

Other REC Limits:NONE SPECIFIED

Ozone Depleting Chemical:1

Ingred Name:NITROGEN

CA

S:7727-37-9

RTECS #:QW9700000

Fraction by Wt: 0.08% LB

Other REC Limits:NONE SPECIFIED

ACGIH TLV:ASPHYXIAN; 9495

=====
===== Hazards Identification =====

LD50 LC50 Mixture:ORAL LD50 (RAT) IS UNKNOWN.

Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:MAY ACT AS A SIMPLE ASPHYXIAN &

IRRITANT TO LUNGS, APPROXIMATE LETHAL CONCENTRATION OF PRODUCT TO THE RAT IS 80% FOR 15

MINUTES EXPOSURE. PRODUCT HAS ANESTHETIC AND

CARDIAC EFFECTS IN HUMANS AT CONCENTRATIONS ABOVE 10% BY VOLUME.

CONCENTRATIONS BELOW 10% ARE CONSIDERED SAFE FOR 0 TO 5 MINUTES EXPOSURES.

Effects of Overexposure:THE ANESTHETIC EFFECT OF THE PRODUCT AT LEVELS

BELOW 10% IS SIMILAR TO A FEELING OF MILD INTOXICATION. ANESTHETIC

EFFECTS END RAPIDLY AFTER EXPOSURE IS TERMINATED. PROLONGED

EXPOSURE TO CONCENTRATIONS ABOVE 10% (15-20%), MAY LEAD TO

UNCONSCIOUSNESS AND POSSIBLY

DEATH.

Medical Cond Aggravated by Exposure:CARDIAC PROBLEMS MAY BE AGGRAVATED

BY OVEREXPOSURE.

=====
===== First Aid Measures =====

First Aid:REMOVE VICTIM TO FRESH AIR. IF NOT BREATHING GIVE CPR/OXYGEN

IF NECESSARY. PROVIDE SYMPTOMIC AND SUPPORTIVE CARE. GET MEDICAL

ATTENTION. NOTE: ADRENALIN IS CONTRAINDICATED IN THE TREATMENT OF

OVEREXPOSURE.

=====
===== Fire Fighting Measures =====

Flash Point:NON-FLAMMABLE

Ex

tinguishing Media:PRODUCT IS A NON-FLAMMABLE GAS. ALL CONVENTIONAL

EXTINGUISHING MEDIA ARE SUITABLE.

Fire Fighting Procedures:FIRE FIGHTERS SHOULD WEAR PROTECTIVE CLOTHING

AND SELF-CONTAINED BREATHING APPARATUS.

Unusual Fire/Explosion Hazard:CYLINDER MAY BURST IN FIRE. MAY RELEASE

IRRITATING AND TOXIC PRODUCTS LIKE HYDROGEN FLUORIDE AND HYDROGEN

BROMIDE.

=====
===== Accidental Release Measures =====

Spill Release Procedures:EVACUATE PERSONNEL AND VENTILATE

ENCLOSED

AREAS IN CASE OF INADVERTENT DISCHARGE OF THE PRODUCT.

Neutralizing Agent:NONE.

=====
===== Handling and Storage =====

Handling and Storage Precautions:AVOID PHYSICAL DAMAGE TO CONTAINER.

STORE AT COOL AND WELL VENTILATED AREA BELOW 125 F.

Other Precautions:USE IN A WELL VENTILATED AREA.

=====
===== Exposure Controls/Personal Protection =====

Respiratory Protection:WEAR NIOSH APPROVED SELF-CONTAINED BREATHING APPARATUS IF EXPOSED

TO CONCENTRATIONS GREATER THAN 10%

Ventilation:ALL INDOOR AREAS SHOULD BE WELL VENTILATED.

Protective Gloves:NONE NORMALLY REQUIRED.

Eye Protection:NONE NORMALLY REQUIRED.

Other Protective Equipment:NONE NORMALLY REQUIRED.

Work Hygienic Practices:AVOID OVEREXPOSURE.

Supplemental Safety and Health

THE LOGISTICS INFORMATION IS FROM AVSOM DMWR 55-1680-246.

=====
===== Physical/Chemical Properties =====

HCC:G3

Boiling Pt:B.P. Text:-72F,-58C

Vapor Pres:6200 @ 0 C

Solubility i

n Water:NEGLIGIBLE

Appearance and Odor:COLORLESS, LIQUIFIED GAS WITH SLIGHT ETHEREAL ODOR.

Percent Volatiles by Volume:100

=====
===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

ACTIVE METALS, FIRES OF METAL HYDRIDES, AND MATERIAL CONTAINING OWN OXYGEN.

Stability Condition to Avoid:HIGH HEAT ABOVE 125F.

Hazardous Decomposition Products:IN PRESENCE OF FLAMES/HOT SURFACES;
HYDROGEN FLUORIDE, HYDROGEN BROMIDE, BROMINE, CARBONYL FLUOR

IDE,
CARBONYL BROMIDE.

Conditions to Avoid Polymerization:WILL NOT OCCUR.

===== Disposal Considerations =====

Waste Disposal Methods:DISPERSES IN THE ATMOSPHERE. UNUSED MATERIAL MAY
BE RETURNED TO THE MANUFACTURER.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants t
his information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.