View NSN Online: https://aerobasegroup.com/nsn/8030-00-152-0021

FLAMEMASTER CORP -- CS 3300 CLASS B (PART A) -- 8030-00-152-0021

Product ID:CS 3300 CLASS B (PART A) MSDS Date:05/05/1995 FSC:8030 NIIN:00-152-0021 Kit Part:Y MSDS Number: CCXNG === Responsible Party === Company Name: FLAMEMASTER CORP Address:11120 SHERMAN WAY City:SUN VALLEY State:CA ZIP:91352 Country:US Info Phone Num:818-982-1650 Emergency Phone Num:800-424-93 00 (CHEMTREC) Preparer's Name: HERBERT MOORE CAGE:13422 === Contractor Identification === **Company Name: FLAMEMASTER CORPORATION** Address:11120 SHERMAN WAY Box:City:SUN VALLEY State:CA ZIP:91352-4949 Country:US Phone:818-982-1650 CAGE:13422

======= Composition/Information on Ingredients ==========

Ingred Name:THIOL TERMINATED POLYMER, POLYDITHIOETER; (LIQUID POLYSULFIDE POLYMER) CAS:68611-50-7 Fraction by Wt: 71% OSHA PEL:N/K ACGIH TLV:N/K

======= Hazards Identific

======

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER. Routes of Entry: Inhalation:NO Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:POSSIBLE SKIN IRRITATION AFTER PROLONGED CONTACT, WITH RESULTING DERMATITIS. NOT CONSIDERED TO BE A PRIMARY SKIN IRRITANT. Explanation of Carcinogenicity:NOT RELEVANT Effects of Overexposure:SKIN OR EYE IRRITATION. Medical Cond Aggravated by Exposure:NONE KNOWN.

First Aid:INHAL:REMOVE TO FRESH AIR. SUPPORT BREATHING (GIVE O*2/ARTF RESP) . EYES:FLUSH W/LARGE AMOUNTS OF WATER FOR AT LEAST 15 MINUTES, CONSULT MD. SKIN:WASH W/SOAP & WATER. INGEST:INDUCE VOMITING, CON SULT MD.

Flash Point Method:TCC Flash Point:>199F,>93C Extinguishing Media:DRY CHEMICAL, FOAM, CO*2, WATER. Fire Fighting Procedures:USE NIOSH APPROV ED SCBA & FULL PROTECTIVE EQUIPMENT . Unusual Fire/Explosion Hazard:NONE.

Spill Release Procedures:SCOOP UP & TRANSFER TO CONTAINER FOR REACTION W/CURING AGENT. CLEAN UP RESIDUE W/1,1,1 TRICHLOROETHANE THEN W/SOAP & WATER. Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

Handling and Storage Precautions:STORE IN COOL, DRY AREA AWAY FROM STR

ONG ACIDS. Other Precautions: TRAIN EMPLOYEES IN SAFE HANDLING OF THIS PRODUCT.

Respiratory Protection: NIOSH APPROVED RESPIRATOR APPROPRIATE FOR EXPOSURE OF CONCERN . NOT REQUIRED. Ventilation:LOCAL EXHAUST:AIR. MECHANICAL (GENERAL):FAN. Protective Gloves: RUBBER GLOVES. Eye Protection: ANSI APPROVED CHEM WORKERS GOGGS . Other Protective Equipment: ANSI APPROVED EYE WASH FOUNTAIN & DELUGE SHOWER . OTHER PROT CLTHG/EQUIP AP PROPRIATE TO AVOID PROLONGED CONTACT. Work Hygienic Practices: WASH HANDS BEFORE EATING, SMOKING OR DRINKING AFTER HANDLING THIS PRODUCT. Supplemental Safety and Health MP:LIQUID AT ROOM TEMPERATURE. Melt/Freeze Pt:M.P/F.P Text:SUPP DATA Vapor Pres:NIL Vapor Density:NIL Spec Gravity:1.33 (H*2O=1) VOC Pounds/Gallon:13 pH:8.5

Evaporation Rate & amp; Reference: