View NSN Online: https://aerobasegroup.com/nsn/5610-00-285-1460

CROSSFIELD PRODUCTS CORP -- DEX-O-TEX N-38 LIQUID -- 5610-00-285-1460

Product ID:DEX-O-TEX N-38 LIQUID

MSDS Date:08/08/1985

FSC:5610

NIIN:00-285-1460

MSDS Number: CCXNT === Responsible Party ===

Company Name: CROSSFIELD PRODUCTS CORP

Address:3000 E HARCOURT ST

City: COMPTON

State:CA ZIP:90221 Country:US

Info Phone Num:213-636-0561

Emergency Phone Num:213-636-0561

CAGE:60782

=== Contractor Identification ===

Company Name: CROSSFIELD PRODUCTS CORP.

Address:3000 EAST HARCOURT ST.

Box:City:COMPTON

State:CA ZIP:90221 Country:US

Phone:310-886-9100

CAGE:60782

======= Composition/Information on Ingredients ========

Ingred Name:1,3-BUTADIENE, 2-CHLORO-; (CHLOROPRENE) (SARA 313) (CERCLA)

CAS:126-99-8

RTECS #:EI9625000

Fraction by Wt: 212F,>100C

Extinguishing Media:WATER/CO*2/DRY CHEMICAL.

Fire Fighting Procedures: FOLLOW REGULAR PROCEDURES FOR EXTINGU

ISHING

FIRES. USE NIOSH APPROVED SCBA & FULL PROTECTIVE EQUIPMENT. Unusual Fire/Explosion Hazard:SUBSTANTIAL QUANTITIES OF HYDROGEN CHLORIDE (TLV-5PPM) ARE EVOLVED WHEN NEOPRENE IS HEATED AT TEMPERATURES OF 392F OR HIGHER.

======== Accidental Release Measures ===========

Spill Release Procedures:FLUSH SPILL WITH EXCESS WATER TO CHEMICAL SEWER OR SOAK UP WITH ABSORBENT MATERIAL. HAVE PROTECTIVE CLOTHING AVAILABLE.

Neutralizing Agent: NONE SPECIFIED BY MANU

======================================
Handling and Storage Precautions:STORE IN COOL PLACE - AVOID FREEZING - DO NOT HEAT ABOVE 200F. Other Precautions:EYE PROTECTION MUST BE WORN AT ALL TIMES WHILE USING THIS MATERIAL.
====== Exposure Controls/Personal Protection ========
Respiratory Protection: HAVE NIOSH APPROVED AIR SUPPLIED FACE MASK IF TLV OF CHLOROPRENE IS EXCEEDED. Ventilation: LOCAL EXHAUST AND MECHANICAL (GENERAL). Pro
tective Gloves:CHEMICAL RESISTANT OR RUBBER GLOVES. Eye Protection:ANSI APPRVD CHEM WORKERS GOGGS (SUPDAT) Other Protective Equipment:AS REQUIRED TO PREVENT SKIN CONTACT. ANSI APPRVD EYE WASH & DELUGE SHOWER. Work Hygienic Practices:NONE SPECIFIED BY MANUFACTURER. Supplemental Safety and Health EYE PROT:& FULL LENGTH FACESHIELD.
========= Physical/Chemical Properties ==========
Boiling Pt:B.P. Text:220F,104C Vapor Pres:AS WATER Vapor Density:AS WATER Spec Gravity:1.10 (H*2O=1) Evaporation Rate & Description (Amount of the Computer of
========= Stability and Reactivity Data =========
Stability Indicator/Materials to Avoid:YES ACIDS WILL CAUSE COAGULATION OF LATEX. Stability Condition to Avoid:AVOID FREEZING - IF RAW LATEX IS HEATED IT WILL FOAM AT 200F. Hazardous Decomposition Products:HYDROGEN CHLORIDE (AT TEMPERATURE

FACTURER.

S	
	ABOVE 392F).

======= Disposal Considerations ===========

Waste Disposal Methods: SANITARY LANDFILL IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for i

ts use. Any person utilizing this

document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.