

LOCTITE CORP -- 790 CLEANER CHISEL GASKET REMOVER, 79040

=====
MSDS Safety Information
=====

FSC: 8030
NIIN: 01-367-3975
MSDS Date: 04/21/1995
MSDS Num: CCXSL
Product ID: 790 CLEANER CHISEL GASKET REMOVER, 79040
MFN: 02
Responsible Party
Cage: 7K128
Name: LOCTITE CORP
Address: 1001 TROUT BROOK CROSSING
City: R
OCKY HILL CT 06067-3910
Info Phone Number: 203-571-5100
Emergency Phone Number: 203-571-5100
Preparer's Name: STEPHEN REPETTO
Proprietary Ind: Y
Published: Y

=====
Contractor Summary
=====

Cage: 7K128
Name: LOCTITE CORP
Address: 705 N MT RD
City: NEWINGTON CT 06111
Phone: 312-689-6200
Cage: 05972
Name: LOCTITE CORPORATION
Address: 1001 TROUT BROOK CROSSING
City: ROCKY HILL CT 06067-3910
Phone: 86
0-571-5100

=====
Item Description Information
=====

Item Manager: GSA
Item Name: REMOVER,GASKET
Specification Number: UNKNOWN
Unit of Issue: CN
Quantitative Expression: 00000000018OZ
UI Container Qty: 0
Type of Container: AEROSOL

=====
Ingredients
=====

Name: *** PROPRIETARY ***

=====

Health Hazards Data

=====

LD50 LC50 Mixture: NONE SPECIFIED BY MANUFACTURER.

Route Of Entry Inds - Inhalation: YES

Skin: YES

Ingestion: YES

Carcinogenicity Inds - NTP: YES

IARC: YES

OSHA: NO

Effects of Exposure: CHLOROCARBON MATLS HAVE PRDCD SENSIT OF MYOCARDIUM TO EPINEPHRINE IN LAB ANIMALS & COULD HAVE SIMILAR EFT IN HUMANS.

ADRENOMIMETICS (E.G., EPINEPHRINE) MAY BE C

ONTRAINDICATED EXCEPT FOR

LIFE-SUSTAINING USES IN HUMANS ACUTELY/CHRONICALLY EXPOS TO CHLOROCARBONS (FP N). SKIN & EYE IRRIT. MAY IRRIT RESP (EFTS OF OVEREXP)

Explanation Of Carcinogenicity: SEE "LR" VERSION FOR ADDITIONAL INFORMATION (FP N).

Signs And Symptoms Of Overexposure: HLTH HAZ:TRACT. ASPIR HAZ IF SWALLOWED.

MAY CAUSE DIZZ/NARCOS IN HIGH VAP CONCS. WILL CAUSE DEFAT OF SKIN. EYE IRRIT MAY BE SEV. CORNEAL INJURY MAY RSLT. LONG TERM EXPOS TO HIGH CONCS OF VAP MAY CAUSE

LUNG, LIVER/KIDNEY DMG. SOLVS LISTED HAVE BEEN REPORTED TO AFFECT CNS.

METHANOL MAY CAUSE BLINDNESS/DEATH IF (SUPDAT)

Medical Cond Aggravated By Exposure: HEART DISEASE, RESPIRATORY DISORDERS.

First Aid: INGEST:DO NOT INDUCE VOMITING. KEEP INDIVIDUAL CALM. OBTAIN MEDICAL ATTENTION. GASTRIC LAVAGE. INHAL:REMOVE TO FRESH AIR. IF SYMPTOMS PERSIST, OBTAIN MEDICAL ATTENTION. GIVE OXYGEN. SKIN:WASH W/SOAP & WATER.

EYES:FLUSH FOR AT LEAST 15 MINUTES W/WATER. OBTAIN MEDICAL ATTENTION.

=====

Handling and Disposal

=====

Spill Release Procedures: MAINTAIN GOOD VENTILATION. TAKE UP W/INERT ABSORBENT. STORE IN A CLOSED CONTAINER UNTIL DISPOSAL.

Neutralizing Agent: NONE SPECIFIED BY MANUFACTURER.

Waste Disposal Methods: DISPOSAL MUST BE I/A/W FEDERAL, STATE & LOCAL REGULATIONS (FP N). FOLLOW EPA & LOCAL REGULATIONS FOR DISPOSAL OF CHLORINATED HYDROCARBONS. DO NOT INCINERATE

CANS STILL UNDER PRESSURE.

Handling And Storage Precautions: STORE AWAY FROM HEAT, SPK/OPEN FLAME. STORE <120F. (CONT MFR CUSTOMER SERVICE 1-800-243-4874 FOR SHELF LIFE INFO).

AVOID PRLNG BREATHING OF VAPOR.

Other Precautions: NO SMOKING IN AREA OF USE. DO NOT USE IN GEN VICIN OF ARC WELDING, OPEN FLAMES/HOT SURFS. HEAT & /OR UV RADIA MAY CAUSE FORM OF HCL & /OR PHOSGENE (FP N). KEEP AWAY FROM EYES. AVOID PRLNG SKIN CONT. DO NOT SMOKE WHILE USING. FLAMMABLE.

=====

=====

Fire and Explosion Hazard Information

=====

Flash Point Method: TCC

Flash Point Text: -142F,-97C

Lower Limits: 1.8%

Upper Limits: 9.5%

Extinguishing Media: CARBON DIOXIDE, DRY CHEMICAL, WATER FOG.

Fire Fighting Procedures: WEAR NIOSH APPROVED PRESSURE DEMAND SCBA & FULL PROTECTIVE EQUIPMENT (FP N).

Unusual Fire/Explosion Hazard: THERMAL DECOMPOSITION PRODUCTS MAY INCLUDE HCL & PHOSGENE (FP N). H

EATED CAN MAY BURST. COMPRESSED

GASES:PROPANE/ISOBUTANE/N-BUTANE. PRESS AT ROOM TEMP:60 PSIG.

=====

Control Measures

=====

Respiratory Protection: USE NIOSH APPROVED SELF CONTAINED BREATHING APPARATUS WHEN VAPOR CONCENTRATION EXCEEDS TLV. WHEN SPRAYING MORE THAN ONE HALF CAN OR

MORE THAN ONE CAN CONSECUTIVELY, USE NIOSH APPROVED RESPIRATOR.

Ventilation: PROVIDE ADEQUATE LOCAL VENTILATION TO MAINTAIN VAPOR CONCENTRATION BELOW TLV.

Protective Gloves: RUBBER OR PLASTIC GLOVES.

Eye Protection: ANSI APPROVED CHEM WORKERS GOGGS (FP N).

Other Protective Equipment: EYE WASH FOUNTAIN & DELUGE SHOWER WHICH MEET ANSI DESIGN CRITERIA (FP N). LONG SLEEVES & LONG PANTS.

Work Hygienic Practices: WASH HANDS AFTER USE.

Supplemental Safety and Health: NOTE:USERS OF "L" VERSION SHOULD CONSULT "LR" VERSION FOR ADDNL INFO (FP N). EFTS OF OVEREXP:SWALLOWED. METHYLENE CHLORIDE WILL HAVE AFFECT O

N CVS. THIS PROD CONTAINS A SUBSTANCE KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER/REPRO HARM.SIGNS & SYMPS OF EXPOS:INHAL: DFCLTY IN BRTHG. SKIN:REDNESS. INGEST:

Physical/Chemical Properties

B.P. Text: >-40F,>-40C
Vapor Pres: 380 @ 72F
Vapor Density: 4
Spec Gravity: 0.9
VOC Grams/Liter: 293
Evaporation Rate & Reference: MORE THAN BUTYL ACETATE
Solubility in Water: NIL
Appearance and Odor: CLEAR LIQUID; SOLVENT ODOR.

Reactivity Data

Stability Indicator: YES
Stability Condition To Avoid: NONE SPECIFIED BY MANUFACTURER.
Materials To Avoid: STRONG OXIDIZERS, ACTIVE METALS.
Hazardous Decomposition Products: HCL (FP N). HAZARDOUS PRODUCTS FORMED BY FIRE OR THERMAL DECOMPOSITION:HALOGEN ACIDS, PHOSGENE.
Hazardous Polymerization Indicator: NO
Conditions To Avoid Polymerization: NOT RELEVANT

Toxicological Information

Ecological Information

MSDS Transport Information

Regulatory Information

Other Information

Other Information: VOLATILE ORGANIC COMPOUNDS (EPA METHOD 24): 32.5%; 293 G/L (MATERIAL).

HAZCOM Label

Product ID: 790 CLEANER CHISEL GASKET REMOVER, 79040

Cage: 7K128
Company Name: LOCTITE CORP
Street: 705 N MT RD
City: NEWINGTON CT
Zipcode: 06111
Health Emergency Phone: 203-571-5100
Label Required IND: Y
Date Of Label Review: 12/31/1996
Status Code: C
Label Date: 12/31/1996
Origination Code: G
Chronic Hazard IND: Y
Eye Protection IND: YES
Skin Protection IND: YES
Signal Word: DANGER
Respiratory Protection IND: YES
Health Hazard: Moderate
Contact Hazard: Moderate
Fire Hazard: Severe
Reactivity Hazard: None

Hazard And Precautions: FLAMMABLE. ACUTE:

INHALATION OF VAPORS MAY CONTRIBUTE TO

THE OCCURRENCE OF IRREGULAR HEARTBEAT (FP N). SKIN AND EYE IRRITANT. MAY IRRITATE RESPIRATORY TRACT. ASPIRATION HAZARD IF SWALLOWED. MAY CAUSE DIZZINESS OR NARCOSIS. WILL DEFAT SKIN. CHRONIC:CANCER HAZARD. CONTAINS MATERIAL LISTED AS AN ANIMAL LUNG AND LIVER CARCINOGEN (FP N). LONG TERM EXPOSURE MAY CAUSE LUNG, LIVER OR KIDNEY DAMAGE.

=====
Disclaimer (provided with this information by the compiling agencies): This

information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever expressly or implied warrants, states, or intends said information to have any application, use or viability by or to any person or persons outside the Department of Defense nor any person or persons contracting with any instrumentality of the United States of America and disclaims all liability for such use. Any person utilizing this i

nstruction who is not a military or civilian employee of the

United States of America should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation regardless of similarity to a corresponding Department of Defense or other government situation.