View NSN Online: https://aerobasegroup.com/nsn/6520-01-388-2172

BISCO INC -- ALL-BOND DENTIN/ENAMEL BONDING RESIN -- 6520-01-388-2172

Product ID:ALL-BOND DENTIN/ENAMEL BONDING RESIN MSDS Date:08/27/1994 FSC:6520 NIIN:01-388-2172 Kit Part:Y MSDS Number: CCZDK === Responsible Party === **Company Name:BISCO INC** Address:1500 W THORNDALE AVE City:ITASCA State:IL ZIP:60143 Country:US Info Phone Num:708-773-6633 **Emergency Phone Num:7** 08-773-6633 CAGE:0SPV4 === Contractor Identification === **Company Name:BISCO INC** Address:1500 W THORNDALE AVE Box:City:ITASCA State:IL ZIP:60143 Country:US Phone:708-773-6633 CAGE:0SPV4 **Company Name:BISCO INC** Address:1100 W. IRVING PARK RD Box:UNKNOW City:SCHAUMBURG State:IL ZIP:60193 Country:US Phone:800-247-3368 CAGE:0WNJ7

Ingred Name:2-PROPENOIC ACID, 2-METHYL-, (1-METHYL ETHYL IDENE)BIS(4,1-PHENYLENEOXY(2-HYDROXY-3,1-P

RPANEDIYL) ESTER; (BIS-GMA) CAS:1565-94-2 RTECS #:UD3438000 Fraction by Wt: 15-40% **OSHA PEL:N/K** ACGIH TLV:N/K Ingred Name: METHACRYLIC ACID, 2-HYDROXYETHYL ESTER; (HEMA). LD50:(ORAL,RAT) >5.5 G/KG CAS:868-77-9 RTECS #:OZ4725000 Fraction by Wt: 30-60% OSHA PEL:N/K ACGIH TLV:N/K Ingred Name: URETHANE DIMETHACRYLATE CAS:65256-52-2 Fraction by Wt: 15-40% OSHA PEL:N/K ACGIH TLV:N/K Ingred Name:N,N-DI-(2-HYDROXYETHYL)-P-TOLUIDINE; (P-TOLUIDINE). LD50:(ORAL,RAT) 2.2 G/KG CAS:3077-12-1 Fraction by Wt: 0.5-1.0% **OSHA PEL:N/K** ACGIH TLV:N/K Ingred Name: METHACRYLIC ACID, 2-(DIMETHYLAMINO) ETHYL ESTER; (DIMETHYLAMINE ETHYLMETHACRYLATE). LD50:(ORAL,RAT) 1.5 G/KG CAS:2867-47-2 RTECS #:OZ4200000 Fraction by Wt: 1-5% **OSHA PEL:N/K** ACGIH TLV:N/K

LD50 LC50 Mixture:SEE INGREDIENTS Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute a

nd Chronic:ACUTE:MAY CAUSE EYE IRRITATION AND SKIN SENSITIZATION IN SUSCEPTIBLE INDIVIDUALS. SIGNS & SYMPTOMS OF EXPOSURE:MAY CAUSE SEVERE EYE IRRITATION. TYPICAL ALLERGIC SYMPTOMS OF SKIN OF SUSCEPTIBLE INDIVID UALS. Explanation of Carcinogenicity:NOT RELEVANT. Effects of Overexposure:SEE HEALTH HAZARDS. Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.
======================================
First Aid:INGEST:CALL MD IMMEDIATELY . INH AL:REMOVE TO FRESH AIR. SUPPORT BREATHING (GIVE O*2/ARTF RESP) . SKIN:THOROUGHLY WASH WITH SOAP AND WATER. EYES:FLUSH WITH COPIOUS AMOUNTS OF WATER FOR AT L EAST 15 MINUTES, SEE A PHYSICIAN.
======================================
Flash Point Method:TCC Flash Point:167F,75C Extinguishing Media:CARBON DIOXIDE, DRY CHEMICAL. Fire Fighting Procedures:NONE. USE NIOSH APPROVED SCBA & FULL PROTECTIVE EQUIPMENT . Unusual Fire/Explosion Hazard:NONE.
====== ===============================
Spill Release Procedures:CLEAN UP WITH PAPER TOWELS AND PLACE IN SECURE CONTAINER WITH LID. Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.
======================================
Handling and Storage Precautions:AVOID HIGH TEMPERATURES. Other Precautions:NONE.
======================================
Respiratory Protection:NOT REQUIRED. NIOSH APPROVED RESPIRATOR A

PPROPRIATE FOR EXPOSURE OF CONCERN . Ventilation:MECHANICAL (GENERAL):RECOMMENDED. Protective Gloves:IMPERVIOUS GLOVES . Eye Protection:ANSI APPRVD CHEM WORKERS GOGGS (SUPDAT) Other Protective Equipment:ANSI APPRVD EYE WASH & DELUGE SHOWER . Work Hygienic Practices:OSHA GOOD LABORATORY PRACTICES. Supplemental Safety and Health EYE PROT:& FULL LENGTH FACESHIELD .

Boiling Pt:B.P. Text:>302F,>150C Vapor Density:>1 Spec Gravity:1 .1 (H*2O=1) Evaporation Rate & amp; Reference:NOT KNOWN Solubility in Water:IMMISCIBLE Appearance and Odor:PALE STRAW LIQUID, FAINT ESTER ODOR.

Stability Indicator/Materials to Avoid:YES AMINES. Stability Condition to Avoid:AMINES, HIGH TEMPERATURES. Hazardous Decomposition Products:NONE SPECIFIED BY MANUFACTURER. Conditions to Avoid Polymerization:AMINES, HIGH TEMPERATURES.

====== Disposal Considerations =====

==================

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE WITH LOCAL, STATE, AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professiona I advice to verify and assume responsibility for the suitability of this information to their particular situation.