

MAGNAFLUX -- ZYGLO PENETRANT ZL-37 1 GAL CAN -- 6850-01-306-1383

===== Product Identification =====

Product ID:ZYGLO PENETRANT ZL-37 1 GAL CAN

MSDS Date:05/02/1996

FSC:6850

NIIN:01-306-1383

MSDS Number: CDCLH

=== Responsible Party ===

Company Name:MAGNAFLUX

Address:3624 W LAKE AVE

City:GLENVIEW

State:IL

ZIP:60025-5000

Country:US

Info Phone Num:847-657-5300

Emergency Phone Num:847-657-5300

Prepare

r's Name:CHERI A ZELEZNIK

CAGE:59042

=== Contractor Identification ===

Company Name:ILLINOIS TOOL WORKS INC MAGNAFLUX DIV

Address:3624 WEST LAKE AVENUE

Box:City:GLENVIEW

State:IL

ZIP:60025

Country:US

Phone:847-657-5300/

CAGE:37676

Company Name:MAGNAFLUX

Address:7300 WEST LAWRENCE AVE

City:CHICAGO

State:IL

ZIP:60656

Country:US

Phone:708-867-8000

CAGE:59042

===== Composition/Information on Ingredients =====

Ingred Name:PETROLEUM OIL, HYDROTREATED HEAVY NAPHTHENIC DISTILLATE

(PETROLEUM), PETROLEUM DISTILLATES, MINERAL OIL (SEVERE)

CAS:64742-52-5

RTECS #:PY8035001

Fraction by Wt: 30-60%

Ingred Name:ISODECYL DIPHENYL PHOSPHATE *96-3*

CAS:29761-21-5

Fraction by Wt: 15-40%

Ingred Name:NONYLPHENOL POLYOXYETHYLENE ETHER; POLYOXYETHYLENE
NONYLPHENOL; TERGITOL NPX; TRITON N-100; NONIONIC SURFACTANT

96-3

CAS:9016-45-9

RTECS #:MD0900000

Fraction by Wt: 3-7%

=====
===== Hazards Identification =====

Routes of Entry: Inhalation:NO

Skin:NO Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:SKIN/EYES: IRRITATION.

Explanation of Carcinogenicity:NONE

Effects of Overexposure:IRRITATION, DIZZINESS, NAUSEA.

Medical Cond Aggravated by Exposure:NONE

=====
===== First Aid Measures =====

First Aid:SKIN: WASH W/SOAP & WATER. USE SOOTHING LOTION. EYES: RINSE
W/WATER. INHALATION: REMOVE TO FRESH AIR. INGESTION: DON'T INDUCE
VOMITING. OBTAIN MEDIC
AL ATTENTION IN ALL CASES.

=====
===== Fire Fighting Measures =====

Flash Point Method:PMCC

Flash Point:>200F

Lower Limits:1

Upper Limits:6

Extinguishing Media:CO2, FOAM.

Fire Fighting Procedures:KEEP CONTAINERS COOL W/WATER SPRAY. DON'T
SPRAY WATER DIRECTLY ON BURNING PRODUCT, IT MAY FLOAT & SPREAD THE
FIRE.

Unusual Fire/Explosion Hazard:DIFFICULT TO IGNITE, BUT WILL BURN
VIGOROUSLY, IF ENGULFED IN FIRE.

=====
===== Accidental Release Measures

=====

Spill Release Procedures:MOP/SWEEP UP W/ABSORBENT.

===== Handling and Storage =====

Handling and Storage Precautions:STORE AWAY FROM HEAT SOURCES.
Other Precautions:AVOID BREATHING SPRAY MIST & EYE/SKIN CONTACT.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:RESPIRATOR W/FILTER IF SPRAYED IN ENCLOSED,
UNVENTILATED SPACE.
Ventilation:USE WHERE VENTILATION WILL CARRY SPRAY MIST AWAY FROM

OCCUPIED AREAS.
Protective Gloves:NITRILE RUBBER
Eye Protection:SAFETY GLASSES
Supplemental Safety and Health

===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:455F
Vapor Pres:1
Spec Gravity:0.96
pH:7
Evaporation Rate & Reference:(RM TEMP =1): NEGLIGIBLE
Solubility in Water:INSOLUBLE
Appearance and Odor:GREEN OILY LIQUID W/MILD ODOR
Percent Volatiles by Volume:NONE

===== Stability and Reactivity Data =====

Stability Indic
ator/Materials to Avoid:YES
NONE
Stability Condition to Avoid:HEAT SOURCES.
Hazardous Decomposition Products:HEAT: SOOT, OXIDES OF CARBON

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE AS A NON-HAZARDOUS OILY WASTE,
INCINERATE/SEND TO HANDLER WHO CAN BLEND IT INTO SECONDARY FUELS.
DISPOSE OF IAW/FEDERAL, STATE & LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated

for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.