

THE CORTEC CORP -- VCL-101 -- 6850-01-338-1392

=====  
===== Product Identification =====

Product ID:VCL-101  
MSDS Date:06/19/1996  
FSC:6850  
NIIN:01-338-1392  
MSDS Number: CDCLN  
=== Responsible Party ===  
Company Name:THE CORTEC CORP  
Address:4119 WHITEBEAR PKY  
City:SAINT PAUL  
State:MN  
ZIP:55110-5000  
Country:US  
Info Phone Num:612-429-1100  
Emergency Phone Num:612-429-1100  
Preparer's Name:MARGARITA KHARSHAN  
CAG  
E:GO488  
=== Contractor Identification ===  
Company Name:THE CORTEC CORP  
Address:4119 WHITEBEAR PKY  
City:SAINT PAUL  
State:MN  
ZIP:55110-5000  
Country:US  
Phone:612-429-1100  
CAGE:GO488  
Company Name:THE CORTEC CORPORATION  
Address:4119 WHITE BEAR PKY  
Box:City:SAINT PAUL  
State:MN  
ZIP:55110-7634  
Country:US  
Phone:651-429-1100/800-4-CORTEC  
CAGE:44695

=====  
===== Composition/Information on Ingredients =====

Ingred Name:POLYURETHANE FOAM  
Fraction by Wt: 9%

Ingred Name:CORROSION INHIBITOR PROPRI

ETARY  
Fraction by Wt: 3.5%

=====  
Hazards Identification  
=====

LD50 LC50 Mixture:ORAL LD50(RAT): 675 MG/KG  
Routes of Entry: Inhalation:NO Skin:NO Ingestion:YES  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:EYES/SKIN: MAY CAUSE IRRITATION.  
INGESTION: MAY BE HARMFUL.  
Explanation of Carcinogenicity:NONE  
Effects of Overexposure:IRRITATION

=====  
First Aid Measures  
=====

First Aid:EY  
ES: FLUSH W/WATER FOR 15 MINS. SKIN: WASH W/SOAP & WATER.  
INHALATION: REMOVE TO AN UNCONTAMINATED AREA, ADMINISTER OXYGEN IF  
NECESSARY. IF BREATHING HAS STOPPED, BEGIN CPR. INGESTION: GIVE  
WATER/MIL K & INDUCE VOMITING. OBTAIN MEDICAL ATTENTION IN ALL  
CASES.

=====  
Fire Fighting Measures  
=====

Extinguishing Media:WATER, CO2/OTHER DRY CHEMICAL FIRE FIGHTING AGENTS  
Fire Fighting Procedures:WEAR SCBA.  
Unusual Fire/Explosion Hazard:POLYURETHANE FOAM  
BURNS VERY RAPIDLY  
FORMING THICK SMOKE & POSSIBLE TOXIC DECOMPOSITION PRODUCTS.

=====  
Accidental Release Measures  
=====

Spill Release Procedures:COLLECT AS NORMAL SOLID WASTE.

=====  
Handling and Storage  
=====

Handling and Storage Precautions:AVOID EYE CONTACT & PROLONGED/REPEATED  
SKIN CONTACT. WORKERS SHOULD THOROUGHLY WASH HANDS W/SOAP & WATER  
BEFORE EATING EATING, DRINKING/SMOKING.  
Other Precautions:WORKERS SHOULD

THOROUGHLY WASH HANDS W/SOAP & WATER  
BEFORE USING LABORATORY.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NOT NECESSARY  
Ventilation:NOT NECESSARY  
Protective Gloves:NOT NECESSARY  
Eye Protection:NOT NECESSARY  
Supplemental Safety and Health

===== Physical/Chemical Properties =====

Appearance and Odor:OFF WHITE TO YELLOW OPEN CELL FOAM W/SLIGHT ODOR

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES  
STRONG ACIDS, ALKALIS AND OXIDIZING AGENTS  
Hazardous Decomposition Products:CO, OXIDES OF NITROGEN, HYDROGEN  
CYANIDE

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF IAW/FEDERAL, STATE & LOCAL  
REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America i  
n no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.