View NSN Online: https://aerobasegroup.com/nsn/8010-01-387-1926

CAAP CO INC -- CAAPCOAT POLYURETHANE ACCELERATOR -- 8010-01-387-1926

Product ID:CAAPCOAT POLYURETHANE ACCELERATOR

MSDS Date:10/01/1993

FSC:8010

NIIN:01-387-1926

Kit Part:Y

MSDS Number: CDCMK
=== Responsible Party ===
Company Name:CAAP CO INC
Address:152 PEPES FARM ROAD

City:MILFORD

State:CT ZIP:06460 Country:US

Info Phone Num:203-877-0375 Emergency Phone Num:203

-877-0375 CAGE:60922

=== Contractor Identification === Company Name:CAAP CO INC Address:152 PEPE'S FARM RD

Box:City:MILFORD

State:CT ZIP:06460 Country:US

Phone:203-877-0375

CAGE:60922

======= Composition/Information on Ingredients ========

Ingred Name:HEXONE, METHYL ISOBUTYL KETONE (MIBK), 4-METHYL-2-PENTANONE

96-3 CAS:108-10-1

RTECS #:SA9275000 Fraction by Wt: 39%

Other REC Limits:50 PPM

OSHA PEL:410 MG/CUM ACGIH TLV:205 MG/CUM

EPA Rpt Qty:5000 LBS

DOT Rpt Qty:5000 LBS

Ingred Name: METHYL ETHYL KETONE, 2-BUTANONE *96-3* CAS:78-93-3 RTECS #:EL6475000 Fraction by Wt: 60% Other REC Limits:590 MG/CUM OSHA PEL:200 PPM ACGIH TLV:590 MG/CUM EPA Rpt Qty:5000 LBS DOT Rpt Qty:5000 LBS Ingred Name: DIBUTYLTIN DILAURATE, URETHANE CATALYST * 96-3 * CAS:77-58-7 RTECS #:WH7000000 Fraction by Wt: AIR & MAY TRAVEL A CONSIDERABLE DISTANCE TO AN IGNITION SOURCE/FLASHBACK. ============ Accidental Release Measures ==================== Spill Release Procedures: REMOVE IGNITION SOURCES. DON'T SMOKE. WEAR PROTECTIVE EQUIPMENT: RUBBER BOOTS/GLOVES/APRON & SCBA IN THE PRESSURE DEMAND MODE/A SUPPLIED AIR RESPIRATOR & EYE PROTECTION. CLEANUP W/ABSORBENT & CONTAIN SECURELY. SWEEP/WET MOP W/SOAP & WATER.VENTILATE. ============= Handling and Storage ========================== Other Precautions: ONLY PROPERLY TRAINED/PROTECTED PERSONNEL SHOULD BE IN THE IMMEDIATE SPRAY AREA. ====== Exposure Controls/Personal Protection ======== Respiratory Protection: WEAR A NIOSH APPROVED RESPIRATOR FOR THOSE EMISSION LEVELS AT POINT OF USE. APPROPRIATE RESPIRATORS: FULL FACEPIECE/PURIFYING CARTRIDGE RESPIRATOR EQUIPPED FOR VAPORS/MISTS. A SCBA W/PRESSURE DEMAND/P OSITIVE PRESSURE AIR SUPPLIED RESPIRATOR Ventilation: SPRAY BOOTH FOR SPRAY APPLICATIONS. EXHAUST: TO KEEP AIRBORNE CONCENTRATIONS 100F, HOT SURFACES & ALL IGNITION **SOURCES** Hazardous Decomposition Products:CO, CO2, BLACK SMOKE CONTAINING UNIDENTIFIED

ORGANIC COMPOUNDS

======= Disposal Considerations ===========

Waste Disposal Methods:INCINERATE IN A LICENSED INCINERATOR. WHEN THE FP-200, CURING AGENT & ACCELERATOR ARE MIXED TOGETHER & THE SOLVENT IS ALLOWED TO EVAPORATE, THE SOLID END PRODUCT IS A NONHAZARDOUS LANDFILL ITEM. DISPO SE OF IAW/LOCAL, STATE & FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department

of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.