View NSN Online: https://aerobasegroup.com/nsn/9150-00-223-4134

VELSICOL CHEMICAL CORP -- MIL-H-5606G

MSDS Safety Information

FSC: 9150

NIIN: 00-223-4134 MSDS Date: 10/31/1996 MSDS Num: CDFZG Product ID: MIL-H-5606G

MFN: 02

Responsible Party Cage: VELSI

Name: VELSICOL CHEMICAL CORP

Address: 10400 W HIGGINS

City: ROSEMONT (FORMALLY IN DES PLAI

NES) IL 60018

Info Phone Number: 847-298-9000

Emergency Phone Number: 800-424-9300(CHEMTREC)

Proprietary Ind: Y Review Ind: Y Published: Y

Preparer Co. when other than Responsible Party Co.

Cage: VELSI

Name: VELSICOL CHEMICAL CORPORATION

Address: UNKNOWN

City: UNKNOWN NK 00000

Contractor Summary

Cage: 0Z6C4

Name: VELSICOL CHEMICAL CORPORATION

Address: 10400 W HIGGINS ROAD

City: ROSEMONT IL 60018 Phone: 847-298-9000

Cage: VELSI

Name: VELSICOL CHEMICAL CORPORATION

Address: UNKNOWN City: UNKNOWN NK 00000

Phone: UNKNOWN

Item Description Information

Item Manager: S9G

Item Name: HYDRAULIC FLUID, PETROLEUM BASE

Specification Number: MIL-H-5606G

Type/Grade/Class

: NONE

Unit of Issue: GL UI Container Qty: 6 Type of Container: CAN

Ingredients

Name: *** PROPRIETARY ***

Health Hazards Data

LD50 LC50 Mixture: ACUTE TOXICITY:ORAL NOT TESTED.

Route Of Entry Inds - Inhalation: YES

Skin: YES Ingestion: NO

Carc

inogenicity Inds - NTP: NO

IARC: NO OSHA: NO

Effects of Exposure: MAY CAUSE EYE IRRIT. PROLONGED OR REPEATED CONTACT MAY

CAUSE SKIN IRRITATION.

Explanation Of Carcinogenicity: PER MSDS:NOT LISTED AS HUMAN CARCINOGEN BY

NTP/IARC/OSHA.

Signs And Symptions Of Overexposure: EYE:MAY CAUSE IRRIT.PROL/REP COTNACT W/SKIN MAY CAUSE IRRIT.HIGH VAP CONC,ATTAINABLE @HIGH PROCESS TEMP,MAY CAUSE EYE/MUC MEMB IRRIT,MAY CAUSE ANESTHESIA,DROWS,UNCONSC,OTHER CNS EFFECTS EVEN DEATH.ASP IRATION HAZARD IF

SWALLOWED CAN ENTER LUNGS & amp; CAUSE DAMAGE.

Medical Cond Aggravated By Exposure: NONE SPECIFIED BY MANUFACTURER.

First Aid: EYE:FLUSH W/WTER FOR 15MINS.CALL PHYSICIAN IF IRRIT

DEVELOPS.SKIN:WASH W/SOAP/WATER.INGEST:DO NOT INDUCE VOMIT.CALL

PHYSICIAN.INHAL:REMOVE TO FRESH AIR GIVE ARTIFICAL RESPIRATION OR OXYGEN IF

NECESSAR Y. IN ALL CASES OF EMERGENCY CONTACT PHYSICIAN. NOTE TO

PHYSICIAN:TREAT SYMPTOMATICALLY.

Handling and Disposa

Spill Release Procedures: REMOVE SOURCES OF IGNITION & DISPO CHARLAGE AREA.COVER W/INERT, ABSORBENT MATL & DISPO CONTUR.OBEY ALL RELEVANT FED/STATE/LOC LAWS/REGS.

Neutralizing Agent: NONE KNOWN.

Waste Disposal Methods: REFER TO LOCAL, STATE AND FEDERAL REGULATIONS.NO SARA 313 CHEMS.

Handling And Storage Precautions: STORE IN COOL, DRY VENTILATED AREA AWAY FROM SOURCE OF IGNITION.

Other Precautions: NONE SPECIFIED BY MANU

FACTURER. -----Fire and Explosion Hazard Information _____ Flash Point Method: PMCC Flash Point Text: 180F.82C Lower Limits: N/AVAI Upper Limits: N/AVAI Extinguishing Media: WATER FOG, DRY CHEMICAL, FOAM OR CARBON DIOXIDE. Fire Fighting Procedures: BURNING WILL PRODUCE TOXIC FUMES INCLUDING CO,CO2.WEAR SELF-CONTAIN BREATH APPARATUS/FULL TURN-OUT GEAR TO FIGHT FIRE.AVOID SPREADING LIQ/FIRE BY WATER FLOODING Unusual Fire/Explosion Hazard: EXPOSURE TO HEAT BUILDS UP PRESSURE IN CLOSED CONTIANERS. COOL WITH WATER SPRAY. **Control Measures** Respiratory Protection: NONE SPECIFIED BY MANUFACTURER. Ventilation: NONE SPECIFIED BY MANUFACTURER. Protective Gloves: IMPERMEABLE GLOVES. Eve Protection: CHEMICAL GOGGLES. Other Protective Equipment: EYE WASH FOUNTAIN, SAFETY SHOWER. Work Hygienic Practices: WASH CONTAMINATED CLOTHING BEF REUSE. _____ Physical/Chemical Properties HCC: V4 B.P. Text: N/AVAI M.P/F.P Text: NA Vapor Pres: 0.07 @300F Vapor Density: >AIR Spec Gravity: 0.844 Evaporation Rate & Evaporation R Solubility in Water: NEGLIGIBLE. Appearance and Odor: RED CLEAR LIQUID, SLIGHT ODOR. Re

activity Data

Stability Indicator: YES

Stability Condition To Avoid: NONE SPECIFIED BY MANUFACTURER.

Materials To Avoid: STRONG OXIDANTS.

Hazardous Decomposition Products: BURNING WILL PRODUCE TOXIC FUMES. Conditions To Avoid Polymerization: NONE SPECIFIED BY MANUFACTURER.

Toxicological Information

======================================
MSDS Transport Information
Regulatory Information
Other Information
=======================================
Transportation Information
Responsible Party Cage: VELSI Trans ID NO: 57424 Product ID: MIL-H-5606G MSDS Prepared Date: 10/31/1996 Review Date: 02/28/1997 MFN: 2 Net Unit Weight: 7.0 LBS Multiple KIT Number: 0 Review IND: Y Unit Of Issue: GL Container QTY: 6 Type Of Container: CAN Additional Data: PER MSDS:DOT CLASSIFICATION:NOT REGULATED.
Detail DOT Information
DOT PSN Code: ZZZ DOT Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION
Detail IMO Information
IMO PSN Code: ZZZ IMO Proper Shipping Name: NOT REGULATED FOR THIS MODE OF TRANSPORTATION
Detail IATA Information

IATA PSN Code: ZZZ

IATA Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION

Detail AFI Information

AFI PSN Code: ZZZ

AFI Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION

HAZCOM Label

Pr

oduct ID: MIL-H-5606G

Cage: VELSI

Company Name: VELSICOL CHEMICAL CORPORATION

Street: UNKNOWN City: UNKNOWN NK Zipcode: 00000

Health Emergency Phone: 800-424-9300(CHEMTREC)

Label Required IND: Y

Date Of Label Review: 02/28/1997

Status Code: C

Label Date: 02/28/1997
Origination Code: F
Eye Protection IND: YES
Skin Protection IND: YES
Signal Word: WARNING
Health Hazard: Slight
Contact Hazard: Slight
Fire Hazard: Moderate

Hazard And Precautions: MUC MEMBRANE

IRRIT, ANESTHES

Reactivity Hazard: None

IA,DROS,UNCONSC,CNS,DEATH,ASPIRATION HAZ-LUNG DMG.MAY CAUSE EYE IRRIT. PROLONGED OR REPEATED CONTACT MAY CAUSE SKIN IRRITATION. STORE IN COOL,DRY VENTILATED AREA AWAY FROM S OURCE OF IGNITION. FIRST AID: EYE:FLUSHW/WTER FOR 15MINS.CALL PHYSICIAN IF IRRIT DEVELOPS.SKIN:WASH W/SOAP/WATER.INGEST:DO NOT INDUCE VOMIT.CALL PHYSICIAN.INHAL:REMOVE TO FRESH AIR GIVE ARTIFICAL RESP IRATION OR OXYGEN IF NECESSARY. IN ALL CASES OF EMERGENCY CONTACT PHYSICIAN. NOTE TO PHYSICIAN:TREAT SYMPTOMATICA

LLY. TARGET ORGANS:EYE,MUC MEMB,CNS,LUNGS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever expressly or implied warrants, states, or intends said information to have any application, use or viability by or to any person or persons outside the Department of Defense nor any pe

rson or persons contracting with any instrumentality of the United States of America and disclaims all liability for such use. Any person utilizing this instruction who is not a military or civilian employee of the United States of America should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation regardless of similarity to a corresponding Department of Defense or other government situation.