

TACC INTL -- NEOPRENE SOLVENTBORNE ADHESIVE #MA212 -- 8040-00-664-4318

=====
Product Identification
=====

Product ID:NEOPRENE SOLVENTBORNE ADHESIVE #MA212

MSDS Date:07/08/1994

FSC:8040

NIIN:00-664-4318

MSDS Number: CDHBD

=== Responsible Party ===

Company Name:TACC INTL

Address:AIR STATION INDUSTRIAL PK

Box:535

City:ROCKLAND

State:MA

ZIP:02370

Country:US

Info Phone Num:617-878-7015

Emergency Phone

Num:617-878-7015

CAGE:GO489

=== Contractor Identification ===

Company Name:TACC INTERNATIONAL CORP

Address:AIR STATION INDUSTRIAL PARK

Box:City:ROCKLAND

State:MA

ZIP:02370

Country:US

Phone:781-878-7015

CAGE:0HZU1

Company Name:TACC INTL

Address:AIR STATION INDUSTRIAL PK

Box:535

City:ROCKLAND

State:MA

ZIP:02370

Country:US

Phone:617-878-7015

CAGE:GO489

=====
Composition/Information on Ingredients
=====

Ingred Name:HEXANE (N-HEXANE)

CAS:110-54-3

RTECS #:MN9275000

Fraction by Wt:

20-50%
Other REC Limits:NONE SPECIFIED
OSHA PEL:50 PPM
ACGIH TLV:50 PPM
EPA Rpt Qty:1 LB
DOT Rpt Qty:1 LB

Ingred Name:ACETONE (SARA III) VP=182 MM HG @ 68F
CAS:67-64-1
RTECS #:AL3150000
Fraction by Wt: 5-20%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:750PPM
ACGIH TLV:750PPM/1000STEL
EPA Rpt Qty:5000 LBS
DOT Rpt Qty:5000 LBS

Ingred Name:METHYL ETHYL KETONE (2-BUTANONE) (MEK) (SARA III) VP=78 MM
HG @68F
CAS:78-93-3
RTECS #:EL6475000
Fraction by Wt: 5-20%
Other REC Limits:NONE RECOMMENDED
OSH
A PEL:200 PPM/300 STEL
ACGIH TLV:200 PPM/300STEL
EPA Rpt Qty:5000 LBS
DOT Rpt Qty:5000 LBS

Ingred Name:TOLUENE (SARA III) VP=22 MM HG @68F
CAS:108-88-3
RTECS #:XS5250000
Fraction by Wt: 1-5%
Other REC Limits:C=300 PPM PEAK 500
OSHA PEL:100 PPM/100 STEL
ACGIH TLV:100 PPM;
EPA Rpt Qty:1000 LBS
DOT Rpt Qty:1000 LBS

===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Heal

th Hazards Acute and Chronic: INHALATION: ACUTE SIGNS OF OVEREXPOSURE COULD BE HEADACHE, DIZZINESS, NAUSEA, UPPER RESPIRATORY DRYNESS OR IRRITATION, DROWSINESS, MENTAL DEPRESSION OR NARCOSIS, DIFFICULTY IN BREATHING. CHRONIC EFFECTS OF OVEREXPOSURE TO SOLVENT VAPORS COULD LEAD TO PERMANENT NERVOUS SYSTEM/BODY ORGANS/BRAIN EFFECTS. USE **

Effects of Overexposure: **WITH ADEQUATE VENTILATION. EYES: IRRITATION. INGESTION: MAY BE HARMFUL OR FATAL IF SWALLOWED. SKIN: REMOVAL OF

SKIN OILS, IRRITATION, DERMATITIS, EVEN SENSITIZATION WITH OVEREXPOSURE.

===== First Aid Measures =====

First Aid: INHALATION: GET FRESH AIR. EYES: IF NECESSARY CALL A PHYSICIAN. FLUSH WITH WATER FOR AT LEAST 15 MINUTES, IF NECESSARY, CALL A PHYSICIAN. SKIN: WASH WITH MILD SOAP AND WATER APPLY A MILD CREAM. INGESTION: CALL POISON CENTER IMMEDIATELY.

===== Fire Fighting Measures =====

Flash Point Meth
od: TCC
Flash Point: