View NSN Online: https://aerobasegroup.com/nsn/8040-01-175-9193

DEXTER AEROSPACE MATERIAL DIVISION -- HYSOL EA 9446 5 GAL SYSTEM, AS9329019 - 8040-01-175-9193

Product ID: HYSOL EA 9446 5 GAL SYSTEM, AS9329019 MSDS Date:11/01/1992 FSC:8040 NIIN:01-175-9193 Kit Part:Y **MSDS Number: CDHDK** === Responsible Party === Company Name: DEXTER AEROSPACE MATERIAL DIVISION Address:2850 WILLOW PASS ROAD Box:312 City:PITTSBURG State:CA ZIP:94 565-0031 Country:US Info Phone Num:510-458-8000 Emergency Phone Num:800-424-9300(CHEMTREC) Preparer's Name:MSDS DEPT CAGE:33564 === Contractor Identification === **Company Name: DEXTER CORPORATION ADHESIVE & COATING SYSTEMS** Address:2850 WILLOW PASS ROAD Box:312 **City:BAY POINT** State:CA ZIP:94565-3299 Country:US Phone:202-483-7616 CAGE:33564 Company Name: WATKINS AND ASSOCIATES INC Address:5395 WEBB PKY Box:City:LILBURN State:GA ZIP:30047 Country:US Phone:770-279-9200 CAGE:3D523

====== Compos

Ingred Name:NO INGREDIENT FOR THIS FORMULATION_INGREDIENT

LD50 LC50 Mixture:MIXTURE HAS NOT BEEN TESTED AS A WHOLE. Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:THIS MATERIAL MAY BE CORROSIVE TO EYES & SKIN. BRIEF CONTACT MAY CAUSE CHEMICAL BURNS. VAPORS & MISTS WILL IRRITA TE NOSE & THROAT. REPEATED OR PROLONGED SKIN CONTACT MAY RESULT IN BURNS, POSSIBLE ALLE RGIC SENSITIZATION. Explanation of Carcinogenicity:IARC: METHYL METHACRYLATE,80-62-6, GRP 3, NOT HUMAN CARCINOGEN.CARBON TETRACHLORIDE, 56-23-5, GRP 2B POSSIBLE HUMAN CARC Effects of Overexposure:SKIN OR EYE IRRITATION. CHEST DISCOMFORT. Medical Cond Aggravated by Exposure:SKIN SENSITIZATION.

First Aid:EYE:FLUSH W/WATER FOR 15 MINS. IF IRRIT PERSISTS GET MED ATTN. SKIN: WASH THOROUGHLY W/SOAP & WATER. IF IRRIT PERSISTS GET MED ATTN. INHAL: REMOVE VICTIM TO FRESH AIR. IF SYMPTOMS PERSIST GET MED ATTN . INGEST: DRINK PLENTY OF WATER. GET MED ATTN IMMED.

Flash Point Method:SCC Flash Point:49.0F,9.4C Lower Limits:NOT TESTED Upper Limits:NOT TESTED Extinguishing Media:DRY CHEMICAL, OR HALON FIRE EXTINGUISHER, OR WATER SPRAY, FOAM OR FOG.

Fire Fighting Procedures:WEAR SCBA & FULL PROTECTIVE CLOTHING, SUCH AS TURN-OUT GEAR. CARTRIDGE RESP DO NOT PROVIDE ADEQUATE PROTECTION FOR FIREFIGHTERS OR EXOTHERM MITIGATION. Unusual Fire/Explosion Hazard:MAY LIBERATE LARGE QUANTITIES OF DENSE FOUL-SMELLING SMOKE WHICH MAY CONTAIN UNIDENTIFIED TOXIC GASES.

Spill Release Procedures:WEAR PROTECTIVE CLOTHING, GLOVES & SAFETY GLASSES. ABSORB SPILL W/SORBENT MATE

RIAL (VERMICULITE OR SAND) SCRAPE UP OR SHOVEL INTO DOT APPROVED WASTE CONTAINERS. Neutralizing Agent:NA

======================================	Handling and	Storage	

Handling and Storage Precautions: PRODUCT MAY BE STORED AT ROOM TEMPERATURE (75F) FOR UP TO 6 MONTHS. KEEP CONTAINER TIGHTLY CLOSED WHEN NOT IN USE.

Other Precautions: FOLLOW CURING SCHEDULE/MIXING RATIOS AS RECOMMENDED IN PRODUCT LITERATURE. EMPTY CONTAINERS RETAIN PRODUCT RESIDUE SO OBEY HAZARD WARNINGS

AND HANDLE EMPTY CONTAINERS AS IF THEY WERE

FULL. DON'T CUT, GRIND, WELD OR DRILL ON/NEAR CONTAINER.

Respiratory Protection:UNNECESSARY IF AIRBORNE CONCENTRATIONS >OSHA/ACGIH TWA/TLV'S. OTHERWISE USE NIOSH APPROVED ORGANIC CARTRIDGE RESPIRATOR.

Ventilation:LOCAL EXHAUST VENTILATION AT THE POINT OF USE. Protective Gloves:WEAR BUTYL RUBBER GLOVES

Eye Protection:SAFETY GLASSES W/SIDE SHIELD;CHEM GOGGLE Other Protecti

ve Equipment:LONG SLEEVED SHIRT/PANTS. AN EYEWASH AND

SAFETY SHOWER SHOULD BE NEARBY AND READY FOR USE.

Work Hygienic Practices: WASH HANDS THOROUGHLY AFTER HANDLING MATERIALS. Supplemental Safety and Health

FAILURE TO OBSERVE PRECAUTIONS IN MIXING/HEATING MAY RESULT IN EXCESSIVE HEAT BUILD-UP CAUSING AN EXOTHERM. THE EXOTHERM HAS POTENTIAL FOR RELEASE OF TOXIC GASES.

Boiling Pt:B.P. Text:100F,38C Vapor Pres: