View NSN Online: https://aerobasegroup.com/nsn/7930-01-381-3343

S.C. JONSON & SON, INC. -- LEMON JONSON SHINE-UP RTU -- 7930-01-381-3343

Product ID:LEMON JONSON SHINE-UP RTU MSDS Date:11/24/1993 FSC:7930 NIIN:01-381-3343 **MSDS Number: CDHJN** === Responsible Party === Company Name:S.C. JONSON & SON, INC. City:RACINE State:WI ZIP:53403-5011 Country:US Info Phone Num:800-228-5635 Emergency Phone Num:800-228-5635 X 092 CAGE:NO557 === Contractor Identification === Company Name: S C JOHNSON & SON INC/PROF WAX DIV Address:1525 HOWE ST City:RACINE State:WI ZIP:53403 Country:US Phone:800-725-6737/414-886-1480 INTNL# CAGE:0U826 Company Name:S.C. JONSON & SON, INC. Box:City:RACINE State:WI ZIP:53403-5011 Country:US Phone:800-228-5635 CAGE:NO557

Ingred Name:SILICON (LD50 >40000 MG/KG ORAL RAT)(LC50 >535 MG/L INHALATION RAT) CAS:63148-62-9 Fraction by Wt: 2 -5% Other REC Limits:NONE RECOMMENDED

Ingred Name:WHITE MINERAL OIL (LD50 >5000 MG/KG ORAL RAT)(>2000 MG/KG DERMAL RABBIT) CAS:8042-47-5 RTECS #:PY8047000 Fraction by Wt: 1-3% Other REC Limits:NONE RECOMMENDED OSHA PEL:5 MG/M3 ACGIH TLV:5 MG/M3

Ingred Name:ISOPARAFFINIC HYDROCARBON SOLVENT (LD50 >10000 MG/KG ORAL RAT)(>3100 MG/KG DERMAL RAT) CAS:64742-48-9 Fraction by Wt: 0.5-1.5% Other REC Limits:SUPPLIER REC 300 PPM

Ingred Name:FRAGRANCE Fraction by Wt: 90.0% Other REC Limits:NONE R ECOMMENDED

Ingred Name:VOC = ISOPARAFFINIC HYDROCARBON @ 0.086 LB/GL RTECS #:9999999VO Fraction by Wt: NA Other REC Limits:NONE RECOMMENDED OSHA PEL:NOT RELEVANT ACGIH TLV:NOT RELEVANT

LD50 LC50 Mixture:ACUTE ORAL LD50 EST >5000MG/KG RATS Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

First Ai

d:EYE: FLUSH IMMEDIATELY W/PLENTY OF WATER >15-20 MIN. IF IRRIT PERSISTS GET MED AID. SKIN: WASH W/SOAP & WATER. INHALATION: GET FRESH AIR. INGESTION: DRINK 1-2 GLASSES WATER/MILK. GET IMMEDIATE MEDICAL AID.

Flash Point:NA Lower Limits:NA Upper Limits:NA Extinguishing Media:FOAM, CO2, DRY CHEMICAL, WATER FOG. Fire Fighting Procedures:NORMAL FIREFIGHTING PROCEDURES MAY BE USED. Unusual Fire/Explosion Hazard:NO SPE

CIAL REQUIREM	IENTS.
---------------	--------

Spill Release Procedures: ABSORB W/OIL-DRI OR SIMILAR. SWEEP OR SCRAPE **UP & CONTAINERIZE.** Handling and Storage Precautions: WASH HANDS THOROUGHLY AFTER HANDLING. RESIDUE CAN REMAIN ON/IN EMPTY CONTAINERS. ALL PRECAUTIONS FOR HANDLING MUST BE USED W/EMPTY CONTAINERS/RESIDUE. =========== Exposure Controls/Personal Protection = ============ Respiratory Protection: NO SPECIAL REQUIREMENTS UNDER NORMAL USE CONDITIONS. Ventilation: GENERAL ROOM VENTILATION ADEQUATE. Protective Gloves: NO SPECIAL REQUIREMENTS UNDER NORMAL USE Eye Protection: NO SPECIAL REQUIREMENTS UNDER NORMAL USE Other Protective Equipment:NA Supplemental Safety and Health NK Boiling Pt:B.P. Text:212F,100C Vapor Pres:17.6 Vapor Density:NOT AVAIL pH:5.5-7 Evaporation Rate & amp; Refere nce:NOT AVAILABLE Solubility in Water: APPRECIABLE Appearance and Odor: OPAQUE WHITE LIQUID, LEMON ODOR Percent Volatiles by Volume: 95.0 Stability Indicator/Materials to Avoid:YES NO SPECIAL REQUIREMENTS Stability Condition to Avoid:NO SPECIAL REQUIREMENTS Hazardous Decomposition Products: PRODUCES NORMAL PRODUCTS OF

COMBUSTION.

Waste Disposal Methods:NO S

PECIAL METHOD. OBSERVE ALL APPLICABLE FEDERAL, LOCAL, STATE REGULATIONS REGARDING DISPOSAL OF NONHAZARDOUS MATERIALS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competen

t professional advice to verify and

assume responsibility for the suitability of this information to their particular situation.