

MAINTEX INC. -- LIME GO (HEAVY DUTY PHOSPHORIC) -- 7930-01-412-1017

=====  
Product Identification  
=====

Product ID:LIME GO (HEAVY DUTY PHOSPHORIC)

MSDS Date:09/08/1995

FSC:7930

NIIN:01-412-1017

MSDS Number: CDHLB

=== Responsible Party ===

Company Name:MAINTEX INC.

Address:13300 NELSON AVE.

City:CITY OF INDUSTRY

State:CA

ZIP:91746

Country:US

Info Phone Num:818-961-1988

Emergency Phone Num:800-255-3

924

Preparer's Name:ALI ABYANE

CAGE:NO277

=== Contractor Identification ===

Company Name:MAINTEX INC

Address:13300 NELSON AVE

Box:City:CITY OF INDUSTRY

State:CA

ZIP:91746

Country:US

Phone:818-961-1988

CAGE:0AWE2

Company Name:MAINTEX INC.

Address:3614 EL MONTE AVE

Box:City:EL MONTE

State:CA

ZIP:91731

Phone:213-283-7380

CAGE:NO277

=====  
Composition/Information on Ingredients  
=====

Ingred Name:PHOSPHORIC ACID (SARA 313) (CERCLA)

CAS:7664-38-2

RTECS #:TB6300000

Fraction by Wt: 25

-30%  
Other REC Limits:NONE RECOMMENDED  
OSHA PEL:NOT EST.  
ACGIH TLV:1 MG/M3  
EPA Rpt Qty:5000 LBS  
DOT Rpt Qty:5000 LBS

Ingred Name:ETHYLENE GLYCOL (SARA 313) (CERCLA)  
CAS:107-21-1  
RTECS #:KW2975000  
Fraction by Wt: 1-4%  
Other REC Limits:NONE RECOMMENDED  
ACGIH TLV:C 50 PPM,VAPOR; 9495  
EPA Rpt Qty:1 LB  
DOT Rpt Qty:1 LB

=====  
===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
He

alth Hazards Acute and Chronic:EYE: IRRIT/POSSIBLE BURNS DEPENDING ON  
LENGTH CONTACT. SKIN: CHRONIC: MAY CAUSE IRRIT/POSSIBLE BURNS.  
INHAL: IRRIT/BURNS W/EXTENDED CONTACT. BREATHING HIGH  
CONCENTRATIONS VAPOR MISTS/SPRAY COMPOUND MA Y CAUSE IRRIT.  
INGESTION: MAY CAUSE BURNS TO MOUTH. IRRITATES  
THROAT/ESSOPHAGUS/DIGESTIVE TRACT. MAY RESULT IN NAUSEA/\*

Effects of Overexposure:\*VOMITING. CHRONIC: MODERATELY TOXIC BY  
INGESTION/REPEATED INHALATION. CAUSES BURNS TO EXPOSED TISSU  
E  
W/CHRONIC CONTACT.

=====  
===== First Aid Measures =====

First Aid:EYES: IMMEDIATELY FLUSH W/PLENTY OF WATER >15 MINUTES. CALL  
DR. SKIN: WASH W/SOAP & WATER. WASH CONTAMINATED CLOTHES BEFORE  
REUSE. INHALATION: MOVE TO FRESH AIR. IF TROUBLE BREATHING GIVE  
OXYGEN. CALL DR. INGESTION: GIVE PLENTY OF WATER. DON'T INDUCE  
VOMITING. CALL DR.

=====  
===== Fire Fighting Measures =====

Flash Point Method:SCC  
Flash Point:>

212F,>100C

Extinguishing Media:WATER SPRAY, FOAM, CO2, DRY CHEMICAL.

Fire Fighting Procedures:FIREFIGHTERS SHOULD WEAR POS PRESSURE SCBA  
W/FULL FACEPIECE.

===== Accidental Release Measures =====

Spill Release Procedures:LARGE (>55 GL): WEAR RUBBER BOOTS, GLOVES,  
APPROPRIATE RESPIRATOR/PROTECTIVE CLOTHING. SHUT OFF LEAK SOURCE IF  
SAFE. DIKE/CONTAIN SPILL. SMALL: MOP UP & RINSE AREA.

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN ORIGINAL POLYETHYLENE  
CONTAINERS IN COOL DRY AREA AWAY FROM BLEACH/OTHER CHEMICALS.  
CAUTION: CORROSIVE. CONTAINS PHOSPHORIC ACID. WILL BURN.  
Other Precautions:KEEP OUT OF REACH OF CHILDREN. DON'T GET IN EYES, ON  
SKIN OR CLOTHING. DO NOT TAKE INTERNALLY AVOID BREATHING MISTS.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NOT REQUIRED IF PROPERLY DILUTED.  
Ventilation:MECHANICAL LOCAL EXHAUST AT POINT  
OF CONTAMINANT RELEASE.  
Protective Gloves:RUBBER DECREASES SKIN DRYNESS/IRRITATION  
Eye Protection:CHEM GLASSES ADVISED ESPEC W/CONCENTRATE  
Other Protective Equipment:EYEWASH, PROTECTIVE CLOTHING  
Supplemental Safety and Health  
IT IS IMPORTANT TO DETERMINE WHETHER EXPOSURE IS TO CONCENTRATE OR  
DILUTE PRODUCT. GENERALLY EXPOSURE TO DILUTED PRODUCT RESULTS IN  
SUBSTANTIALLY LESS RISK OF INJURY THAN DESCRIBED IN HEALTH HAZARDS.

===== Physical/Chemical Properties =====

===

Boiling Pt:B.P. Text:>212F,>100C

Melt/Freeze Pt:M.P/F.P Text: