View NSN Online: https://aerobasegroup.com/nsn/8030-00-602-0039

Product ID:PR1750 B-1/2 #1750B10 MSDS Date:06/21/1996 FSC:8030 NIIN:00-602-0039 Kit Part:Y MSDS Number: CDJQQ === Responsible Party === Company Name: COURTAULDS AEROSPACE, INC Address:5430 SAN FERNANDO RD. Box:1800 City:GLENDALE State:CA ZIP:91209 Country:US Info Phone Num:818-240-2060 Emergen cy Phone Num:800-424-9300 (CHEMTREC) Preparer's Name:SEROJE HARTOONIANI CAGE:83574 === Contractor Identification === Company Name: PRC-DESOTO INTERNATIONAL, INC. A PPG INDUSTRIES COMPANY Address:5430 SAN FERNANDO RD Box:1800 City:GLENDALE State:CA ZIP:91209 Country:US Phone:818-240-2060 CAGE:83574

======= Composition/Information on Ingredients ==========

Ingred Name:TITANIUM DIOXIDE (AIRBORNE CONTAMINANT, FULLY ENCAPSULATED) CAS:13463-67-7 RTECS #:XR2275000 Fraction by Wt: 93C Lower Limits:NA Upper Limits:NA Extinguishing Media:CARBON DIOXIDE, DRY CHEMICAL, FOAM, WATER SPRAY. Fire Fighting Procedures:USE AIR-SUPPLIED RESPIRATOR.

Spill Release Procedures: SCOOP INTO CONTAINERS. CLEAN UP RESIDUE W/SUITABLE SOLVENT. CERCLA REQUIREMENT FOR TOLUENE IS 1000 LBS.

Respiratory Protection:NONE Ventilation:GENERAL Protective Gloves:SOLVENT RESI STANT Eye Protection:SAFETY GLASSES Work Hygienic Practices:WASH THOROUGHLY AFTER HANDLING/BEFORE SMOKING/EATING. AVOID INGESTION. Supplemental Safety and Health NK

Boiling Pt:B.P. Text:230 TO 350F Vapor Density:>AIR Spec Gravity:1.571 VOC Pounds/Gallon:35 pH:NA Viscosity:11500 @ 2 RPM Evaporation Rate & amp; Reference:SLOWER THAN BUAC Solubility in Water:SLIGHT Appearance and Odor:BEIGE THIXOTROPIC PASTE Percent Volatiles by Volume:3.3 Corrosion Rate:NA

Stability Indicator/Materials to Avoid:YES

NK

Hazardous Decomposition Products:OXIDES OF CARBON, SULFUR DIOXIDE, TRACES OF HYDROGEN SULFIDE.

Waste Disposal Methods:NOT HAZARDOUS WASTE PER EPA REGULATIONS. DISPOSE IN ACCORDANCE W/FEDERAL, STATE, LOCAL REGULATIONS.

============ Other Information ===========

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their par

ticular situation.