

COURTAULDS AEROSPACE, INC -- EPOXY #515X408 SK FR PRIMER, GREEN, #5749 --
8040-01-347-7596

===== Product Identification =====

Product ID:EPOXY #515X408 SK FR PRIMER, GREEN, #5749

MSDS Date:03/07/1995

FSC:8040

NIIN:01-347-7596

Kit Part:Y

MSDS Number: CDJTW

=== Responsible Party ===

Company Name:COURTAULDS AEROSPACE, INC

Address:5430 SAN FERNANDO RD.

Box:1800

City:GLENDALE

State:CA

ZIP:91209

Countr

y:US

Info Phone Num:818-240-2060

Emergency Phone Num:800-424-9300 (CHEMTREC)

CAGE:83574

=== Contractor Identification ===

Company Name:PRC-DESOTO INTERNATIONAL, INC. A PPG INDUSTRIES COMPANY

Address:5430 SAN FERNANDO RD

Box:1800

City:GLENDALE

State:CA

ZIP:91209

Country:US

Phone:818-240-2060

CAGE:83574

===== Composition/Information on Ingredients =====

Ingred Name:N-BUTYL ACETATE (CERCLA)(VP = 10.0)

CAS:123-86-4

RTECS #:AF7350000

Fraction by Wt: 20.0%

Other REC Limits:NONE REC

RECOMMENDED
OSHA PEL:150 PPM/STEL 200
ACGIH TLV:150 PPM/STEL 200
EPA Rpt Qty:5000 LBS
DOT Rpt Qty:5000 LBS

Ingredient Name:EPOXY RESIN
CAS:37312-33-7
Fraction by Wt: 20.0%
Other REC Limits:NONE RECOMMENDED

Ingredient Name:ETHYL-3-ETHOXYPROPIONATE (VP = 1.1)
CAS:763-69-9
RTECS #:UF3325000
Fraction by Wt: AIR MAY COLLECT IN
LOW/CONFINED AREA.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:WHEN SPRAYING OR APPLYING IN ANY CIRCUMSTANCES
LIKELY TO PRODUCE
AIRBORNE LEVEL OF HAZARDOUS INGREDIENTS IN EXCESS
OF TLV, USE ORGANIC VAPOR CARTRIDGE OR AIR-SUPPLIED RESPIRATOR.
Ventilation:GENERAL TO MAINTAIN VAPORS BELOW TLV & PEL.
Protective Gloves:SOLVENT RESISTANT REQUIRED FOR SPRAYING.
Eye Protection:CHEMICAL GOGGLES OR FULL FACE SHIELD
Other Protective Equipment:PROTECTIVE CLOTHING, SAFETY SHOWER, EYEBATH,
WASHING FACILITIES SHOULD BE AVAILABLE.
Supplemental Safety and Health
NK

===== Physical/Chemical Properties =====
=====

Boiling Pt:B.P. Text:175 TO 329F
Vapor Density:>AIR
Spec Gravity:1.322
VOC Pounds/Gallon:517
Evaporation Rate & Reference:UNAVAILABLE
Appearance and Odor:GREEN LIQUID, SOLVENT ODOR
Percent Volatiles by Volume:55.4

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
NONE RECOGNIZED
Stability Condition to Avoid:NONE RECOGNIZED
Hazardous Decomposition Products:CARBON DIOXIDE, CARBON MONOXIDE

===== Disposal Consi

derations =====

Waste Disposal Methods:IN ACCORDANCE W/LOCAL, STATE, FEDERAL
REGULATIONS.

===== Other Information =====

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. An
y person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.