View NSN Online: https://aerobasegroup.com/nsn/8030-01-387-1001

COURTAULDS AEROSPACE INC -- POLYSULFIDE RUBBER COMPOUND, PR1750 A-2 #1750A13 -- 8030-01-387-1001

Product ID:POLYSULFIDE RUBBER COMPOUND, PR1750 A-2 #1750A13

MSDS Date:11/11/1993

FSC:8030

NIIN:01-387-1001

Kit Part:Y

MSDS Number: CDKMM === Responsible Party ===

Company Name: COURTAULDS AEROSPACE INC

Address:5430 SAN FERNANDO RD

Box:1800

City:GLENDALE

State:CA ZIP:9 1209-5000 Country:US

Info Phone Num:818-549-7823/800-228-5635

Emergency Phone Num:800-228-5635/818-549-7823

CAGE:83574

=== Contractor Identification ===

Company Name: PRC-DESOTO INTERNATIONAL, INC. A PPG INDUSTRIES COMPANY

Address:5430 SAN FERNANDO RD

Box:1800

City:GLENDALE

State:CA ZIP:91209 Country:US

Phone:818-240-2060

CAGE:83574

======= Composition/Information on Ingredients ========

Ingred Name: METHYL ETHYL KETONE) (MEK) (VP = 70) (SARA 313)

CAS:78-93-3

RTECS #:EL6475000

Fract

ion by Wt: 5.0% Other REC Limits: NONE RECOMMENDED OSHA PEL:200 PPM/300 STEL ACGIH TLV:200 PPM/300 STEL EPA Rpt Qty:5000 LBS DOT Rpt Qty:5000 LBS Ingred Name:TITANIUM DIOXIDE CAS:13463-67-7 RTECS #:XR2275000 Fraction by Wt: AIR & MAY COLLECT IN LOW/CONFINED AREAS. ===== Exposure Controls/Personal Protection ======== Respiratory Protection: WEAR AN ORGANIC VAPOR CARTRIDGE/AIR-SUPPLIED RESPIRATOR WHEN APPLYING IN ANY CIRCUMSTANCES LIKELY TO PRODUCE AIRBORNE LEVELS OF HA ZARDOUS INGREDIENTS >TLVS. Ventilation: GENERAL VENTILATION TO MAINTAIN VAPORS AIR Spec Gravity:1.411 Evaporation Rate & Evaporation R Appearance and Odor:WHITE LIQUID Percent Volatiles by Volume:24.4 ======== Stability and Reactivity Data ========== Stability Indicator/Materials to Avoid:YES STRONG OXIDIZING AGENTS.

Hazardous Decomposition Products: OXIDES OF CARBON, SULFUR DIOXIDE, TRACES OF HYDROGEN SULFIDE.

====== Disposal Considerations

Waste Disposal Methods: DISPOSE OF IAW/FEDERAL, STATE & LOCAL REGULATIONS. EPA HAZARDOUS WASTE NO: D-001 & D-035.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document shoul

d seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.