View NSN Online: https://aerobasegroup.com/nsn/6545-01-120-2632

GEHRING TEXTILES,INC -- PN:6542632 SURVIVAL KIT,INDIVIDUAL -- 6545-01-120-2632

Product ID:PN:6542632 SURVIVAL KIT, INDIVIDUAL

MSDS Date:07/01/1992

FSC:6545

NIIN:01-120-2632

MSDS Number: CDKQJ === Responsible Party ===

Company Name: GEHRING TEXTILES, INC Address: 1 WEST 34TH STREET, SUITE 1001

City:NEW YORK

State:NY ZIP:10001 Country:US

Info Phone Num:315-429-8551

Eme

rgency Phone Num:315-429-8551

CAGE:9A353

=== Contractor Identification ===

Company Name: GEHRING TEXTILES, INC Address: 1 WEST 34TH STREET, SUITE 1001

Box:City:NEW YORK

State:NY ZIP:10001 Country:US

Phone:315-429-8551

CAGE:9A353

Company Name: SHAWNEE PROD., INC

Box:UNKNOW CAGE:0XU64

======= Composition/Information on Ingredients ========

Ingred Name: FORMALDEHYDE (SARA 302/313) (CERCLA)

CAS:50-00-0

RTECS #:LP8925000

Other REC Limits: NONE RECOMMENDED

OSHA PEL:SEE 1910.1048

ACGIH TLV:C 0.

3 PPM, A2; 9596
EPA Rpt Qty:100 LBS
DOT Rpt Qty:100 LBS
======================================
LD50 LC50 Mixture:NP
Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO
Reports of Carcinogenicity:NTP:YES IARC:YES OSHA:YES
Health Hazards Acute and Chronic:FABRIC PRODUCTS RELEASE SM AMT OF FORMALDEHYDE.EXPO TO FORMALDEHYDE MAY RESULT FROM SKIN CONTACT
W/FABRIC/INHAL OF FORMALDEHYDE VAP RELEASED INTO AIR.OVEREXPO TO FROMALDEHYDE MAY CAUSE SKIN/EYE
IRRIT AFT PROL CONTACT.VAP
OVEREXPO MAY CAUSAE EYE/RESP TRACT IRRIT.
Explanation of Carcinogenicity:PER MSDS:CONTAINS FORMALDEHYDE [50-00-0].
Effects of Overexposure:SKIN/EYE/RESPIRATORY TRACT IRRIT.
Medical Cond Aggravated by Exposure:NP
======================================
======================================
First Aid:IN THE EVENT OF OVEREXPOSURE REMOVE INDIVIDUAL FROM CONTACT W/SOURCES.
======================================
Flash Point:NP
Autoignit
ion Temp:Autoignition Temp Text:NP
Lower Limits:NP
Upper Limits:NP
Extinguishing Media:USE WATER, CARBON DIOXIDE, DRY CHEMICAL TO EXTINGUISH FIRES.
Fire Fighting Procedures:USE NORMAL FIREFIGHTING PROCEDURES,INCLUDING POSITIVE-PRESSURE SELF-CONTAINED BREATHING APPARATUS & FULL
FIREFIGHTING PROTECTIN CLOTHING.
Unusual Fire/Explosion Hazard:FABRICS COMBUSTIBLE.
======== Accidental Release Measures =========
Spill Release Procedures:NONE SPECIFIED BY MANUFACTURER.

eutralizing Agent:NONE SPECIFIED BY MANUFACTURER.
=========== Handling and Storage ============
Handling and Storage Precautions:DURING FABRIC PROCESSING FORMALDEHYDE EXPO IS USER RESPONSIBILITY.POT LEVEL OF EXPO WILL DEPEND ON AMT OF THESE/OTHER FABRIC IN PROCESS,WORKAREA(SUPP) Other Precautions:DESCRIPTION:THESE FABRICS ARE SYNTHETIC OR NAT FABRICS TREATED W/FORMALDEHYDE-BASED RESIN & CAPABLE OF RELEASING SOME FORMALDEHYDE FROM FABRIC AFT TREATMENT.
=== ===== Exposure Controls/Personal Protection =========
Respiratory Protection:NP Ventilation:GENERAL VENTILATION SHOULD BE USED TO MAINTAIN EXPO BELOW APPLICABLE EXPO LIMITS.RECIRCULATING SYS SHOULD WHENEVER(SUPP) Protective Gloves:NP Eye Protection:NP Other Protective Equipment:NP Work Hygienic Practices:NP Supplemental Safety and Health PRECAUT:SIZE,VENTI,TEMP,HUMIDITY.BECASUE OF VARIABILITY OF CONDITONS WHICH MAY EXIST EVALUATION OF PERSONNEL EXPO BY PROF INDUSTRIAL HYG IENIST IS RECOMMENDED. VENTI:PRACTICAL BE OPERATED IN BYPASS MOD E TO AVOID CONCEN AIR CONTAMIN IN WORKPLACE.
======================================
HCC:N1 Boiling Pt:B.P. Text:NP Melt/Freeze Pt:M.P/F.P Text:NP Decomp Temp:Decomp Text:NP Vapor Pres:NP Vapor Density:NP Spec Gravity:NP pH:NP Viscosity:NP Evaporation Rate & amp; Reference:NP Solubility in Water:NP Appearance and Odor:NP;SEE "OTHER PRECAUTIONS" SEC OF MSDS. Percent Volatiles by Volume:NP Corrosion

Rate:NP
========= Stability and Reactivity Data ==========
NP Stability Condition to Avoid:NP Hazardous Decomposition Products:NP
======= Disposal Considerations ===========

Waste Disposal Methods:LANDFILL DISPO OF WASTE FABRIC MAY BE MADE IN

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The U

ACCORDANCE WITH LOCAL GOVERNMENT REGULATIONS.

nited States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.