View NSN Online: https://aerobasegroup.com/nsn/6850-01-435-5658

DUPONT POLYMER PROODUCTS - INDUSTRIAL -- "VERTREL" MCA -- 6850-01-435-5658

======== Product Identification ============

Product ID:"VERTREL" MCA MSDS Date:10/27/1998

FSC:6850

NIIN:01-435-5658

MSDS Number: CDKTT === Responsible Party ===

Company Name: DUPONT POLYMER PROODUCTS - INDUSTRIAL

Address:1007 MARKET STREET

City:WILMINGTON

State:DE ZIP:19898 Country:US

Info Phone Num:800-441-7515

Emergency Phone Nu

m:800-441-3637

Chemtrec Ind/Phone:(800)424-9300

CAGE:NO651

=== Contractor Identification ===

Company Name: DU PONT E I DE NEMOURS AND CO INC PETROCHEMICALS DEPT

Address:1251 BRANDYWINE BLDG

Box:City:WILMINGTON

State:DE ZIP:19898

Phone:302-773-5676

CAGE:73925

Company Name: DUPONT POLYMER PROODUCTS - INDUSTRIAL

Address:1007 MARKET STREET

Box:City:WILMINGTON

State:DE ZIP:19898 Country:US

Phone:800-441-7515

CAGE:NO651

Company Name: DUPONT E I DE NEMOURS AND CO INC, POLYMER PRODUCT-TEFLON

CO.

Ad

dress:1007 MARKET ST Box:City:WILMINGTON

State:DE ZIP:19898 Country:US

Phone:800-523-0372/346-4748

CAGE:9V583

Company Name: E I DU PONT DE NEMOURS & CO INC

Address: F & FP DEPARTMENT

Box:City:WILMINGTON

State:DE ZIP:19898

Phone: (800) 441-7515

CAGE:77966

Company Name: SALATHE OIL CO INC

Address:2226 PETERS RD

Box:City:HARVEY

State:LA ZIP:70058 Country:US

Phone:504-366-4542

Contract Num: SP0450-99-M-C-144

CAGE:0T5C6

======= Composition/Information on Ingredients ========

Ingred Name:1,

1,1,2,3,4,4,5,5,5-DECAFLUOROPENTANE

CAS:138495-42-8 Minumum % Wt:59. Maxumum % Wt:65.

Other REC Limits: NONE RECOMMENDED

Ingred Name:TRANS-1,2-DICHLOROETHYLENE (SARA 313) (CERCLA)

CAS:156-60-5

RTECS #:KV9400000 Minumum % Wt:35. Maxumum % Wt:41.

Other REC Limits: NONE RECOMMENDED

EPA Rpt Qty:1000 LBS DOT Rpt Qty:1000 LBS

========= Hazards Identification ==================

LD50 LC50 Mixture:ORAL LD50 1275 MG/KG IN RATS Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Repo

rts of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:INHALATION: GROSS OVEREXPOSURE MAY CAUSE SUFFOCATION. REPEATED OR EXCESSIVE OVEREXPOSURE MAY CAUSE CENTRAL NERVOUS SYSTEM STIMULATION. MAY CAUSE TEMPORARY ALTERATION OF THE HEART'S ELECTRICAL ACTIVITY. SKIN: SEVERE IRRITATION. EYES: SEVERE IRRITATION. INGESTION: MAY CAUSE PATHOLOGICAL CHANGES IN THE KIDNEYS.

Explanation of Carcinogenicity:NONE OF COMPONENTS PRESENT IN MATERIAL AT CONCE

NTRATIONS EQUAL TO/GREATER THAN 0.1% LISTED BY IARC, NTP,OSHA, ACGIH AS A CARCINOGEN.

Effects of Overexposure:INHALATION: STIUMLATION WITH INCREASED ACTIVITY OR SLEEPLESSNESS. TREMORS, CONVULSIONS. MAY BE FOLLOWED BY WEAKNESS. SYMPTOMS MAY BE DELATED. PROLONGED EXPOSURE MAY CAUSE IRREGULAR PULSE, PALPITATIONS, OR INADEQUATE CIRCULATION. SKIN: BURNING, REDNESS, SWELLING, RASH, DISCOMFORT OR PAIN. EYES: DISCOMFORT, REDNESS, TEARING OR BLURRED VISION.

Medical Cond Aggrava

ted by Exposure:INCREASED SUSCEPTIBILITY TO THE EFFECTS OF THIS MATERIAL MAY BE OBSERVED IN PERSONS WITH PRE-EXISTING DISEASES OF THE LIVER, LUNGS AND CARDIOVASCULAR SYSTEMS.

First Aid:INHALATION:: IMMEDIATELY REMOVE TO FRESH AIR. KEEP PERSON CALM. IF NOT BREATHING GIVE ARTIFICIAL RESPIRATION, IF BREATHING IS DIFFICULT, GIVE OXYGEN. CALL A PHYSICIAN. SKIN: FLUSH WITH WATER AFTER C ONTACT. WASH CONTAM

INATED CLOTHING BEFORE RESUE. EYE

IMMEDIATELY FLUSH EYES WITH PLENTY OF WATER FOR AT LEAST 15 MIN. CALL A PHYSICIAN. INGESTION: MATERIAL POSES AN ASPIRATION HAZARD. IF SWALLOWED, DO NOT INDUCE VOMITING. IMMEDIATELY GIVE 2 GLASSES OF WATER. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. CALL A PHYSICIAN. IF VOMITING OCCURS NATURALLY, HAVE VICTIM LEAN FORWARDTO REDUCE THE RISK OF ASPIRATION.

=========== Fire Fighting Measures ==========================

Flash Point:NONE Autoignition Temp:Autoignition Temp Text:N/D Lower Limits:NP
Upper Limits:NP Extinguishing Media:WATER SPRAY OR FOG, DRY CHEMICAL, CARBON DIOXIDE. Fire Fighting Procedures:SELF-CONTAINED BREATHING APPARATUS (SCBA) REQUIRED IF DRUMS RUPTURE & CONTENTS ARE SPILLED UNDER FIRE CONDITIONS.
======== Accidental Release Measures =========
Spill Release Procedures:SOAK UP WITH SAWDUST, SAND, OIL DRY OR OTHER ABSORBENT MATERIAL.
Neut ralizing Agent:NONE SPECIFIED BY MANUFACTURER.
=========== Handling and Storage =============
Handling and Storage Precautions:STORE IN A CLEAN, DRY PLACE. DO NOT HEAT ABOVE 52 DEG C AS EXCESSIVE PRESSURE MAY CAUSE CONTAINER TO LEAK OR RUPTURE.
Other Precautions:MATERIAL SHOULD NOT BE DISPENSED FROM ITS CONTAINER BY POURING EXCEPT FOR SMALL SIMPLE CONTAINERS WHERE FUME HOODS OR WHERE OTHER VENTILATION USED TO MANAGE EXPOSURE LIMITS. USE OF DRUM PUMP REC
OMMEND ED FOR DISPENSING FROM SHIPPING CNTNRS.
====== Exposure Controls/Personal Protection ========
Respiratory Protection:WHERE THERES POTENTIAL FOR AIRBORNE EXPOSURES IN EXCESS OF APPLICABLE LIMITS WEAR NIOSH/MSHA APPROVED RESPIRATORY PROTECTION. Ventilation:USE ONLY WITH ADEQUATE VENTILATION. Protective Gloves:IMPERVIOUS GLOVES Eye Protection:WEAR SAFETY GLASSES OR COVERALL CHEMICAL SPLASH GOGGLES. Other Protective Equipment:IMPERVIOUS APRON, PANTS, JACKET WHERE P
OTENTIAL FOR SKIN CONTACT. Work Hygienic Practices:WASH CONTAMINED CLOTHING BEFORE REUSE. Supplemental Safety and Health
========= Physical/Chemical Properties =========
HCC:V7 Boiling Pt:=39.C, 102.2F Melt/Freeze Pt:M.P/F.P Text:NP Vapor Pres:464 MM/HG @25 C Vapor Density:>AIR Spec Gravity:1.41 G/CM3 Solubility in Water:TO BE DETERMINED Appearance and Odor:LIQUID, COLORLESS COLOR Percent Volatiles by Volume:NP Corrosion Rate:NP
======== Stability and Reactivity

ash Point Method:TOC

Data =========
Stability Indicator/Materials to Avoid:YES INCOMPATIBLE WITH BASES. INCOMPATIBLE WITH ALKALI OR ALKALINE EARTH METALS-POWERED AL, ZN, BE, ETC., MOLTEN CAUSTICS. Stability Condition to Avoid:STABLE AT NORMAL TEMPERATURES AND STORAGE CONDITIONS. Hazardous Decomposition Products:DECOMPOSITION PRODUCTS ARE HAZARDOUS. THIS MATERIAL CAN BE DECOMPOSED BY HIGH TEMPERATURES (OPEN FLAMES, GLOWING METAL SURFACES, ETC) FORMS HCL & HF, POSSIBLY CARBONYL HALIDES.
=========== Toxicological Information ===========
Toxicological Information:ANIMAL TESTING INDICATES THAT DECAFLUOROPENTANE IS A SLIGHT SKIN IRRITANT AND A MILD EYE IRRITANT, BUT IS NOT A SKIN SENSITIZER. SINGLE EXPOSURE TO 5,000 PPMDECAFLUOROPENTANE BY INHALATION CAUSED TREM ORS. NO CARDIAC SENSITIZATION WAS OBSERVED. INHALATION, 4 HOUR LC50: 11,100 PPM IN RATS.
======= Disposal Considerations ===========
Waste Disposal Methods:TR EATMENT, STORAGE, TRANSPORTATION, AND DISPOSAL MUST BE IN ACCORDANCE WITH APPLICABLE LOCAL, STATE/PROVINCIAL AND FEDERAL REGULATIONS. CERCLA HAZARDOUS SUBSTANCE:YES(1,2-DICHLOROETHYLENE COMPO ONLY).
============ MSDS Transport Information =====================
Transport Information:PROPER SHIPPING NAME: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS TRANS-1,2-DICHLOROETHYLENE). NOT REGULATED BY DOT, IMO OR ICAO IN CONTAINERS LESS THAN 2,600 LBS.
=========== Regulatory Information ============
SARA Title III Information:TITLE II HAZARD CLASSIFICATION SECTIONS 311, 312: ACUTE.
Federal Regulatory Information:CERCLA HAZARDOUS SUBSTANCE: YES.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and

disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.