View NSN Online: https://aerobasegroup.com/nsn/6810-01-031-4652

ARCADIAN CORP -- SULFURIC ACID -- 6810-01-031-4652

Product ID:SULFURIC ACID MSDS Date:04/16/1996 FSC:6810 NIIN:01-031-4652 MSDS Number: CDMMZ === Responsible Party === Company Name: ARCADIAN CORP Address:6750 POPLAR, SUITE 600 City:MEMPHIS State:TN ZIP:38138-7419 Country:US Info Phone Num:800-524-0132 Emergency Phone Num:800-424-9300(CHEMTREC)/800-524-0132 CAGE:0 1KQ2 === Contractor Identification === Company Name: ARCADIAN CORP Address:6750 POPLAR AVE Box:City:MEMPHIS State:TN ZIP:38138 Country:US Phone:800-654-4514 CAGE:01KQ2 Company Name: MAGNOLIA CHEMICALS & SOLVENTS, INC. Address:1020 SAMS AVE Box:10278 **City:NEW ORLEANS** State:LA ZIP:70181-0278 Phone:504-733-6600 CAGE:MAGNO

Ingred Name:SULFURIC ACID (SARA 302/313) (CERCLA) CAS:7664-93-9 RTECS #:WS5600000 Fraction by Wt: 93-99.5% Othe r REC Limits:NONE RECOMMENDED OSHA PEL:1 MG/M3 ACGIH TLV:1 MG/M3/3 STEL; 9495 EPA Rpt Qty:1000 LBS DOT Rpt Qty:1000 LBS

LD50 LC50 Mixture:PRODUCT'S LD50 (ORAL RAT) WAS NOT STATED Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:EYE:IRRITATION, CORNEAL BURNS, CONJUNCTIVIS, BLINDNESS. SKIN:CAN CAUSE SEVERE BURNS OR IRRITATION.

INHALATION:CAN CAUSE IRRITATION OR CORROSIVE BURNS TO RESPIRATORY TRACT. INGESTION:CAN CAUSE IRRITATI ON, CORROSIVE BURNS TO MOUTH & G/I TRACT. MAY BE FATAL IF SWALLOWED. CHRONIC-TOOTH EROSION, LESIONS, CONJUNCTIVITIS.

Explanation of Carcinogenicity:MANUFACTURER GAVE NO INFORMATION ABOUT CARCINOGENICITY. HMIS FOUND NO LISTING & DOES NOT EXPECT IT TO BE CARCINOGENIC.

Effects of Overexposure:EYE:IRRITATION, CORNEAL BURNS, CONJUNCTIVIS, BLINDNESS. SKIN:SEVERE BURNS OR IRRITA

TION. INHALATION: IRRITATION OR CORROSIVE BURNS TO RESPIRATORY TRACT. INGESTION: IRRITATION, CORROSIVE BURNS TO MOUTH & G/I TRACT. MAY BE FATAL IF SWALLOWED. Medical Cond Aggravated by Exposure: MFR GAVE NO INFORMATION OF MSDS.

First Aid:IF IRRITATION PERSISTS OR IS SEVERE, GET MEDICAL ATTENTION. EYE:FLUSH W/WATER FOR 15 MIN. SKIN:WASH W/SOAP & WATER. REMOVE CONTAMINATED CLOTHING & LAUNDER BEFORE REUSE. INHALED:R EMOVE FROM

EXPOSURE. A ID OR RESTORE BREATHING AS NEEDED. INGESTED:DO NOT INDUCE VOMITING. GIVE LARGE AMOUNTS OF MILK OR WATER TO DRINK. GET IMMEDIATE MEDICAL ATTENTION. NOTHING BY MOUTH IF UNCONSCIOUS.

Flash Point:N/A. Autoignition Temp:Autoignition Temp Text:N/A. Lower Limits:N/A. Upper Limits:N/A. Extinguishing Media:USE WATER SPRAY OR OTHER SUITABLE AGENT FOR FIRES ADJACENT TO NON-LEAK,ING TANKS & OTHER CO NTAINERS OF SULFURIC ACID. Fire Fighting Procedures: AT HIGH TEMPERATURES SULFURIC ACID MIST OR SO3 GAS CAN BE RELEASED FROM VENTED OR RUPTURED CONTAINDERS. IF WATER IS ADDED TO CONC.ACID, SPATTERING MAY OCCUR. Unusual Fire/Explosion Hazard:FLAMMABLE & POTENTIALLY EXPLOSIVE HYDROGEN GAS CAN BE GENERATED INSIDE METAL DRUMS & STORAGE TANKS.CONCENTRATED ACID CAN IGNITE COMBUSTIBLE MATERIALS ON CONTACT Spill Release Procedures: DILUTE SMALL SPILL CAUTIOUSLY W/PLENTY OF WATER. NEUTRALIZE RESIDUE. ADEQUATE VENTILATION IS REQUIRED. NO SMOKING IN SPILL AREA. MAJOR SPILL: KEEP UNPROTECTED PEOPLE AWAY. Neutralizing Agent:SODA ASH, LIME Handling and Storage Precautions: STORE IN COOL, WELL VENTILATED AREA AWAY FROM COMBUSTIBLES & REACTIVE CHEMICALS. VENT METAL CONTAINER WEEKLY. DIKING OF STORAGE TANKS RECOMMENDED. Other Precautions :VAPOR MAY CONTAIN EXPLOSIVE HYDROGEN. DO NOT PERMIT SMOKING OR OTHER IGNITION SOURCES IN THE STROAGE AREA. CAUSES SEVERE BURNS. LABEL SIGNAL WORK: DANGER! Respiratory Protection: WHERE REQUIRED US A RESPIRATOR APPROVED BY NIOSH FOR SULFURIC ACID MIST AS APPLICABLE. SOME EXPOSURES MAY REQUIRE SELF-CONTAINED BREATHING APPARATUS W/FULL FACEPIECE OR SUPPLIED AIR RESPIRATOR W/FULL FACEPIECE, HELMET OR HOOD. Vent ilation:MFR GAVE NO INFORMATION OF MSDS.. Protective Gloves: ACID RESISTANT GAUNTLET . Eve Protection: HARD HAT, CHEMICAL GOGGLES & FACE SHIELD Other Protective Equipment: EYE WASH & QUICK DRENCH SHOWER PROTECTED FROM FREEZING WHERE ACID IS STORED OR HANDLED. ACID RESISTANT **CLOTHING & BOOTS** Work Hygienic Practices: MFR GAVE NO INFORMATION OF MSDS.. Supplemental Safety and Health

HCC:C1 NRC/State Lic Num:NONE Boiling Pt:B. P. Text:534F,279C Melt/Freeze Pt:M.P/F.P Text:N/A. Vapor Pres:NEGLIGIBLE Vapor Density:N/A. Spec Gravity:1.835 Evaporation Rate & amp; Reference:N/A. Solubility in Water:100% Appearance and Odor:OILY, COLORLESS TO SLIGHTLY YELLOW TO TURBID LIQUID, ODORLESS Percent Volatiles by Volume:N/A.

Stability Indicator/Materials to Avoid:YES
NITRO COMPOUNDS, CARBIDES DIENES, ALCOHOLS (WHEN HEATED) CAUSE EXPLOSIONS. OXIDIZING AGENT
S CAUSE FIRES & POSSIBLE EXPLO
Stability Condition to Avoid:TEMPERATURES >300C YIELD SO3 GAS WHICH IS TOXIC, CORROSIVE & AN OXIDIZER.
Hazardous Decomposition Products:SO3 GAS. ALSO FIRE RISK W/ORGANIC MATERIALS.
Conditions to Avoid Polymerization:WILL NOT OCCUR.

Waste Disposal Methods:CAUTIOUSLY DILUTE & NEUTRALIZE WASTE ACID. DISPOSE OF I/A/W FEDERAL, STATE & LOCAL REGULATIONS. WASTE MAY HAVE TO BE DISPOSED OF BY AN APPROVED COANTRACTOR.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this informatio n to their particular situation.