View NSN Online: https://aerobasegroup.com/nsn/6750-01-338-7548

EASTMAN KODAK COMPANY -- 837 2534 EKTACOLOR RA DEVELOPER REPLENISHER RT, PART A -- 6750-01-338-7548

Product ID:837 2534 EKTACOLOR RA DEVELOPER REPLENISHER RT, PART A MSDS Date:01/09/1998 FSC:6750 NIIN:01-338-7548 MSDS Number: CDMNV === Responsible Party === Company Name: EASTMAN KODAK COMPANY Address:343 STATE STREET City:ROCHESTER State:NY ZIP:14650 Country:US nfo Phone Num:716-477-3194 MSDS :800- 242-2424 Emergency Phone Num:716-722-5151 CAGE:19139 === Contractor Identification === Company Name: EASTMAN KODAK CO GOVERNMENT MARKETS CONTRACTS Address:343 STATE ST Box:City:ROCHESTER State:NY ZIP:14650-1115 Country:US Phone:716-722-5151/(800) 242-2424 CAGE:19139 Company Name: EASTMAN KODAK CO US CUSTOMER SERVICE/GOVERNMENT SALES Address:800 LEE RD Box:City:ROCHESTER State:NY ZIP:14650-3129 Country:US Phone:800-828-6203 CAGE:5K871

======= Compositio

n/Information on Ingredients ==========

Ingred Name:WATER CAS:7732-18-5 RTECS #:ZC0110000 Fraction by Wt: 60-65% Other REC Limits:NONE RECOMMENDED

Ingred Name:ETHANOL, 2,2',2"-NITRILOTRI-; (TRIETHANOLAMINE) CAS:102-71-6 RTECS #:KL9275000 Fraction by Wt: 20-25% Other REC Limits:NONE RECOMMENDED ACGIH TLV:5 MG/M3

Ingred Name:DIETHYLHYDROXYLAMINE CAS:3710-84-7 RTECS #:NC3500000 Fraction by Wt: 10-15% Other REC Limits:NONE RECOMMENDED

Ingred Name:STILBENE SULFONIC ACID DERIVATIVE CAS:82640-0 5-9 Fraction by Wt: 1-5% Other REC Limits:NONE RECOMMENDED

Ingred Name:VERSA-TL CAS:9016-91-5 Fraction by Wt: < 1% Other REC Limits:NONE RECOMMENDED

LD50 LC50 Mixture:ORAL LD50 (RAT): NOT GIVEN Routes of Entry: Inhalation:NO Skin:YES Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:EXPECTED TO BE A LOW INHALATION HAZARD

FOR RECOMMENDED HANDLING. MAY CAUSE TRANSIENT EYE I RRITATION. LOW

SKIN CONTACT HAZARD FOR RECOMMENDED HANDLING. EXPECTED TO BE A LOW INGESTION HAZARD.

Explanation of Carcinogenicity: THIS COMPOUND CONTAINS NO INGREDIENTS AT CONCENTRATIONS OF 0.1% OR GREATER THAT ARE CARCINOGENS OR SUSPECT CARCINOGENS.

Effects of Overexposure:EYE IRRITATION.

Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

First Aid:INHALATION: IF SYMPTOMATIC, MOVE TO FRESH AI

R. GET MEDICAL ATTENTION IF SYMPTOMS PERSIST. EYES: WASH OUT IMEEDIATELY WITH WATER. GET MEDICAL ATTENTION IF SYMPTOMS OCCUR. SKIN: WASH WITH SOAP AND WATER . GET MEDICAL ATTENTION IF SYMPTOMS OCCUR. INGESTION: DRINK 1-2 GLASSES OF WATER. SEEK MEDICAL ATTENTION. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. Flash Point Method:SCC Flash Point:144F,62C Lower Limits:NOT GIVEN Upper Limits:NOT GIVEN Е xtinguishing Media:WATER SPRAY, CARBON DIOXIDE, DRY CHEMICAL, ALCOHOL FOAM Fire Fighting Procedures: FIRE FIGHTERS SHOULD WEAR SELF CONTAINED BREATHING APPARATUS AND FULL PROTECTIVE GEAR. COOL TANKS AND CONTAINERS EXPOSED TO FIRE WITH WATER. Unusual Fire/Explosion Hazard: FIRE OR EXCESSIVE HEAT MAY PRODUCE HAZARDOUS DECOMPOSTION PRODUCTS. CONTAINS A COMBUSTIBLE SOLVENT THAT MAY ACCUMULATE IN CONTAINER HEADSPACE. == Spill Release Procedures: MAY REQUIRE NEUTRALIZATION. FLUSH TO SEWER IF ALLOWABLE WITH LARGE AMOUNTS OF WATER. OTHERWISE, ABSORB SPILL WITH VERMICULITE OR OTHER INERT MATERIAL. THEN PLACE IN A CONTAINER FOR CHEMICAL WASTE. CLE AN SURFACE TO REMOVE RESIDUAL CONTAMINATION. Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER. Handling and Storage Precautions: USE WITH ADEQUATE VENTILATION. WASH THOROUGHLY AFTER HA NDLING. KEEP FROM CONTACT WITH OXIDIZING MATERIALS. KEEP CONTAINER TIGHTLY CLOSED. Other Precautions: KEEP AWAY FROM INCOMPATIBLE MATERIALS. Respiratory Protection: NONE SHOULD BE NEEDED. Ventilation: GOOD GENERAL VENTILATION, TYPICALLY 10 AIR CHANGES PER HOUR, SHOULD BE USED. RATES SHOULD MATCH CONDITIONS. Protective Gloves: IMPERVIOUS Eye Protection: SAFETY GLASSES W/SIDE SHIELDS OR GOGGLES

Other Protective Equipment:CHEM

ICAL RESISTANT CLOTHING AS NECESSARY TO PREVENT SKIN CONTACT. AN EMERGENCY EYEWASH AND SHOWER SHOULD BE AVAILABLE. Work Hygienic Practices:WASH HANDS THOROUGHLY WITH SOAP AND WATER BEFORE EATING, DRINKING, SMOKING OR USING TOILET FACILITIES. Supplemental Safety and Health

REMOVE AND WASH CONTAMINATED CLOTHING BEFORE REUSE.

HCC:V4 Boiling Pt:B.P. Text:>212F,>100C Melt/Freeze Pt:M.P/F.P Text:NOT GIVEN Decomp Temp:De comp Text:NOT GIVEN Vapor Pres:18 Vapor Density:0.6 Spec Gravity:1.06 pH:10.8 Evaporation Rate & amp; Reference:NOT GIVEN Solubility in Water:COMPLETE Appearance and Odor:YELLOW LIQUID, AMINE ODOR Percent Volatiles by Volume:60-65%

Stability Indicator/Materials to Avoid:YES STRONG OXIDIZING AGENTS Stability Condition to Avoid:ELEVATED TEMPERATURES CAN CAUSE DECOMPOSITION. Hazardous Decomposition Products:CARBON DIOXIDE, CAR BON MONOXIDE, OXIDES OF NITROGEN

Waste Disposal Methods:DISCHARGE, TREATMENT OR DISPOSAL MAY BE SUBJECT TO NATIONAL, STATE OR LOCAL LAWS. MAY REQUIRE NEUTRALIZATION IF PH < 2.0 OR PH > 12.5. DISPOSE OF IN ACCORDANCE WITH ALL APPLICABLE FEDERAL, STATE AND L OCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Departm ent

of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.