

SYNKOLOID OF FLORIDA INC -- SPACKLE, INT & EXT #N100 -- 5610-00-926-4562

=====  
Product Identification  
=====

Product ID:SPACKLE, INT & EXT #N100  
MSDS Date:10/02/1991  
FSC:5610  
NIIN:00-926-4562  
MSDS Number: CDPHS  
=== Responsible Party ===  
Company Name:SYNKOLOID OF FLORIDA INC  
Address:40 ENTERPRISE BLVD SW  
City:ATLANTA  
State:GA  
ZIP:30331  
Country:US  
CAGE:52615

==== Contractor Identification ====

Company  
Name:SYNKOLOID OF FLORIDA INC  
Address:40 ENTERPRISE BLVD SW  
Box:City:ATLANTA  
State:GA  
ZIP:30331  
Country:US  
CAGE:52615

=====  
Composition/Information on Ingredients  
=====

Ingred Name:SOY BEAN PROTEIN  
CAS:68513-95-1  
Other REC Limits:NONE RECOMMENDED

Ingred Name:CASIEN  
CAS:9000-71-9  
Other REC Limits:NONE RECOMMENDED

Ingred Name:ALKYD RESIN  
CAS:68554-99-4  
Other REC Limits:NONE RECOMMENDED

Ingred Name:WATER  
CAS:7732-18-5  
RTECS #:ZC0110000  
Other REC Limits:NONE RECOMMENDED

Ingr

ed Name:CALCIUM CARBONATE (MARBLE) (LIMESTONE)

CAS:1317-65-3

RTECS #:EV9580000

Other REC Limits:NONE RECOMMENDED

OSHA PEL:15 MG/M3 TDUST

ACGIH TLV:10 MG/M3 TDUST; 9495

Ingred Name:VOC = 1.3 LB/GL

RTECS #:9999999VO

Other REC Limits:NONE RECOMMENDED

OSHA PEL:NOT RELEVANT

ACGIH TLV:NOT RELEVANT

=====  
===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and

Chronic:INHALATION: HEADACHE, NAUSEA,

IRRITATION OF NOSE/THROAT/LUNGS. EYE: IRRITATION. SKIN: IRRITATION.

=====  
===== First Aid Measures =====

First Aid:INHALATION: MOVE TO FRESH AIR. EYE: FLUSH W/LARGE AMTS WATER.

CALL DR. SKIN: WASH W/SOAP & WATER. CALL DR. INGESTION: GIVE 2

GLASSES WATER. CALL DR. NEVER GIVE ANYTHING BY MOUTH TO UNCONSCIOUS PERSON.

=====  
===== Fire Fighting Measures =====

Flash Point:NA

Autoigniti

on Temp:Autoignition Temp Text:NA

Extinguishing Media:NA

Fire Fighting Procedures:COOL EXPOSED CONTAINERS W/WATER.

=====  
===== Accidental Release Measures =====

Spill Release Procedures:REMOVE IGNIT SOURCES. ABSORB W/ABSORBENT.

SWEEP/SCOOP UP. VENTILATE AREA.

=====  
===== Handling and Storage =====

Handling and Storage Precautions:KEEP AWAY FROM HEAT, OPEN FLAME. USE ADEQUATE VENTILATION.

Other Precautions:AVOID CHRONIC VAPOR BREATHIN

G OR SKIN CONTACT.

=====  
===== Exposure Controls/Personal Protection =====

Ventilation: AIR-SUPPLIED RESCUE EQUIPMENT IN ENCLOSED AREAS.  
Protective Gloves: YES  
Eye Protection: GLASSES  
Other Protective Equipment: FULL LENGTH CLOTHING.  
Supplemental Safety and Health  
NK

=====  
===== Physical/Chemical Properties =====

Boiling Pt: B.P. Text: 212F, 100C  
Vapor Pres: NA  
Evaporation Rate & Reference: SLOWER THAN ETHER  
Percent Volatiles by Volume: NA

=====  
===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid: YES  
NK  
Hazardous Decomposition Products: ACRYLIC MONOMERS, CARBON MONOXIDE

=====  
===== Disposal Considerations =====

Waste Disposal Methods: ACCORDING TO FEDERAL, STATE, LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner w  
hatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.