

AIRCO INC, AIRCO INDUSTRIAL GASES DIV. -- HEXANE -- 6810-00-949-0257

=====
Product Identification
=====

Product ID:HEXANE

MSDS Date:08/17/1993

FSC:6810

NIIN:00-949-0257

MSDS Number: CDQMC

=== Responsible Party ===

Company Name:AIRCO INC, AIRCO INDUSTRIAL GASES DIV.

Address:575 MOUNTAIN AVE

City:MURRAY HILL

State:NJ

ZIP:07974-2006

Country:US

Info Phone Num:908-464-8100/FOR MSDS:1800-734-5463

Emerg

ency Phone Num:800-424-9300(CHEMTREC)

CAGE:00741

=== Contractor Identification ===

Company Name:AIRCO INC, AIRCO INDUSTRIAL GASES DIV.

Address:575 MOUNTAIN AVE

Box:City:MURRAY HILL

State:NJ

ZIP:07974-2006

Country:US

Phone:800-424-9300(CHEMTREC)

CAGE:00741

=====
Composition/Information on Ingredients
=====

Ingred Name:HEXANE (N-HEXANE) (CERCLA)

CAS:110-54-3

RTECS #:MN9275000

Fraction by Wt: 100.0%

Other REC Limits:NONE RECOMMENDED

OSHA PEL:500 PPM

ACGIH TLV:50 PPM; 9596

EPA Rp

t Qty:1 LB
DOT Rpt Qty:1 LB

=====
===== Hazards Identification =====

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER.
Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:EYE:IRRIT,RED,BURNING SENS.PERSON
W/POTENTIAL EXPO TO PROD SHOULD NOT WEAR CONTACT LENSES.SKIN:IRRIT
SKIN,CAN BE ABSORBED THRU SKIN IN HARMFUL AMTS.ORAL:MAY CAUSE
GASTROINTESTINAL IRRIT,NAU,VOMIT,
HEAD .INHAL:VAP CAUSES
DIZZ,DIFFICULTY IN WALKING,RESP TRACT IRRIT,NUMBNESS OF
EXTREMETIES,EVENTUAL PARALYSIS.(SIGNS/SYMPATOM)
Explanation of Carcinogenicity:PER
MSDS:CARCINOGENICITY:NTP/IARC/OSHA:NO.
Effects of Overexposure:CHRONIC:MAY CAUSE HARM TO NERVOUS SYS WHICH
PRODUCES LACK OF FEELING IN EXTREMITIES/OTHER NERVE DMG. EYE
IRRIT,RED,BURNING SENS. SKIN IRRIT,ABSORBED THRU SKIN IN HARMFUL
AMTS. GASTRINTESTINAL IRRIT,NA U,VOMIT,HEADACHE.
DIZZINESS,DIFFICULTY IN WALAI
NG,RESP TRACT IRRIT,NUMBNESS OF
EXTREMEEITIES,PARALYSIS.
Medical Cond Aggravated by Exposure:ANY TYPE OF PARESTHESIA MAY BE
AGGRAVATED BY HEXANE EXPOSURE.

=====
===== First Aid Measures =====

First Aid:EYE:FLUSH W/COPIOUS QUANT OF WATER.PART EYELIDS W/FINGERS TO
ASSURE COMPLETE FLUSHING.CONT FOR MIN OF 15MINS.SEEK MED
ATTN.SKIN:FLUSH W/LG QUANT OF WATER.REMOVE CONTAMIN CLOTH AS
RAPIDLY AS POSSIBLE.I NGEST:DO NOT INDUCE VOMIT-ASPIRATION HAZ

CAUSING PULM EDEMA,COMPLICATIONS.DO NOT ADMIN MILK/ALCOHOL/FATTY
FOODS.LAY DOWN IN COOL QUET WELL VENTI AREA.KEEP WARM.CONSULT POIS
CONTRL CNTR ASAP.(SUPPLEM)

=====
===== Fire Fighting Measures =====

Flash Point:-7F,-22C
Autoignition Temp:Autoignition Temp Text:NP
Lower Limits:1.7
Upper Limits:7.7
Extinguishing Media:WATER (FOAM), DRY CHEMICAL, CARBON DIOXIDE.
Fire Fighting Procedures:IF POSSIBLE STOP FLOW.USE WATERSPRAY TO COOL
SURROUNDING CNTNRS.WEAR

SELF-CONTAINED BREATHING APPARATUS & OTHER
PROTECTIVE CLOTHING AS REQUIRED TO FIGHT FIRE.

Unusual Fire/Explosion Hazard:VAP MAY ACCUMULATE IN AREAS W/INADEQUATE
VENTI POSSIBLY FORMING EXPLO ATM.USE ADEQUATE VENTI TO PREVENT VAP
BUILDUP.ELECTRICAL CLASS:CLASS 1,GROUP NOT SPECIFIED

===== Accidental Release Measures =====

Spill Release Procedures:EVACUATE ALL PERSONNEL FORM AREA.USE
APPROPRITE PROT EQPMT.LEAK IN USER'S EQPMT BE CERTAIN TO PURGE
PIP

ING W/INERT GAS PRIOR TO ATTEMPT REPAIRS.LEAK IN CNTNR/CNTNR
VALVE CONTACT CHEMTREC FOR EMERG ASS IST/CALL CLOSEST AIRCO
LOCATION.

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

===== Handling and Storage =====

Handling and Storage Precautions:USE IN WELL-VENTI AREA.VALV PROT CAPS
MUST REMAIN IN PLACE UNLESS CNTNR SECURED W/VALV OUTLET PIPED TO
USE PT.DON'T DRAG/SLIDE/ROLL CYL;USE HAND TRUCK

Other Precautions:USE PRESSURE REDUCING REG WHEN
CONNECTING CYL TO
LOWER PRESSURE(