

HEWLETT-PACKARD CO,CORPORATE HQ -- P/N 51626A PRINT CARTIDGE (FOR SHARP FO-1700 FAX MACHINES) -- 6850-01-420-0223

=====  
Product Identification  
=====

Product ID:P/N 51626A PRINT CARTIDGE (FOR SHARP FO-1700 FAX MACHINES)

MSDS Date:07/17/1992

FSC:6850

NIIN:01-420-0223

MSDS Number: CDQQG

=== Responsible Party ===

Company Name:HEWLETT-PACKARD CO,CORPORATE HQ

Address:3000 HANOVER ST

City:PALO ALTO

Stat

e:CA

ZIP:94304-1112

Country:US

Info Phone Num:415-857-1501/FOR MSDS 800-468-8347

Emergency Phone Num:415-857-1501

Preparer's Name:MICHAEL HOLCOMB

CAGE:28480

=== Contractor Identification ===

Company Name:HEWLETT-PACKARD CO, CORPORATE HQ

Address:3000 MINUTEMAN RD

Box:City:ANDOVER

State:MA

ZIP:01810-1032

Country:US

Phone:404-648-8754/FAX: 800-947-3299

CAGE:28480

Company Name:RECHARGE AND RECYCLE INC DBA OFFICE PRO

Box:UNKNOW

Contract Num:SP0450-98-M-CQ25

CAGE:0RUE3

=====  
Composition/  
Information on Ingredients  
=====

Ingred Name:2-PYRROLIDONE

CAS:616-45-5

RTECS #:UY5715000

&lt; Wt:12.

Other REC Limits:NONE RECOMMENDED

Ingred Name:BLACK AZO DYE

&lt; Wt:3.

Other REC Limits:NONE RECOMMENDED

Ingred Name:WATER

CAS:7732-18-5

RTECS #:ZC0110000

&lt; Wt:95.

Other REC Limits:NONE RECOMMENDED

=====  
Hazards Identification  
=====

LD50 LC50 Mixture:ORAL LD50 (RAT) IS >2000 MG/KG

Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:ACUTE: CONTACT MAY CAUSE SKIN & EYE IRRITATION. INGESTION MAY CAUSE GASTRIC DISTURBANCES. CHRONIC: NONE SPECIFIED BY MANUFACTURER.

Explanation of Carcinogenicity:NO INGREDIENT OF A CONCENTRATION OF 0.1% OR GREATER IS LISTED AS A CARCINOGEN OR SUSPECTED CARCINOGEN.

Effects of Overexposure:EYES-IRRITATION. SKIN-IRRITATION. INGESTED-GASTRIC DISTURBANCES.

Medical Cond Aggravated by Exposure:NONE SPECIFIED BY M ANUFACTURER.

=====  
===== First Aid Measures =====

First Aid:EYES-FLUSH WITH WATER FOR 15 MINUTES. SKIN-WASH AFFECTED AREA WITH SOAP & WATER. INGESTED-DILUTE WITH WATER. GET MEDICAL ATTENTION.

=====  
===== Fire Fighting Measures =====

Flash Point:>255F,>124C

Autoignition Temp:Autoignition Temp Text:>230C

Extinguishing Media:WATER FOG, CARBON DIOXIDE, DRY CHEMICAL, FOAM.

Fire Fighting Procedures:NONE. DLA-HMIS: WEAR SELF-CONTAINED BREATHING

APPARATUS AND FULL FIRE FIGHTER'S PROTECTIVE GEAR. USE WATER TO COOL FIRE EXPOSED CONTAINERS.

Unusual Fire/Explosion Hazard:NONE SPECIFIED BY MANUFACTURER.

=====  
===== Accidental Release Measures =====

Spill Release Procedures:USE ABSORBENT TOWEL TO WIPE UP INK. RINSE AREA WITH DAMP CLOTH TO REMOVE REMAINING TRACES OF INK.

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

=====  
===== Handling and Storage =====

Hand  
ling and Storage Precautions:KEEP OUT OF REACH OF CHILDREN. AVOID CONTACT BETWEEN THE GOLD CARTRIDGE FACE & EYES, SKIN, CLOTHES.

Other Precautions:RAPID REMOVAL OF INK WITH SOAP & WATER FROM SKIN PREVENTS IRRITATION AND STAINING.

=====  
===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE SPECIFIED BY MANUFACTURER.

Ventilation:NONE SPECIFIED BY MANUFACTURER.

Protective Gloves:NONE SPECIFIED BY MANUFACTURER.

Eye Protection:NONE SPECIFIED BY MANUFACTURER.

ER.

Other Protective Equipment:NONE SPECIFIED BY MANUFACTURER.

Work Hygienic Practices:WASH HANDS AFTER HANDLING AND BEFORE EATING,  
DRINKING, OR SMOKING. LAUNDER CONTAMINATED CLOTHES BEFORE REUSE.

Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:V5

Boiling Pt:>110.C, 230.F

Melt/Freeze Pt: