

THE DEXTER CORPORATION -- EPK 0608 RESIN #AA0608 -- 8040-00-539-7798

=====
Product Identification
=====

Product ID:EPK 0608 RESIN #AA0608

MSDS Date:04/13/1994

FSC:8040

NIIN:00-539-7798

Kit Part:Y

MSDS Number: CDVJY

=== Responsible Party ===

Company Name:THE DEXTER CORPORATION

Address:ONE DEXTER DRIVE

City:SEABROOK,

State:NH

ZIP:03874

Country:US

Info Phone Num:603-474-5541

Emergency Phone Num:800-

424-9300 (CHEMTREC

Preparer's Name:KEN DECOSTA

CAGE:0KZ46

=== Contractor Identification ===

Company Name:DEXTER CORP DEXTER ELECTRONIC MATERIALS

Address:15051 E DON JULIAN RD

Box:City:INDUSTRY

State:CA

ZIP:91746-1282

Country:US

Phone:626-968-6511

CAGE:79436

Company Name:THE DEXTER CORPORATION

City:CHAGRIN FALLS

State:OH

ZIP:44022

Country:US

Phone:800-669-0053

CAGE:0KZ46

=====
Composition/Information on Ingredients
=====

Ingred Name:EPOXY RESIN

CAS:25068-38-6

RTECS #:SL6475000

Fraction by Wt: 30-60%

Other REC Limits:NONE RECOMMENDED

===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:EYE: MODERATELY IRRITATING, THERMAL BURNS. SKIN: MODERATELY IRRITATING, SENSITIZATION, THERMAL BURNS. INGEST: LOW ORDER OF ORAL TOXICITY.

Medical Cond Aggravated by Exposure:PREEXISTING EYE/SKIN DISORDERS, PREEXISTING SKIN/LUNG ALLERGIES.

===== First Aid Measures =====

First Aid:EYE: FLUSH W/WATER 15 MINUTES, LIFT LIDS, GET MED AID. SKIN: REMOVE CONTAM CLOTHING/SHOES/WIPE OFF EXCESS, FLUSH W/SOAP & WATER, GET MED AID. CONTACT W/HOT PRODUCT: FLUSH W/COOL WATER >15 MINS, IF CLOTHING IS STUCK TO BURN, DO NOT PULL OFF, CUT AROUND IT, COVER BURN W/CLEAN MATERIAL, GET MED AID. INHAL: GET FRESH AIR, GIVE OXYGEN. IF BREATHING DIFFICULT, GET MED AID. INGEST: DONT INDUCE VOMIT.

===== Fire Fighting Measures =====

Flash Point Method:PMCC

Flash Point:480F,249C

Extinguishing Media:WATER FOG, FOAM, DRY CHEMICAL OR CARBON DIOXIDE

Fire Fighting Procedures:MATERIAL WILL NOT BURN UNLESS PREHEATED. USE FULL BUNKER GEAR & POSITIVE PRESSURE NIOSH APPROVED SCBA, COOL FIRE EXPOSED CONTAINERS W/WATER.

Unusual Fire/Explosion Hazard:NE

===== Accidental Release Measures =====

Spill Release

Procedures:CLEANUP & DISPOSAL SHOULD BE IN ACCORDANCE W/FEDERAL/STATE/LOCAL ENVIRONMENTAL CONTROL REGULATIONS.

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN COOL, DRY PLACE W/ADEQUATE VENTILATION, KEEP AWAY FROM OPEN FLAMES/HIGH TEMPS/HANDLE IN ACCORDANCE W/HAZARD POTENTIAL OF CURING AGENTS USED.

Other Precautions:MAY CAUSE IRRITATION, AVOID EYE/SKIN CONTACT.

===== Exposure Controls/Personal Protection =====

=====

Respiratory Protection:IF RESIN IS WARM/HEATED, VAPORS/MISTS MAY BE PRODUCED, USE NIOSH APPROVED RESPIRATOR FOR ORGANIC VAPORS.
Ventilation:LOCAL EXHAUST PREFERRED, MECHANICAL EXHAUST ACCEPTABLE.
Protective Gloves:RUBBER/PLASTIC.
Eye Protection:CHEM GOGGLES/FACE SHIELD/SAFETY GLASSES.
Other Protective Equipment:SAFETY SHOWER/EYEWASH STATION.
Supplemental Safety and Health
(MORE INFORMATION ON FILE).

===== Physical/Chemical Properties =====

Boiling Pt
:B.P. Text:>500F,>260C
Vapor Pres:NIL
Vapor Density:NE
Spec Gravity:1.17
Evaporation Rate & Reference:NE
Solubility in Water:INSOLUBLE
Appearance and Odor:CLEAR MEDIUM VISCOSITY LIQUID, MILD ODOR
Percent Volatiles by Volume:0.0

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
STRONG OXIDIZING AGENTS, STRONG LEWIS OR MINERAL SOLIDS.
Hazardous Decomposition Products:CARBON MONOXIDE, ALDEHYDES, ACIDS.
Conditions to Avoid Polymerization:STRONG ACIDS, AMINES, MERCAPTINS,
BASES.

===== Disposal Considerations =====

Waste Disposal Methods:NA

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document

should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.