View NSN Online: https://aerobasegroup.com/nsn/6810-00-003-3043

FISHER SCIENTIFIC -- 1,2-DICHLOROETHANE, E-175 -- 6810-00-003-3043

Product ID:1,2-DICHLOROETHANE, E-175 MSDS Date:12/07/1994 FSC:6810 NIIN:00-003-3043 MSDS Number: CDWZB === Responsible Party === **Company Name: FISHER SCIENTIFIC** Address:1 REAGENT LANE City:FAIR LAWN State:NJ ZIP:07410 Country:US Info Phone Num:201-796-7100 Emergency Phone Num:800-424-9300(CHEMTREC) CAGE:1B464 === Contractor Identification === Company Name: FISHER SCIENTIFIC CO. CHEMICAL MFG DIV Address:1 REAGENT LANE Box:City:FAIRLAWN State:NJ ZIP:07410-2802 Country:US Phone:201-796-7100 CAGE:1B464 Ingred Name: ETHANE, 1,2-DICHLORO-; (1,2-DICHLOROETHANE) (SARA 313) (CERCLA) CAS:107-06-2 RTECS #:KI0525000 Fraction by Wt: 100% **OSHA PEL:50 PPM** ACGIH TLV:10 PPM EPA Rpt Qty:100 LBS DOT Rpt Qty:100 LBS Ingred Name:SUPD

AT:AWAY FROM ENDS OF TANKS. FOR MASSIVE FIRE IN CARGO AREA, USE UNMANNED HOSE HOLDER/MONITOR NOZZ; IF THIS IS(ING 3) RTECS #:9999999ZZ

Ingred Name:ING 2:IMPOSS, W/DRAW FROM AREA & LET FIRE BURN. W/DRAW IMMED IN CASE OF RISING SOUND FROM VENTING SFTY DEVICE/ANY(ING 4) RTECS #:9999999ZZ

Ingred Name:ING 3:DISCOLORATION OF TANK DUE TO FIRE. ISOLATE FOR 1/2 MILE IN ALL DIRECTIONS IF TANK, RAIL CAR/TANK TRUCK IS (ING 5) RTECS #:9999999ZZ

Ingred Name:ING 4:INVOLVED IN FIRE. EXTING ONLY I F FLOW CAN BE STOPPED; USE FLOODING AMTS OF WATER AS A FOG, SOLID STREAMS (ING 6) RTECS #:9999999ZZ

Ingred Name:ING 5:MAY BE INEFFECTIVE. KEEP UPWIND. RTECS #:99999992Z

Ingred Name:EFTS OF OVEREXP:MAY CAUSE BURNING SENSATION IN MOUTH, THROAT & STOM. SYSTEMIC TOX, INCL CNS DEPRESS, HEPATOTOX & (ING 8) RTECS #:9999999ZZ

Ingred Name:ING 7:NEPHROTOXICITY, MAY OCCUR AS DETAILED IN ACUTE INHAL. INGEST OF 5 ML MAY BE LETHAL TO MAN. CHRONIC:INHAL: (ING 9) RTECS #:9999999ZZ

Ingred Name:IN

G 8:EXPOS TO 10-37 PPM HAS CAUSED NAUS, VOMIT, DIZZ & ADVERSE NERV SYS & LIVER EFTS. RPTD/PRLNG EXPOS MAY ALSO(ING 10) RTECS #:9999999ZZ

Ingred Name:ING 9:RSLT IN IRRIT OF MUC MEMBS, ACUTE BRONCH INFLAMM, LOSS OF APPETITE, WT LOSS, ANEMIA, CONSTIP, INSOM, (ING 11) RTECS #:9999999ZZ

Ingred Name:ING 10:EPIGASTRIC DISTRESS, NYSTAGMUS, LIVER & KIDNEY DMG, ELEVATED UREBILINOGEN & CARD PAIN. NEUROLOGIC EFTS (ING 12) RTECS #:9999999ZZ

Ingred Name: ING 11: MAY OCCUR. DEATH MAY RSLT FROM RES

P CIRCULATORY,

HEPATIC/RENAL FAILURE. REPRO EFTS HAVE BEEN REPORTED IN (ING 13) RTECS #:9999999ZZ

Ingred Name:ING 12:ANIMALS. SKIN:RPTD/PRLNG CONT W/LIQ CAN PRDCE DRY, SCALY, FISSURED DERM DUE TO DEFAT ACTION. SYSTEMIC (ING 14) RTECS #:9999999ZZ

Ingred Name:ING 13:EFTS MAY ENSUE. ADMIN TO MICE BY SKIN APPLICATION RESULTED IN STATISTICALLY SIGNIFICANT INCR IN INCIDENCE(ING 15) RTECS #:9999999ZZ

Ingred Name:ING 14:OF NEOPLASTIC TUMORS OF RESP TRACT & SKIN. EYES:RPTD/PRLNG CONT M AY CAUSE CONJ. INGEST:MAY CAUSE SYSTEMIC(ING

16)

RTECS #:9999999ZZ

Ingred Name:ING 15:EFTS. IN MICE, IT PRDCD BENIGN & MALIGNANT TUMORS OF LUNG & MALIGNANT LYMPHOMAS IN ANIMALS OF BOTH SEXES;(ING 17) RTECS #:9999999ZZ

Ingred Name:ING 16:HEPATOCELLULAR CARCINOMAS IN MALES & MAMMARY & UTERINE ADENOCARCINOMAS IN FEMALES. IN RATS, IT PRDCD (ING 18) RTECS #:99999992Z

Ingred Name:ING 17:CARCINOMAS OF FORESTOMACH IN MALES, BENIGN & MALIGNANT MAMMARY TUMORS IN FEMALES & HEMANGIOSARCOM AS IN (ING 19) RTECS #:9999999ZZ

Ingred Name:ING 18:ANIMALS OF BOTH SEXES. RTECS #:99999992Z

Ingred Name:FIRST AID PROC:MINS). GET MED ATTN. INGEST:IF VOMIT OCCURS, KEEP HEAD LOWER THAN HIPS TO HELP PVNT ASPIR. TREAT (ING 21) RTECS #:9999999ZZ

Ingred Name:ING 20:SYMPTOMATICALLY & SUPPORTIVELY. GET MEDICAL ATTENTION. RTECS #:9999999ZZ

Ingred Name:OTHER PREC:RUPTURE & TRAVEL A CONSIDERABLE DISTANCE IN HEAT OF FIRE. RTECS #:9999999ZZ

Ingred Name:RESP PROT:SUPPLIED AIR RESP W/FULL F

ACEPIECE OPERATED IN PRESS-DEMAND/OTHER POS-PRESS MODE IN COMBINATION W/ (ING 24) RTECS #:9999999ZZ

Ingred Name:ING 23:AUXILIARY SCBA OPERATED IN PRESS-DEMAND/OTHER POS-PRESS MODE. ESCAPE-ANY AIR-PURIFYING, FULL-FACEPIECE (ING 25) RTECS #:9999999ZZ

Ingred Name:ING 24:RESP (GAS MASK) W/CHIN-STYLE, FRONT- OR BACK-MOUNTED ORGANIC VAPOR CANISTER; ANY APPROP ESCAPE-TYPE, SCBA. RTECS #:9999999ZZ

LD50 LC50 Mixture:LD50

:(ORAL,RAT) 670 MG/KG.

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Reports of Carcinogenicity:NTP:YES IARC:YES OSHA:NO

Health Hazards Acute and Chronic:ACUTE:INHAL:MAY CAUSE IRRIT OF UPPER RESP TRACT, HDCH, NAUS & VOMIT, DIARR & INTEST CRAMPS. CNS EFTS INCL LT HEAD, WEAK, ANXIETY, DROW, DELIRIUM, COLLAPSE & COMA MAY APPEAR W/IN SEVERAL HRS AFTER EXPO S. THERE MAY BE QUIESCENT PERIOD & THEN, IF INDIVIDUAL SURVIVES, OLIGURIA, JAUN & ANEMIA MAY RSLT. (EFTS OF O

VEREXP)

Explanation of Carcinogenicity:ETHYLENE DICHLORIDE:IARC MONO, SUPP, VOL 7, PG 56, 1987:GRP 2B. NTP 7TH ANNUAL RPT ON CARCINS, 1994:ANTIC TO BE (SUPDAT)

Effects of Overexposure:HLTH HAZ:DEATH MAY OCCUR FROM RESP/CARD ARREST. SKIN:LIQ MAY CAUSE IRRIT. PRLNG CONT MAY RSLT IN SEV IRRIT, MOD EDEMA & NECROSIS. MAY BE ABSORBED & CAUSE SYSTEMIC TOX. EYE:HIGH VAP CONCS/LIQ MAY CAUSE IMMED DISCOMFORT, LACRIM, HYPEREMIA OFCONJ & CORNEAL INJURY, WHICH MAY RETURN TO NORMAL W/ IN DAY/TWO. INGEST:

(ING 7)

Medical Cond Aggravated by Exposure:PERSONS W/BRONCHITIS, ASTHMA, KIDNEY, LIVER, BLOOD, HEART OR CIRCULATORY DISORDERS ARE AT INCREASED RISK FROM EXPOSURE.

First Aid:INHAL:REMOVE TO FRESH AIR IMMED. PERFORM ARTF RESP IF NEC. KEEP PERS WARM & AT REST. TREAT SYMPTOMATICALLY & SUPPORTIVELY. GET MED ATTN. SKIN:REMOVE CONTAM CLTHG & SHOES IMMED. WASH W/SOAP & WATER UNT IL NO EVID OF CHEM REMAINS (AT LST 15-20 MINS). GET MED ATTN. EYES:WASH IMMED W/LG AMTS OF WATER/NORMAL SALINE, OCCAS LIFTING UPPER & LOWER LIDS, UNTIL NO EVID OF CHEM REMAINS (AT LST 15-20 (ING 20)

Flash Point Method:CC Flash Point:56.0F.13.3C Lower Limits:6.2% Upper Limits:16% Extinguishing Media: DRY CHEMICAL, CARBON DIOXIDE, WATER SPRAY OR REGULAR FOAM. FOR LARGER FIRES, USE WATER SPRAY, FOG OR REGULAR FOAM. Fire Fighting Procedures: USE NIOSH APPRVD SCBA & FULL PROT EQUIP . MOVE CNTNR FROM FIRE AREA IF W/OUT RISK. APPLY COOLING WATER TO SIDES OF CNTNRS EXPOS TO FLAMES UNTIL (SUPDAT) Unusual Fire/Explosion Hazard: DANGEROUS FIRE HAZ WHEN EXPOS TO HEAT, FLAME/OXIDIZERS. VAP-AIR MIXTS ARE EXPLO ABOVE FLASH POINT. VAPS MAY TRAVEL CONSIDERABLE DIST TO SOURCE OF IGNIT (SUPDAT) Spill Release Procedures: SHUT OFF IGNIT SOURCES; NO FLARES, SMOKING/FLAMES IN HAZ AREA. STOP LEAK IF W/OUT RISK. WATER SPRAY MAY REDUCE VAP; BUT MAY NOT PVNT IGNIT IN CLSD SPACES. SM SPILLS: TAKE UP W/SAND OR OTHER NONCOMBUST ABSORB MATL & PLACE INTO CNTNRS FOR LATER (SUPDAT) Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER. Handling and Storage Precautions: OBSERVE ALL FED, STATE & LOC REGS WHEN STORING THIS SUBSTANCE. STORE AWAY FROM INCOMPAT SUBSTANCES . PROT AGAINST PHYSICAL DMG. FLAMM LIQ, POISON. Other Precautions: OUTSIDE/DETACHED STOR IS PREF. INSIDE STORE SHOULD BE IN STD FLAMM LIQS STOR ROOM/CABINET. SEPARATE FROM OXIDIZING MATLS. VAPS MAY BE EXPLO & POIS; DO NOT ALLOW UNNEC PERS IN AREA. DO NOT OVERHEAT CNT NRS; CNTNRS MAY VIOLENTLY (ING 22)

Respiratory Protection: SPECIFIC RESP SELECTED MUST BE BASED ON CONTAM LEVELS FOUND IN WORK PLACE, MUST NOT E

XCEED WORKING LIMS OF RESP & BE NIOSH APPRVD: AT ANY DETECTABLE CONC-ANY SCBA W/FULL-FACEPIECE OPERATED IN PRESS-DE MAND/OTHER POS-PRESS MODE; ANY (ING 23) Ventilation: PROVIDE LOCAL EXHAUST OR PROCESS ENCLOSURE VENTILATION TO MEET PELS. VENTILATION EQUIPMENT MUST BE EXPLOSION-PROOF. Protective Gloves: IMPERVIOUS GLOVES . Eye Protection: ANSI APPRVD CHEM WORKERS GOGGS & (SUPDAT) Other Protective Equipment: ANSI APPRVD EYE WASH FOUNTAIN & DELUGE SHOWER . APPROP PROT (IMPERVIOUS) CLTHG & EQUIP TO PVNT CONT W/SUBSTANCE. Work Hygienic Practices: NONE SPECIFIED BY MANUFACTURER. Supplemental Safety and Health EXPLO HAZ:& FLASH BACK. EXPLAN OF CARCIN:CARCIN. ANIMAL:GI, SKIN, LUNGS. SPILL PROC: DISP. LGR SPILLS: DIKE FAR AHEAD OF SPILL FOR LATER DISP. ISOLATE HAZ AREA & DENY ENTRY. STAY UPWIND, RQ:5000 LBS. FO R MORE INFO CONT NEHC. EYE PROT: FULL LENGTH FACESHIELD . FIRE FIGHT PROC:WELL AFTER FIRE IS OUT. STAY(ING 2) =================== Physical/Chemical Properties _____ Boiling Pt:B.P. Text:183F,84C Melt/Freeze Pt:M.P/F.P Text:-32F,-36C Vapor Pres:87 @ 25C Vapor Density:3.35 Spec Gravity:1.256 Evaporation Rate & amp; Reference:1.3 (CCL*4=1) Solubility in Water:0.8% Appearance and Odor: CLEAR, COLORLESS, OILY LIQUID W/PLEASANT CHLOROFORM-LIKE ODOR & SWEET TASTE. Stability Indicator/Materials to Avoid:YES ALUMINUM, LIQ AMMONIA, STRONG CAUSTICS, METALS, STRONG OXIDIZERS. FOR COMPLETE LIST OF MATLS TO AVOID CONT NEHC . Stability Condition to Avoid: AVOID CONTACT W/HEAT, SPARKS, FLAMES OR OTHER SOURCES OF IGNITION. Hazardous Decomposition Products: THERMAL DECOMP PRODUCTS MAY INCL HIGHLY TOXIC FUMES OF PHOSGENE. TOXIC & CORR FUMES OF CHLORIDES & OXIDES OF CARBON.

Waste Disposal Methods:OBSERVE ALL FED, STATE & LOC REGS WHEN DISP OF THIS SUBSTANCE. MATLS WHICH CNTN 1,2-DICHLOROE THANE AT/ABOVE THE

TCLP REGULATORY LEVEL MEET THE EPA TOX CHARACT & MUST BE DISP OF I/A/W 40 CFR PART 262. EPA HAZ WASTE NUMBER:D028.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document sho

uld seek competent professional advice to verify and

assume responsibility for the suitability of this information to their particular situation.