View NSN Online: https://aerobasegroup.com/nsn/6750-01-319-6473

EASTMAN KODAK COMPANY -- 102 3209 DURAFLO RT DEVELOPER REPLENISHER, PART A -- 6750-01-319-6473

Product ID:102 3209 DURAFLO RT DEVELOPER REPLENISHER, PART A

MSDS Date:10/30/1996

FSC:6750

NIIN:01-319-6473

MSDS Number: CDXMM === Responsible Party ===

Company Name: EASTMAN KODAK COMPANY

Address:343 STATE STREET

City:ROCHESTER

State:NY ZIP:14650 Country:US Info Phone Nu

m:716-477-3194 MSDS :800- 242-2424 Emergency Phone Num:716-722-5151

CAGE:19139

=== Contractor Identification ===

Company Name: EASTMAN KODAK CO GOVERNMENT MARKETS CONTRACTS

Address:343 STATE ST Box:City:ROCHESTER

State:NY

ZIP:14650-1115 Country:US

Phone:716-722-5151/(800) 242-2424

CAGE:19139

Company Name: EASTMAN KODAK CO US CUSTOMER SERVICE/GOVERNMENT SALES

Address:800 LEE RD Box:City:ROCHESTER

State:NY

ZIP:14650-3129 Country:US

Phone:800-828-6203

CAGE:5K871

====== Composition/Informatio

n on Ingredients =======

Ingred Name:WATER

CAS:7732-18-5

RTECS #:ZC0110000 Fraction by Wt: 70-80% %

Other REC Limits: NONE RECOMMENDED

Ingred Name: POTASSIUM CARBONATE

CAS:584-08-7

RTECS #:TS7750000 Fraction by Wt: 5-10% %

Other REC Limits: NONE RECOMMENDED

Ingred Name: POTASSIUM SULFITE

CAS:10117-38-1 Fraction by Wt: 5-10%

Other REC Limits: NONE RECOMMENDED

Ingred Name: SODIUM SULFITE

CAS:7757-83-7

RTECS #:WE2150000 Fraction by Wt: 1-5% %

Other REC Limits: NONE RECOMMENDED

Ingred Name:SODI UM CARBONATE CAS:497-19-8

RTECS #:VZ4050000 Fraction by Wt: 1-5% %

Other REC Limits: NONE RECOMMENDED

Ingred Name:POTASSIUM HYDROXIDE (CERCLA)

CAS:1310-58-3 RTECS #:TT2100000 Fraction by Wt: 1-5% %

Other REC Limits: NONE RECOMMENDED

OSHA PEL:C 2 MG/M3

ACGIH TLV:C 2 MG/M3; 9596

EPA Rpt Qty:1000 LBS DOT Rpt Qty:1000 LBS

Ingred Name: HYDROQUINONE (SARA 302/313) (CERCLA)

CAS:123-31-9

RTECS #:MX3500000 Fraction by Wt: 3% %

Other REC Limits: NONE RECOMMENDED

OSHA PEL:2 MG/M3

ACGIH TLV:2 MG/M3; 9596

EPA

Rpt Qty:1 LB DOT Rpt Qty:1 LB
========== Hazards Identification ============
LD50 LC50 Mixture:NOT GIVEN FOR PRODUCT AS A WHOLE Routes of Entry: Inhalation:NO Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:EXPECTED TO BE A LOW INHALATION HAZARD FOR RECOMMENDED HANDLING. CAUSES EYE BURNS. CAUSES SKIN BURNS. MAY CAUSE ALLERGIC SKIN REACTION. HARMFUL IF SWALLOWED. MAY CAUSE BURNS OF THE GASTROINTESTIN AL TR ACT IF SWALLOWED. Explanation of Carcinogenicity:THIS COMPOUND CONTAINS NO INGREDIENTS AT CONCENTRATIONS OF 0.1% OR GREATER THAT ARE CARCINOGENS OR SUSPECT CARCINOGENS. Effects of Overexposure:EYE IRRITATION, SKIN IRRITATION, EYE BURNS, SKIN BURNS, BURNS OF THE GASTROINTESTINAL TRACT.
Medical Cond Aggravated by Exposure:SOME ASTHMATICS OR SULFITE-SENSITIVE INDIVIDUALS MAY EXPERIENCE WHEEZING OR CHEST TIGHTNESS.
======================================
First Aid:INHALATION: IF SYMPTOMATIC, MOVE TO FRESH AIR. GET MEDICAL ATTENTION IF SYMPTOMS PERSIST. EYES: WASH OUT IMMEDIATELY WITH WATER. GET MEDICAL ATTENTION IF SYMPTOMS OCCUR. SKIN: IMMEDIATELY REMOVE CONTA MINATED CLOTHING AND WASH WITH SOAP ANDPLENTY OF WATER. GET MEDICAL ATTENTION IF SYMPTOMS OCCUR. INGESTION: DO NOT INDUCE VOMITING. GIVE A GLASS OF WATER. CALL A PHYSICIAN IMMEDIATELY.
======================================
Flash Point:NONFLAMMABLE Lower Limits:NOT GIVEN Upper Limits:NOT GIVEN Extinguishing Media:NONFLAMMABLE. USE MEDIA SUITABLE FOR SURROUNDING FIRE. Fire Fighting Procedures:FIRE FIGHTERS SHOULD USE NIOSH APPROVED SCBA &
FULL PROTECTIVE EQUIPMENT WHEN FIGHTING CHEMICAL FIRE.

Unusual Fire/Explosion Hazard:FIRE OR EXCESSIVE HEAT MAY CAUSE PRODUCTION OF HAZARDOUS DECOMPOSITION PRODUCTS.

======== Accidental Release Measures ===========

Spill Release Procedures:MAY RE

QUIRE NEUTRALIZATION. FLUSH TO SEWER WITH LARGE AMOUNTS OF WATER IF ALLOWABLE. OTHERWISE, ABSORB SPILL WITH VERMICULITE OR OTHER INERT MATERIAL, THEN PLACE IN A CONTAINER FOR CHEMICAL WASTE. CLE AN SURFACE THOROUGHLY TO REMOVE RESIDUAL. Neutralizing Agent: NONE SPECIFIED BY MANUFACTURER. ============= Handling and Storage ========================== Handling and Storage Precautions: DO NOT GET IN EYES, ON SKIN, ON CLOTHING. USE WITH ADEQUATER VENTILATION. WASH THOROUGHLY AFT ER HANDLING, KEEP CONTAINER CLOSED. Other Precautions: LAUNDER CONTAMINATED CLOTHING BEFORE REUSE. DESTROY OR THOROUGHLY CLEAN CONTAMINATED SHOES. THE ROUTINE USE OF A NONALKALINE (ACID) TYPE OF HAND CLEANER WILL HELP MINIMIZE THE POSSIBILITY OF A SKIN RE ACTION, STORE AWAY FROM INCOMPATIBLES. ====== Exposure Controls/Personal Protection ======== Respiratory Protection: NOT NORMALLY REQUIRED. Ventilation: GOOD GENERAL VENTILATION (TYPICALLY 10 AIR CHANGES PER HOU R) SHOULD BE USED. RATES SHOULD MATCH CONDITIONS. Protective Gloves: IMPERVIOUS Eye Protection: SAFETY GLASSES OR GOGGLES Other Protective Equipment: IMPERVIOUS CLOTHING APPROPRIATE FOR LEVEL OF EXPOSURE. WASHING FACILITIES, AN EMERGENCY EYE WASH STATION AND SHOWER Work Hygienic Practices: WASH WITH SOAP AND WATER AFTER HANDLING PRODUCT AND BEFORE EATING DRINKING OR SMOKING. Supplemental Safety and Health KEY1:C2. ========= Physical/Chemical Properties =========== **HCC** :B1 NRC/State Lic Num: NOT RELEVANT Boiling Pt:B.P. Text:>212F,>100C Melt/Freeze Pt:M.P/F.P Text:NOT GIVEN Decomp Temp:Decomp Text:NOT GIVEN Vapor Pres:18 Vapor Density:0.6 Spec Gravity:1.27 pH:> 12 Evaporation Rate & Reference: NOT GIVEN Solubility in Water: COMPLETE Appearance and Odor:LIGHT YELLOW LIQUID, NO ODOR Percent Volatiles by Volume:70-80% ======== Stability and Reactivity Data ===========

Stability Indicator/Materials to Avoid:YES ACIDS
Stability Condition to Avoi

d:NONE SPECIFIED BY MANUFACTURER.

Hazardous Decomposition Products:SULFUR DIOXIDE, CARBON DIOXIDE, CARBON MONOXIDE.

====== Disposal Considerations ==========

Waste Disposal Methods:PREVENT WASTE FROM CONTAMINATING SURROUNDING ENVIRONMENT. DISCARD ANY PRODUCT, RESIDUE, DISPOSAL CONTAINER OR LINER IN ACCORDANCE WITH ALL FEDERAL, STATE AND LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulat ed for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.