## View NSN Online: https://aerobasegroup.com/nsn/5350-00-193-7222 JACKSONLEA -- LEA COMPOUND PLASTICLAD (B) -- 5350-00-193-7222 Product ID:LEA COMPOUND PLASTICLAD (B) MSDS Date:10/01/1994 FSC:5350 NIIN:00-193-7222 MSDS Number: CDXQW === Responsible Party === Company Name: JACKSONLEA Address:75 PROGRESS LANE Box:71 City:WATERBURY

State:CT ZIP:06705 Country:US

Info Phone Num:203-753-5116

Emergency Phone Num:800-424-9300 (CHEMTREC

)

CAGE:KO570

=== Contractor Identification === Company Name: JACKSONLEA Address:75 PROGRESS LANE

Box:71

City:WATERBURY

State:CT ZIP:06705 Country:US

Phone:203-753-5116

CAGE:KO570

Company Name: JASON INC Address:75 PROGRESS LN Box:City:WATERBURY

State:CT

ZIP:06705-3830 Country:US

Phone:203-753-5116

CAGE:75554

====== Composition/Information on Ingredients ========

Ingred Name: GELATIN

CAS:9000-70-8

Fraction by Wt: 6-14.0%

Other REC Limits: NONE RECOMMENDED

Ingred Name: ALUMINUM OXIDE A

**BRASIVE** CAS:1344-28-1 RTECS #:BD1200000 Fraction by Wt: 55-65.0% Other REC Limits: NONE RECOMMENDED OSHA PEL:15 MG/M3 TDUST ACGIH TLV:10 MG/M3 TDUST; 9495 Ingred Name: IRON OXIDE CAS:1317-61-9 Fraction by Wt: 2-7.0% Other REC Limits: NONE RECOMMENDED Ingred Name: UMBER CAS:12713-03-0 Fraction by Wt: 350F,>177C Lower Limits:NA Upper Limits:NA Extinguishing Media: WATER FOG, FOAM, DRY CHEMICAL, CO2. Fire Fighting Procedures: USE SCBA. Unusual Fire/Explosion Hazard: WATER OR FOAM MAY CAUSE VIOLENT FROTH ING. ESPECIALLY IF SPRAYED DIRECTLY INTO BURNING LIQUID. ======== Accidental Release Measures ============ Spill Release Procedures: WEAR PROTECTIVE CLOTHING. RECLAIM/REUSE IF POSSIBLE, SWEEP/SCOOP UP, CONTAINERIZE. ============= Handling and Storage ========================== Handling and Storage Precautions: KEEP AWAY FROM HEAT/DIRECT SUNLIGHT. PROTECT FROM FREEZING. Other Precautions: OSHA STUDIES HAVE FOUND A BREATHING ZONE CONCENTRATION FOR BUFFING E

QUIPMENT W/NO VENTILATION TO BE APPROXIMATELY 1.4 MG/M3.

===== Exposure Controls/Personal Protection ========

Respiratory Protection: USE OSHA APPROVED DUST/MIST RESPIRATOR. Ventilation:LOCAL EXHAUST, WHEN IN USE. MECHANICAL (GENERAL), FOR HANDLING/STORAGE.

Protective Gloves:CLOTH, (HEAVY DUTY).

Eye Protection: SAFETY GLASSES.

Other Protective Equipment: CLEAN WORK CLOTHES, EYEWASH STATION.

Work Hygienic Practices: WASH AFTER USE, BEFORE EATING.

Supplemental Safety and Healt

h NK

========= Physical/Chemical Properties ===========

Boiling Pt:B.P. Text:NE
Melt/Freeze Pt:M.P/F.P Text:NE
Vapor Pres:NA
Vapor Density:NA
Spec Gravity:2 TO 2.2
pH:7.0
Evaporation Rate & Description Reference:NA
Solubility in Water:APPRECIABLE

Appearance and Odor: SOLID DENSE BRICK W/MILD ODOR, BROWN COLOR.

======== Stability and Reactivity Data ==========

Stability Indicator/Materials to Avoid:YES

NK

Hazardous Decomposition Products: CARBON & SMOKE.

========

===== Disposal Considerations ==========

Waste Disposal Methods: IN ACCORDANCE W/LOCAL/STATE/FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek comp etent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.