

TBA INDUSTRIAL PRODUCTS LTD -- TBA 610 (WHITE) -- 5330-00-641-1193

=====  
Product Identification  
=====

Product ID:TBA 610 (WHITE)

MSDS Date:11/20/1987

FSC:5330

NIIN:00-641-1193

MSDS Number: CDXSV

=== Responsible Party ===

Company Name:TBA INDUSTRIAL PRODUCTS LTD

Address:SEALING MATERIALS DIV

Box:40

City:ROCHDALE LANCS

Country:EN

Info Phone Num:800-527-1935

Emergency Phone Num:800-527-1935

CAGE:U13

09

=== Contractor Identification ===

Company Name:TBA INDUSTRIAL PRODUCTS

Box:21

City:ROCHDALE,LANCS,ENGLAND

Country:EN

Phone:800-527-1935

CAGE:U1309

=====  
Composition/Information on Ingredients  
=====

Ingred Name:ASBESTOS, CHRYSOTILE

CAS:12001-29-5

RTECS #:CI6478500

Fraction by Wt: 60.0%

Other REC Limits:NONE SPECIFIED

OSHA PEL:0.2 FIBERS/CC

Ingred Name:INERT FILLERS

Fraction by Wt: 25.0%

Other REC Limits:NONE SPECIFIED

Ingred Name:BINDERS, RUBBER (SYNTHETIC)

Fraction by Wt

: 12.0%  
Other REC Limits:NONE SPECIFIED

Ingred Name:CURING AGENTS  
Fraction by Wt: 3.0%  
Other REC Limits:NONE SPECIFIED

===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES  
Reports of Carcinogenicity:NTP:YES IARC:YES OSHA:YES  
Health Hazards Acute and Chronic:MAY CAUSE ASBESTOSIS, LUNG CANCER &  
MESOTHELIOMA, SMOKING GREATLY INCREASES THE HEALTH RISK FOR AN  
ASBESTOS WORKER.  
Explanation of Carcinogenicity:CONTAI  
NS 2-A [53-96-3]  
WHICH IS LISTED BY NTP AND IARC AND REGULATED BY OSHA AS A  
CARCINOGEN.  
Medical Cond Aggravated by Exposure:NA

===== First Aid Measures =====

First Aid:NA

===== Fire Fighting Measures =====

Lower Limits:NA  
Upper Limits:NA  
Extinguishing Media:USE WATER AND FOAM AS EXTINGUISHING AGENTS.  
Fire Fighting Procedures:AVOID BREATHING FUMES.  
Unusual Fire/Explosion Hazard:NONE

===== Acc  
idental Release Measures =====

Spill Release Procedures:WET METHODS SHOULD BE USED FOR EXTRACTION OF  
DUST AND DEBRIS. HIGH EFFECIENCY PARTICULATE APPARATUS. VACUUMS  
SHOULD BE USED.  
Neutralizing Agent:NONE

===== Handling and Storage =====

Handling and Storage Precautions:NONE  
Other Precautions:AVOID BREATHING DUST.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:USE APPROPRIATE DUST RESPIRATOR

TO PREVENT

INHALATION OF HAZARDOUS MATERIALS.

Ventilation:LOCAL AND MECHANICAL EXHAUST VENTILATION.

Protective Gloves:AS NEEDED

Eye Protection:SAFETY GLASSES.

Other Protective Equipment:NONE

Work Hygienic Practices:WASH HANDS AFTER HANDLING THIS MATERIAL.

Supplemental Safety and Health

NONE

===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:NA

Melt/Freeze Pt:M.P/F.P Text:NA

Vapor Pres:NA

Vapor Density:NA

Spec Gravity:NA

Evaporation Rate & Referen

ce:NA

Solubility in Water:INSOLUBLE

Appearance and Odor:WHITE SHEET MATERIAL WITH A SLIGHT RUBBERY SMELL.

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

NONE

Stability Condition to Avoid:NONE

Hazardous Decomposition Products:MATERIAL MAY BURN WITH DIFFICULTY AND  
IN SUCH CIRCUMSTANCES EMIT TOXIC RUBBER COMBUSTION PRODUCTS.

===== Disposal Considerations =====

Waste Disposal Methods:WASTE SHOULD

BE CONTAINED IN IMPERMEABLE BAGS,

LABELED AND DISPOSED IN ACCORDANCE WITH LOCAL AND FEDERAL  
REGULATIONS FOR ASBESTOS CONTAINING PRODUCTS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document

should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.