View NSN Online: https://aerobasegroup.com/nsn/5330-00-641-1193

Product ID:TBA 610 (WHITE) MSDS Date:11/20/1987

FSC:5330

NIIN:00-641-1193

MSDS Number: CDXSV === Responsible Party ===

Company Name: TBA INDUSTRIAL PRODUCTS LTD

Address: SEALING MATERIALS DIV

Box:40

City:ROCHDALE LANCS

Country: EN

Info Phone Num:800-527-1935

Emergency Phone Num:800-527-1935

CAGE:U13

09

=== Contractor Identification ===

Company Name: TBA INDUSTRIAL PRODUCTS

Box:21

City:ROCHDALE,LANCS,ENGLAND

Country: EN

Phone:800-527-1935

CAGE:U1309

======= Composition/Information on Ingredients ========

Ingred Name: ASBESTOS, CHRYSOTILE

CAS:12001-29-5 RTECS #:CI6478500 Fraction by Wt: 60.0%

Other REC Limits: NONE SPECIFIED

OSHA PEL:0.2 FIBERS/CC

Ingred Name: INERT FILLERS

Fraction by Wt: 25.0%

Other REC Limits: NONE SPECIFIED

Ingred Name:BINDERS, RUBBER (SYNTHETIC)

Fraction by Wt

Other REC Limits:NONE SPECIFIED
Ingred Name:CURING AGENTS Fraction by Wt: 3.0% Other REC Limits:NONE SPECIFIED
======================================
Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:YES IARC:YES OSHA:YES Health Hazards Acute and Chronic:MAY CAUSE ASBESTOSIS, LUNG CANCER & MESOTHELIOMA, SMOKING GREATLY INCREASES THE HEALTH RISK FOR AN ASBESTOS WORKER. Explanation of Carcinogenicity:CONTAI NS 2-A [53-96-3]
WHICH IS LISTED BY NTP AND IARC AND REGULATED BY OSHA AS A CARCINOGEN.
Medical Cond Aggravated by Exposure:NA
======================================
First Aid:NA
======================================
Lower Limits:NA Upper Limits:NA Extinguishing Media:USE WATER AND FOAM AS EXTINGUISHING AGENTS. Fire Fighting Procedures:AVOID BREATHING FUMES. Unusual Fire/Explosion Hazard:NONE
========= Acc idental Release Measures ==========
Spill Release Procedures:WET METHODS SHOULD BE USED FOR EXTRACTION OF DUST AND DEBRIS. HIGH EFFECIENCY PARTICULATE APPARATUS. VACUUMS SHOULD BE USED. Neutralizing Agent:NONE
======================================
Handling and Storage Precautions:NONE Other Precautions:AVOID BREATHING DUST.
====== Exposure Controls/Personal Protection =======

Respiratory Protection: USE APPROPRIATE DUST RESPIRATOR

TO PREVENT INHALATION OF HAZARDOUS MATERIALS. Ventilation:LOCAL AND MECHANICAL EXHAUST VENTILATION. Protective Gloves:AS NEEDED Eye Protection:SAFETY GLASSES. Other Protective Equipment:NONE Work Hygienic Practices:WASH HANDS AFTER HANDLING THIS MATERIAL. Supplemental Safety and Health NONE
========= Physical/Chemical Properties ==========
Boiling Pt:B.P. Text:NA Melt/Freeze Pt:M.P/F.P Text:NA Vapor Pres:NA Vapor Density:NA Spec Gravity:NA Evaporation Rate & Deferen ce:NA Solubility in Water:INSOLUBLE Appearance and Odor:WHITE SHEET MATERIAL WITH A SLIGHT RUBBERY SMELL.
========= Stability and Reactivity Data ==========
Stability Indicator/Materials to Avoid:YES NONE Stability Condition to Avoid:NONE Hazardous Decomposition Products:MATERIAL MAY BURN WITH DIFFICULTY AND IN SUCH CIRCUMSTANCES EMIT TOXIC RUBBER COMBUSTION PRODUCTS.

======= Disposal Considerations ===========

Waste Disposal Methods: WASTE SHOULD BE CONTAINED IN IMPERMEABLE BAGS, LABELED AND DISPOSED IN ACCORDANCE WITH LOCAL AND FEDERAL REGULATIONS FOR ASBESTOS CONTAINING PRODUCTS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document

should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.