

ORGANIC PRODUCTS CO. -- F-900 TORQUE SEAL -- 8030-01-143-2702

===== Product Identification =====

Product ID:F-900 TORQUE SEAL

MSDS Date:01/01/1995

FSC:8030

NIIN:01-143-2702

MSDS Number: CDXVK

=== Responsible Party ===

Company Name:ORGANIC PRODUCTS CO.

Address:1963 IRVING BOULEVARD

Box:428

City:IRVING

State:TX

ZIP:75060-4555

Country:US

Info Phone Num:214-438-7321

Emergency Phone Num:972-438-7321

C

AGE:01195

=== Contractor Identification ===

Company Name:ORGANIC PRODUCTS CO.

Address:1963 E. IRVING BOULEVARD

Box:428

City:IRVING

State:TX

ZIP:75060-4555

Country:US

Phone:214-438-7321

CAGE:01195

===== Composition/Information on Ingredients =====

Ingred Name:METHYL ALCOHOL (METHANOL) (SARA III)

CAS:67-56-1

RTECS #:PC1400000

Fraction by Wt: 30-60%

Other REC Limits:NONE RECOMMENDED

ACGIH TLV:200PPM

EPA Rpt Qty:5000 LBS

DOT Rpt Qty:5000 LBS

Ingred Name:ETHYL ALCOHOL (ETHANOL)

C

AS:64-17-5  
RTECS #:RQ6300000  
Fraction by Wt: 10-40%  
ACGIH TLV:1000 PPM

=====  
Hazards Identification  
=====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:MINOR IRRITATION FROM PROLONGED  
BREATHING. MINOR IRRITATION TO SKIN AND EYES, NAUSEA, VOMITING.

=====  
First Aid Measures  
=====

First Aid:REMOVE TO FRESH AIR. WASH AFFECTED  
AREAS WITH WATER. IF  
SWALLOWED, INDUCE VOMITING. CALL PHYSICIAN.

=====  
Fire Fighting Measures  
=====

Flash Point Method:TOC  
Flash Point:109F,43C  
Extinguishing Media:CARBON DIOXIDE OR DRY CHEMICAL FOR SMALL FIRES,  
ALCOHOL FOAM FOR LARGE FIRES.  
Fire Fighting Procedures:USE SELF-CONTAINED BREATHING APPARATUS WITH  
FULL FACEPIECE WITH PRESSURE DEMAND.  
Unusual Fire/Explosion Hazard:VAPORS ARE HEAVIER THAN AIR, KEEP AWAY  
FROM SOURCES OF IGNITION.

=====  
=====  
Accidental Release Measures  
=====

Spill Release Procedures:ABSORB LIQUID; USE ABSORBENT MATERIAL AND  
TRANSFER TO HOOD. ELIMINATE ALL IGNITION SOURCES, DESTROY REMAINING  
MATERIAL BY INCINERATION.  
Neutralizing Agent:NA

=====  
Handling and Storage  
=====

Handling and Storage Precautions:WEAR RESISTANT GLOVES SUCH AS  
NEOPRENE, EYE PROTECTION, CHEMICAL SPLASH GOGGLES, PROTECTIVE  
EQUIPMENT TO PREVENT PROLONGED SKIN CONT

ACT.

===== Exposure Controls/Personal Protection =====

Protective Gloves:NEOPRENE.

Eye Protection:SAFETY GOGGLES.

Other Protective Equipment:SAFETY SHOWER AND EYE BATH.

Supplemental Safety and Health

NK

===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text: 150F,66C

Vapor Pres:42.0

Appearance and Odor:HEAVY THICK PASTE, ALCOHOL ODOR.

Percent Volatiles by Volume:50.0

===== Stability and Reactivity Data =====

Sta

bility Indicator/Materials to Avoid:YES

NK

Stability Condition to Avoid:AVOID HEAT, SPARKS, FIRES.

Hazardous Decomposition Products:THERMAL DECOMPOSITION MAY PRODUCE  
CARBON MONOXIDE AND/OR CARBON DIOXIDE.

===== Disposal Considerations =====

Waste Disposal Methods:INCINERATE IN FURNANCE, OR BY LIQUID  
INCINERATION. DEPOSIT IN TOXIC LANDFILL IN ACCORDANCE WITH LOCAL,  
STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the comp  
iling agencies):

This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.