

COURTAULDS AEROSPACE, INC -- 515X386 WATERBORNE PRIMER -- 8010-01-292-8893
===== Product Identification =====

Product ID:515X386 WATERBORNE PRIMER

MSDS Date:09/24/1996

FSC:8010

NIIN:01-292-8893

Kit Part:Y

MSDS Number: CDXVS

=== Responsible Party ===

Company Name:COURTAULDS AEROSPACE, INC

Address:5430 SAN FERNANDO RD.

Box:1800

City:GLENDALE

State:CA

ZIP:91209

Country:US

Info Phone Num:818-240-2060

Emergency Phone Num:800-424-9300 (CHEMTREC)

CAGE:83574

=== Contractor Identification ===

Company Name:PRC-DESOTO INTERNATIONAL, INC. A PPG INDUSTRIES COMPANY

Address:5430 SAN FERNANDO RD

Box:1800

City:GLENDALE

State:CA

ZIP:91209

Country:US

Phone:818-240-2060

CAGE:83574

===== Composition/Information on Ingredients =====

Ingred Name:EPOXY RESIN

CAS:25068-38-6

RTECS #:KC2100000

Fraction by Wt: 20.0%

Other REC Limits:NONE RECOMMENDED

Ingred Name:2-PROPOXY ETHANOL (SARA 313) (VP

= 1.3)
CAS:2807-30-9
RTECS #:KM2800000
Fraction by Wt: 10.0%
Other REC Limits:25 PPM MFR

Ingred Name:STRONTIUM CHROMATE (SARA 313) (CERCLA)
CAS:7789-06-2
RTECS #:GB3240000
Fraction by Wt: 10.0%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:STEL 0.5 MG/M3
ACGIH TLV:0.0005 MG/M3
EPA Rpt Qty:10 LBS
DOT Rpt Qty:10 LBS

Ingred Name:CARBON BLACK
CAS:1333-86-4
RTECS #:FF5800000
Fraction by Wt: 200F,>93C
Extinguishing Media:CARBON DIOXIDE, DRY CHEMICAL OR FOAM
Fire Fighting Procedures:WATER SPRAY MAY BE
INEFFECTIVE. COOL FIRE
EXPOSED CONTAINERS W/WATER, FOG NOZZLES PREFERRED. WEAR NIOSH/MSHA
APPROVED SCBA/PROTECTIVE CLOTHING.
Unusual Fire/Explosion Hazard:VAPORS ARE >AIR. MAY FORM EXPLOSIVE
MIXTURES W/AIR/TRAVEL LONG DISTANCES/FLASH BACK. CLOSED CONTAINERS
MAY EXPLODE W/EXTREME HEAT.

===== Accidental Release Measures =====

Spill Release Procedures:PROTECT FROM IGNITION. WEAR AIR SUPPLIED
RESPIRATOR FOR UNVENTED SPILL. COVER W/ABSORBENT. SCOOP IN
TO
CONTAINER. CLEAN RESIDUE W/SUITABLE SOLVENT. CERCLA RQ FOR
STRONTIUM CHROMATE, 10 LBS.

===== Handling and Storage =====

Handling and Storage Precautions:KEEP CONTAINER TIGHTLY CLOSED. ISOLATE
FROM IGNITION SOURCES. DONT STORE >120F.
Other Precautions:EMPTY DRUMS MAY CONTAIN EXPLOSIVE VAPORS. DON'T CUT,
PUNCTURE/WELD ON/NEAR DRUM. VAPORS ARE >AIR, MAY COLLECT IN
LOW/CONFINED AREAS.

===== Exposure Controls/Personal Protection =

=====

Respiratory Protection:WHEN APPLYING IN CONFINED AREAS OR IN OTHER CIRCUMSTANCES LIKELY TO PRODUCE AIRBORNE LEVELS OF SOLVENT IN EXCESS OF TLV, USE AN AIR-SUPPLIED RESPIRATOR.

Ventilation:SOLVENT RESISTANT

Protective Gloves:SOLVENT RESISTANT

Eye Protection:GOGGLES OR FULL FACE SHIELD

Other Protective Equipment:DURING SPRAY APPLICATION COMPLETE SKIN PROTECTION IS REQUIRED. SAFETY SHOWER, EYE BATH & WASHING FACILITIES.

Supplemental Safety and Health

NK

=====

==== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:301 TO 313F

Vapor Density:>AIR

Spec Gravity:1.27

VOC Pounds/Gallon:339

Evaporation Rate & Reference:NA

Appearance and Odor:LIQUID, SOLVENT ODOR

Percent Volatiles by Volume:63.5

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

NK

Hazardous Decomposition Products:CARBON DIOXIDE, CARBON MONOXIDE.

===== Disposal Considerations =====

=====

Waste Disposal Methods:PACKAGE, STORE, TRANSPORT & MANAGE IN ACCORDANCE W/LOCAL/STATE/FEDERAL REGULATIONS.

===== Other Information =====

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for it

s use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.