

COURTAULDS AEROSPACE -- 930G052 HS #930G052 -- 8010-01-424-2794
===== Product Identification =====

Product ID:930G052 HS #930G052

MSDS Date:01/03/1995

FSC:8010

NIIN:01-424-2794

Kit Part:Y

MSDS Number: CDXYL

=== Responsible Party ===

Company Name:COURTAULDS AEROSPACE

Address:5430 SAN FERNANDO RD.

Box:1800

City:GLENDALE

State:CA

ZIP:91209

Country:US

Info Phone Num:800-228-5635

Emergency Phone Num:8

00-424-9300/818-240-2060

CAGE:83574

=== Contractor Identification ===

Company Name:PRC-DESOTO INTERNATIONAL, INC. A PPG INDUSTRIES COMPANY

Address:5430 SAN FERNANDO RD

Box:1800

City:GLENDALE

State:CA

ZIP:91209

Country:US

Phone:818-240-2060

CAGE:83574

===== Composition/Information on Ingredients =====

Ingred Name:METHYL-AMYL KETONE (VP =2.1)

CAS:110-43-0

RTECS #:MJ5075000

Fraction by Wt: 15.0%

Other REC Limits:NONE RECOMMENDED

OSHA PEL:100 PPM

ACGIH TLV:50 PPM

Ingred Name:HOM

OPOLYMER OF HEXAMETHYLENE DIISOCYANATE (HDI)

CAS:28182-81-2

RTECS #:NQ9170000

Fraction by Wt: 85.0%

Other REC Limits:NONE RECOMMENDED

Ingred Name:1,6-DIISOCYANATOHEXANE (HEXAMETHYLENE DIISOCYANATE)
(CERCLA) FREE MOMOMER CONTENT MAY RISE TO A MAXIMUM OF 1.6 PERCENT.

CAS:822-06-0

RTECS #:MO1740000

Fraction by Wt: 0.7%

Other REC Limits:NONE RECOMMENDED

ACGIH TLV:0.005 PPM

EPA Rpt Qty:1 LB

DOT Rpt Qty:1 LB

=====
===== Hazards Identification =====

Routes of Entry:

Inhalation:YES Skin:YES Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:EYES:

BURNING/TEARING/REDDENING/IRRITATION/SWELLING. SKIN:
DRYING/CRACKING/DERMATITIS/REDDENING/SWELLING/RASH/SENSITIZATION.

INHAL: DIZZINESS/DROWSINESS/FATIGUE/IRRIT OF MUCOUS MEMBRANES,
(RUNNY NOSE/ SORE THROAT/COUGHING). INGEST:

DROWSINESS/DIZZINESS/NAUSEA/IRRIT/CORROSION (MOUTH/STOMACH
TISSUE/DIGESTIVE TRACT).

=====
===== First Aid Measures =====

First Aid:EYES: FLUSH W/WATER FOR 15 MINS. SKIN: WASH W/SOAP & WATER.
DON'T USE SOLVENTS. INHALATION: REMOVE TO FRESH AIR. GIVE CPR IF
NEEDED. OBTAIN MEDICAL ATTENTION IN ALL CASES.

=====
===== Fire Fighting Measures =====

Flash Point:102F,39C

=====
===== Accidental Release Measures =====

Spill Release Procedures:PROTECT FROM IGNITION. WEAR AIR SUPPLIED
RESPIRATOR FOR UNVENTED SPILL. COVER W/AB

provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.