View NSN Online: https://aerobasegroup.com/nsn/6830-00-469-6540

SCOTT MEDICAL PRODUCTS -- PROPANE -- 6830-00-469-6540

Product ID: PROPANE MSDS Date:01/13/1997 FSC:6830 NIIN:00-469-6540 MSDS Number: CDYVY === Responsible Party === Company Name: SCOTT MEDICAL PRODUCTS Address:RT 611 N City:PLUMSTEADVILLE State:PA ZIP:18949 Country:US Info Phone Num:215-766-8861 Emergency Phone Num:215-766-8861 CAGE:3Y341 === Contractor Identific ation === Company Name:SCOTT MEDICAL PRODUCTS, DIV OF SCOTT SPECIALTY Address:RT 611 N Box:City:PLUMSTEADVILLE State:PA ZIP:18949 Country:US Phone:215-766-8861 CAGE:3Y341

Ingred Name:PROPANE CAS:74-98-6 RTECS #:TX2275000 Fraction by Wt: >99% Other REC Limits:NONE RECOMMENDED OSHA PEL:1000 PPM ACGIH TLV:ASPHYXIANT; 9596

LD50 LC50 Mixture:LD50 (ORAL RAT) IS N

OT RELEVANT. Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:TARGET ORGANS:LUNGS, SKIN AND CNS. ACUTE- AN ASPHYXIANT GAS. MAY CAUSE DIZZINESS, HEADACHE. EXPOSURE IN A CLOSED AREA COULD LEAD TO ASPHYXIATION AND DEATH. MAY BE NARCOTIC IN HIGH CONCENTRATIONS. MAY CAUSE EYE IRRITATION, SKIN FROSTBITE. MAY CAUSE CNS EFFECTS. INGESTION NOT LIKELY. CHRONIC- UNKNOWN.
Explanation of Carcinoge nicity:NONE
Effects of Overexposure:IRRITATION, HEADACHE, DIZZINESS, DROWSINESS, UNCONSCIOUSNESS, DEATH, IRREGULAR HEARTBEATS, FROSTBITE, FATIGUE, MUSCULAR INCOORDINATION, RAPID RESPIRATION, NAUSEA, VOMITING
======================================
First Aid:GET MEDICAL HELP IF SYMPTOMS PERSIST. INHALED:REMOVE TO FRESH AIR. PROVIDE CPR/OXYGEN IF NEEDED. EYES:FLUSH WITH WATER FOR 15 MINUTES, HOLDING EYELIDS OPEN. SKIN:KEEP AFFECTED AREA WARM AND S
UBMERGE I N LUKEWARM WATER (42C/107.6F). ORAL: NOT LIKELY TO OCCUR. PRODUCT IS A GAS. NOTE TO PHYSICIAN: FOR FROSTBITE, CONSIDER RAPID COMPLETE REWARMING AT 42C/107.6F).
======================================
Flash Point:-157F,-105C Autoignition Temp:Autoignition Temp Text:842F Lower Limits:2.1% Upper Limits:9.5% Extinguishing Media:WATER SPRAY, CARBON DIOXIDE OR DRY CHEMICAL. WATER SPRAY MAY BE USED TO KEEP FIRE EXPOSED CYLINDERS COOL.
Fire Fighting P rocedures:SAFE WAY TO EXTINGUISH FIRE IS TO STOP FLOW OF GAS. IF FLOW CANNOT BE STOPPED, LET FIRE BURN ITSELF OUT. WEAR NIOSH-APPROVED SELF-CONTAINED BREATHING APPARATUS. Unusual Fire/Explosion Hazard:EXTREMELY FLAMMABLE. CYLINCER UNDER PRESSURE. CYLINDERS MAY EXPLODE. GAS MAY TRAVEL LONG DISTANCE TO A SOURCE OF IGNITION AND FLASH BACK.

Spill Release Procedures:WEAR PROTECTIVE EQUIPMENT. ELIMINATE SOURCES O F IGNITION. VENTILATE AREA. REMOVE LEAKING CYLINDER OUTDOOR OR TO EXHAUST HOOD IF POSSIBLE. SHUT OFF SOURCE OF LEAK IF POSSIBLE OR ALLOW THE CYLINDER TO L EAK UNTIL EMPTY. DISPERSE VAPORS WITH WATER SPRAY.

Neutralizing Agent:NOT RELEVANT

Handling and Storage Precautions:STORE CYLINDERS SECURED, IN UPRIGHT POSITION. STORE AWAY FROM IGNITION SOURCES AND OXIDIZERS. DO NOT DROP CYLINDER. KEEP CONTAINER VALVE CL

OSED.

Other Precautions:EXTREMELY FLAMMABLE. STORE AND USE WITH ADEQUATE VENTILATION. INSTALL PROTECTIVE CAPS WHEN NOT CONNECTED FOR USE. KEEP OUT OF REACH OF CHILDREN. "EMPTY" CONTAINERS RETAIN RESIDUE. DO NOT PRESSURIZE, C UT, WELD OR EXPOSE TO FLAMES OR HEAT.

Respiratory Protection:NONE NORMALLY REQUIRED. IF TLV IS EXCEEDED OR FOR SYMPTOMS OF OVER EXPOSURE, WEAR NIOSH-APPROVED ORGANIC VAPOR RESPIRATOR OR

AIR-PURIFYING RESPIRATOR. IN EMERGENCY, WEAR A NIOSH-APPROVED POSITIVE-PRES SURE SELF-CONTAINED BREATHING APPARATUS.

Ventilation:MECHANICAL (GENERAL AND/OR LOCAL EXHAUST, EXPLOSION-PROOF) VENTILATION TO MAINTAIN EXPOSURE BELOW TLV.

Protective Gloves:NEOPRENE

Eye Protection:GOGGLES

Other Protective Equipment:SAFETY SHOWER AND EYE WASH FOUNTAIN SHOULD BE LOCATED NEARBY. WEAR APPROPRIATE PROTECTIVE CLOTHING FOR RISK OF EXPOSURE.

Work Hygienic Practices: OBSERVE GOOD INDUSTRIAL H

YGIENE PRACTICES AND

RECOMMENDED PROCEDURES. WASH AFTER HANDLING AND BEFORE EATING OR DRINKING.

Supplemental Safety and Health

HCC:G2

NRC/State Lic Num:NOT RELEVANT Boiling Pt:B.P. Text:-44F,-42C Vapor Pres:6399 @ 70F Vapor Density:1.55 Spec Gravity:0.501 @ 68F Viscosity:NOT RELEVANT Evaporation Rate & amp; Reference:GAS Solubility in Water:0.065 % @ 18C/64.4F Appearance and Odor:COLORLESS LIQUEFIED GAS - SWEET ODOR Pe rcent Volatiles by Volume:>99

Stability Indicator/Materials to Avoid:YES MIXING WITH OXYGEN OR AIR, EXCEPT AT BURNER, STRONG OXIDIZING AGENTS Stability Condition to Avoid:HEAT SOURCES, SPARKS, OPEN FLAMES, BUILD-UP OF STATIC ELECTRICITY, VAPOR ACCUMULATION (POORLY VENTILATED AREAS) Hazardous Decomposition Products:IT MAY DECOMPOSE TO CARBON MONOXIDE, CARBON DIOXIDE.

========= Disposal Considerations =

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS. ALLOW GAS TO VENT SLOWLY TO ATMOSPHERE (OUTDOOR) OR EXHAUST HOOD. RETURN REFILLABLE CYLINDERS IN THE SHIPPING CONTAINER PROPERLY LAB ELED, WITH ANY VALVE OR CAPS SECURED TOSUPPLIER.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in n o manner whatsoever,

expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.