

L. CARLTON MERTZ CO./DBA L. CA -- MIL-C-10578

=====
MSDS Safety Information
=====

FSC: 6850
NIIN: 00-656-1292
MSDS Date: 10/07/1996
MSDS Num: CDYWH
Product ID: MIL-C-10578
MFN: 01
Responsible Party
Cage: 60797
Name: L. CARLTON MERTZ CO./DBA L. CARLTON MERTZ COMPANY
Address: 6147 W. 65TH STREET
City:
CHICAGO IL 60638
Info Phone Number: 708-594-1050
Emergency Phone Number: 800-424-9300(CHEMTREC)
Preparer's Name: UNKNOWN
Review Ind: Y
Published: Y

=====
Contractor Summary
=====

Cage: 60797
Name: VJ COMPOUNDING CORP (FORMALLY: L. CARLTON MERTZ CO.)
Address: 6147 W. 65TH STREET
City: CHICAGO IL 60638
Phone: 708-594-1050

=====
Item Description Information
=====

Item Manager: S9G
Item Name: CORROSION REMOVING COMPOUND
Specification Number: MIL-C-10578
Type/Grade/Class: TYPE II
Unit of Issue: DR
Quantitative Expression: 00000000005GL
UI Container Qty: 1
Type of Container: DRUM

=====
Ingredients
=====

Cas: 7664-38-2
RTECS #: TB6300000
Name: PHOSPHORIC ACID (SARA 313) (CERCLA)
% Wt: <55
Ot

her REC Limits: NONE RECOMMENDED

OSHA PEL: 1 MG/M3

ACGIH TLV: 1 MG/M3/3 STEL; 9596

EPA Rpt Qty: 5000 LBS

DOT Rpt Qty: 5000 LBS

=====
Health Hazards Data
=====

LD50 LC50 Mixture: NONE SPECIFIED BY MANUFACTURER.

Route Of Entry Inds - Inhalation: YES

Skin: YES

Ingestion: NO

Carcinogenicity Inds - NTP: NO

IARC: NO

OSHA: NO

Effects of Exposure: **CORROSIVE** EYES:MAY CAUSE BURNS,IRREVERSIBLE EYE INJURY

OR BLINDESS.SKIN:MAY CAUSE DERMATITIS,BURNS AND TISSUE DESTRUCTION.INHAL:MAY CAUSE RESPIRATORY IRRITATION,BRONCHITIS AND PULMONARY EDEMA.INGE ST:MAY CAUSE GASTROINTESTINAL BURNS.

Explanation Of Carcinogenicity: THIS ITEM DOES NOT CONTAIN ANY INGREDIENT AT 0.1% OR GREATER WHICH IS A CARCINOGEN.

Signs And Symptoms Of Overexposure: INGEST:CHEST AND STOMACH PAIN,DIFFICULTY IN BREATHING,NAUSEA,VOMITING,BLOODY DIARRHEA,CONVULSION,COLLAPSE AND DEATH.INHAL:COUGHING,CHOKING,BURNING THROAT.

Medical Cond Aggravated By Exposure: MAY AGGRAVATE EXISTING SKIN AND/OR EYE CONDITIONS,ASTHMA/OTHER RESPIRATORY DISEASES.

First Aid: EYES:FLUSH WITH WATER UNTIL ALL TRACES ARE GONE.SEEK MEDICAL ATTENTION IF IRRITATION PERSISTS.SKIN:REMOVE CONTAMINATED CLOTHING.WASH WITH SOAP AND WATER.SEEK MEDICAL ATTENTION IF IRRITATION PERSISTS.I NHAL:REMOVE FROM EXPOSURE.GIVE OXYGEN OR ARTIFICIAL RESPIRATION IF NESCESSARY.INGEST:DO NOT INDUCE VOMITING.GET PROMPT QUALIFIED MEDICAL ATTENTION.IF CONSCIOUS,GIVE 2 GLASSES WATER/MILK.

=====
Handling and Disposal
=====

Spill Release Procedures: ONLY ALLOW TRAIN PERSON TO CLEANUP SPILL.SMALL SPILLS:VENTILATE AREA.USE PROPER RESPIRATORY AND PROTECTIVE EQUIPMENT.NEUTRALIZE SPILL,THEN FLUSH WITH WATER.NEUTRALIZATION RESULTS IN HEAT;USE CAUTION.P LACE WASTE IN A DOT-APPROVED CONTAINER.

Neutralizing Agent: SODA ASH, SODIUM BICARBONATE, LIME.

Was

te Disposal Methods: DISPOSE OF IN ACCORDANCE WITH FEDERAL, STATE AND LOCAL REGULATIONS.

Handling And Storage Precautions: STORE IN A COOL, DRY, WELL-VENTILATED PLACE. KEEP CONTAINER CLOSED WHEN NOT IN USE. AVOID HEAT, SPARKS AND FLAMES.

Other Precautions: ALWAYS ADD ACID TO WATER, NOT THE REVERSE.

=====
Fire and Explosion Hazard Information
=====

Flash Point Text: NONE

Lower Limits: NA

Upper Limits

: NA

Extinguishing Media: EXTINGUISH FIRE USING AGENTS SUITABLE FOR SURROUNDING FIRE.

Fire Fighting Procedures: USE A SELF-CONTAINED BREATHING APPARATUS AND FULL FIRE PROTECTIVE EQUIPMENT. COOL FIRE EXPOSED CONTAINERS WITH WATER FOG.

Unusual Fire/Explosion Hazard: THERMAL DECOMPOSITION PRODUCTS MAY BE TOXIC. CONTACT W/REACTIVE METALS MAY PRODUCE FLAMMABLE/EXPLOSIVE HYDROGEN-AIR MIXTURES. REACTS VIOLENTLY W/STRONG BASES.

=====
Control Measure
s
=====

Respiratory Protection: USE NIOSH/MSHA APPROVED RESPIRATOR W/FULL FACE PIECE WHEN HNDLG THIS PRODUCT.

Ventilation: USE LOCAL EXHAUST AT THE WORKSITE; GENERAL EXHAUST TO MAINTAIN TLV/PEL.

Protective Gloves: NATURAL RUBBER, NEOPRENE, NITRILE.

Eye Protection: CHEMICAL SPLASH GOGGLES.

Other Protective Equipment: APRON, COVERALLS. PROVIDE A LOCAL EYE WASH STATION AND QUICK DRENCH SHOWER.

Work Hygienic Practices: DISCARD CONTAMINATED CLOTHING .WASH HANDS AFTER USING THIS PRODUCT.

Supplemental Safety and Health: NONE

=====
Physical/Chemical Properties
=====

HCC: C1

B.P. Text: 212F, 100C

Decomp Text: UNKNOWN

Spec Gravity: 1.37

PH: <2(1%)

Evaporation Rate & Reference: UNKNOWN

Solubility in Water: COMPLETE.

Appearance and Odor: CLEAR, COLORLESS LIQUID, ACIDIC ODOR

=====
Reactivity

Data

Stability Indicator: YES

Stability Condition To Avoid: PROTECT FROM MOISTURE.MAY SPATTER UPON CONTACT WITH WATER OR WATER CONTAINING CHEMICAL(WITH EVOLUTION OF HEAT).

Materials To Avoid: RXS VIOLENTLY W/BASES,LIBERATING HEAT & SPATTERING. CONTACT W/COMMON METALS PRODUCE FLAMM/POTENTIALLY EXPLO HYDROGEN GAS

Hazardous Decomposition Products: OXIDES OF PHOSPHORUS & ACID MIST AS WELL AS HYDROGEN GAS.

Hazardous Polymerization Indicator: NO

Toxicological Information

Ecological Information

MSDS Transport Information

Regulatory Information

Other Information

Transportation Information

Responsible Party Cage: 60797

Trans ID NO: 80914

Product ID: MIL-C-10578

MSDS Prepared Date: 10/07/1996

Review Date: 12/05/1997

MFN: 1

Tech Entry NOS Shipping Nm: PHOSPHORIC ACID

Net Unit Weight: 57.1 LBS

AF MMAC Code: NR

Multiple KIT Number: 0

Review IND: Y

Unit Of Issue: DR

Container QTY: 1

Type Of Container: DRUM

Additional Data: CARGO AIRCRAFT ONLY.

Detail DOT Information

DOT PSN Code: DWD

Symbols: G

DOT Proper Shipping Name: CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.

Hazard Class: 8

UN ID Num: UN3264

DOT Packaging Group: II

Label: CORROSIVE

Speci

al Provision: B2,T14
Packaging Exception: 154
Non Bulk Pack: 202
Bulk Pack: 242
Max Qty Pass: 1 L
Max Qty Cargo: 30 L
Vessel Stow Req: B
Water/Ship/Other Req: 40

=====
Detail IMO Information
=====

IMO PSN Code: ESE
IMO Proper Shipping Name: CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. o
IMDG Page Number: 8147-1
UN Number: 3264
UN Hazard Class: 8
IMO Packaging Group: I/II/III
Subsidiary Risk Label:
-
EMS Number: 8-15
MED First Aid Guide NUM: 760

=====
Detail IATA Information
=====

IATA PSN Code: HLA
IATA UN ID Num: 3264
IATA Proper Shipping Name: CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. *
IATA UN Class: 8
IATA Label: CORROSIVE
UN Packing Group: II
Packing Note Passenger: 808
Max Quant Pass: 1L
Max Quant Cargo: 30L
Packaging Note Cargo: 812

=====
Detail AFI Information
=====

AFI PSN Code: HJZ
AFI Symbols: *
AFI Proper Shipping Name: CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.
AFI Hazard Class: 8
AFI UN ID NUM: UN3264
AFI Packing Group: II
Special Provisions: P4
Back Pack Reference: A12.3

=====
HAZCOM Label
=====

Product ID: MIL-C-10578
Cage: 60797
Company Name: VJ COMPOUNDING COR

P (FORMALLY: L. CARLTON MERTZ CO.)
Street: 6147 W. 65TH STREET
City: CHICAGO IL
Zipcode: 60638
Health Emergency Phone: 800-424-9300(CHEMTREC)
Label Required IND: Y
Date Of Label Review: 12/15/1997
Status Code: C
MFG Label NO: UNKNOWN
Label Date: 12/15/1997
Year Procured: 1997
Origination Code: F
Eye Protection IND: YES
Skin Protection IND: YES
Signal Word: DANGER
Respiratory Protection IND: YES
Health Hazard: Severe
Contact Hazard: Severe
Fire Hazard: None
Reactivity Hazard: None
Hazard And Prec

cautions: **CORROSIVE** EYES:MAY CAUSE BURNS,IRREVERSIBLE EYE
INJURY OR BLINDESS.SKIN:MAY CAUSE DERMATITIS,BURNS AND TISSUE
DESTRUCTION.INHAL:MAY CAUSE RESPIRATORY IRRITATION,BRONCHITIS AND PULMONARY
EDEMA.INGE ST:MAY CAUSE GASTROINTESTINAL BURNS. FIRST AID: EYES:FLUSH WITH
WATER UNTIL ALL TRACES ARE GONE.SEEK MEDICAL ATTENTION IF IRRITATION
PERSISTS.SKIN:REMOVE CONTAMINATED CLOTHING.WASH WITH SOAP AND WATER .SEEK
MEDICAL ATTENTION IF IRRITATION PERSISTS.INHAL:REMOVE FROM EXPOSURE.GIV

E
OXYGEN OR ARTIFICIAL RESPIRATION IF NESCESSARY.INGEST:DO NOT INDUCE
VOMITING.GET PROMPT QUALIFIED MEDICAL ATTENTION.IF CO NSCIOUS,GIVE 2 GLASSES
WATER/MILK.

=====
Disclaimer (provided with this information by the compiling agencies): This
information is formulated for use by elements of the Department of Defense.
The United States of America in no manner whatsoever expressly or implied
warrants, states, or intends said information t
o have any application, use or
viability by or to any person or persons outside the Department of Defense
nor any person or persons contracting with any instrumentality of the United
States of America and disclaims all liability for such use. Any person
utilizing this instruction who is not a military or civilian employee of the
United States of America should seek competent professional advice to verify
and assume responsibility for the suitability of this information to their
par

particular situation regardless of similarity to a corresponding Department of Defense or other government situation.