

PANDUIT -- PANDUIT NYLON MARKING PENS -- 7520-00-043-3408

=====
Product Identification
=====

Product ID:PANDUIT NYLON MARKING PENS

MSDS Date:01/01/1995

FSC:7520

NIIN:00-043-3408

MSDS Number: CDZSR

=== Responsible Party ===

Company Name:PANDUIT

Address:17301 RIDGELAND AVE.

City:TINLEY PARK

State:IL

ZIP:60477-0981

Country:US

Info Phone Num:312-532-1800

Emergency Phone Num:312-532-1800

CAGE:GO126

==

= Contractor Identification ===

Company Name:PANDDUIT CORP

Address:17301 RIDGELAND

Box:City:TINLEY

State:IL

ZIP:60477-3048

Country:US

Phone:708-532-1800

CAGE:06383

Company Name:PANDUIT

Address:17301 RIDGELAND AVENUE

City:TINLEY PARK

State:IL

ZIP:60477-0981

Country:US

Phone:(708) 532-1800

CAGE:GO126

=====
Composition/Information on Ingredients
=====

Ingred Name:PHENOLIC RESIN

CAS:989929-03-3

Fraction by Wt: 6-7%

Other REC Limits:NONE RECOMMENDED

Ingred Name:ALCOHOLS TYPE NOT

SPECIFIED
Fraction by Wt: 82-88%
Other REC Limits:NONE RECOMMENDED
ACGIH TLV:50 PPM

Ingred Name:ETHYLENE GLYCOL PHENYL ETHER
CAS:122-99-6
RTECS #:KM0350000
Fraction by Wt: 0-6%
Other REC Limits:NONE RECOMMENDED
ACGIH TLV:25 PPM

Ingred Name:ORGANIC DYE
CAS:109125-50-0
Fraction by Wt: 6-10%
Other REC Limits:NONE RECOMMENDED

=====
Hazards Identification
=====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO O
SHA:NO
Health Hazards Acute and Chronic:EYE: IRRITATION. INHALATION:
RESPIRATORY IRRITATION, DIZZINESS, NAUSEA, HEADACHE. INGESTION: GI
IRRITATION, NAUSEA, VOMIT.

=====
First Aid Measures
=====

First Aid:EYES: FLUSH W/WATER, CALL DR. SKIN: WASH W/SOAP & WATER.
INHAL: REMOVE TO FRESH AIR, CALL DR. INGEST: DONT INDUCE VOMIT,
CALL DR.

=====
Fire Fighting Measures
=====

Flash Point Method:TCC
Flash Point:57.0
F,13.9C
Lower Limits:3.3
Upper Limits:19.0
Extinguishing Media:ALCOHOL, FOAM, DRY CHEMICAL, OR CARBON DIOXIDE.
Fire Fighting Procedures:USE SCBA.
Unusual Fire/Explosion Hazard:NA

=====
Accidental Release Measures
=====

Spill Release Procedures:ELIMINATE IGNITION SOURCES. VENT AREA. COLLECT
W/ABSORBENT MATERIAL.

=====
Handling and Storage
=====

Handling and Storage Precautions:PUT CAP BACK IN PLACE OVER TIP OF PEN.
STORAGE

APPROPRIATE FOR FLAMMABLE LIQUIDS WHEN STORING LARGE QUANTITIES.

Other Precautions:NONE.

=====
Exposure Controls/Personal Protection
=====

Respiratory Protection:USE NIOSH/MSHA AIR SUPPLIED RESPIRATOR.

Ventilation:NA

Protective Gloves:NA

Eye Protection:NA

Other Protective Equipment:NOTHING NEEDED.

Supplemental Safety and Health

NK

=====
Physical/Chemical Properties
=====

Boiling Pt:B.P. Text:148 TO 250F

Vapor Pres:97.0

Vapor Density:>1.0

Spe

c Gravity:0.85

Evaporation Rate & Reference:>1.0

Solubility in Water:INFINITE.

Appearance and Odor:RED OR BLACK, W/SOLVENT-LIKE ODOR.

Percent Volatiles by Volume:82-88

=====
Stability and Reactivity Data
=====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZING AGENTS.

Stability Condition to Avoid:HIGH HEAT, OPEN FLAME.

Hazardous Decomposition Products:CARBON MONOXIDE, CARBON DIOXIDE.

=====
Disposal Considerations
=====

Wa

ste Disposal Methods:DRY ABSORBENT MATERIAL IN HOOD & DISPOSE OF ABSORBENT MATERIAL AS SOLID WASTE. DISPOSE OF IN ACCORDANCE W/FEDERAL/STATE/LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person uti

lizing this

document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.