

DOW CORNING CORP -- 90-006-1/2 SEMKIT CATALYST -- 8030-00-145-0383

===== Product Identification =====

Product ID:90-006-1/2 SEMKIT CATALYST

MSDS Date:07/11/1994

FSC:8030

NIIN:00-145-0383

Kit Part:Y

MSDS Number: CDZTJ

=== Responsible Party ===

Company Name:DOW CORNING CORP

Address:SOUTH SAGINAW ROAD

City:MIDLAND

State:MI

ZIP:48686

Country:US

Info Phone Num:517-496-6000

Emergency Phone Num:517-496-5900

CAGE:5D028

=== Contractor Identification ===

Company Name:DOW CORNING CORP

Address:3901 S SAGINAW RD

Box:997

City:MIDLAND

State:MI

ZIP:48686-0997

Country:US

Phone:517-496-6000/517-496-6315

CAGE:5D028

Company Name:DOW CORNING CORP

Address:2200 W SALZBURG RD

Box:City:AUBURN

State:MI

ZIP:48611

Country:US

Phone:517-496-4388

CAGE:71984

===== Composition/Information on Ingredients =====

Ingred Name:DIBUTYLTIN DIACETATE

CAS:1067-33-0

Fraction by Wt: 7.0%

Other REC Limits:NONE R

RECOMMENDED
OSHA PEL:0.1 MG/M3
ACGIH TLV:0.1 MG/M3

Ingr Name:CHROMIUM (III) OXIDE
CAS:1308-38-9
RTECS #:GB6475000
Fraction by Wt: 4.0%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:0.5 MG/M3
ACGIH TLV:0.5 MG/M3

=====
Hazards Identification
=====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:EYE: BURN/BLINDNESS. SKIN:
IRRITATION/BURNS/SENSITIZATION/INTERNAL INJURY
(ABSORPTION)
INHALATION: NOSE/THROAT/LUNG IRRITATION. INGESTION: LARGE AMOUNTS
MAY INJURE SERIOUSLY.

=====
First Aid Measures
=====

First Aid:EYES: IMMEDIATELY FLUSH W/WATER 15 MINUTES. GET MEDICAL AID.
SKIN: REMOVE IMMED. FLUSH W/WATER 15 MINUTES. GET MEDICAL AID.
INHALATION: MOVE TO FRESH AIR. GET MEDICAL AID. INGESTION: GET
MEDICAL AID.

=====
Fire Fighting Measures
=====

Flash Point:>214F,>101C
Lower Limits:NOT EST.
Upper Limits:NOT EST.
Extinguishing Media:CO2, WATER, WATER FOG, DRY CHEMICAL, FOAM.
Fire Fighting Procedures:USE SCBA/PROTECTIVE CLOTHING.
Unusual Fire/Explosion Hazard:NONE

=====
Accidental Release Measures
=====

Spill Release Procedures:MOP OR WIPE OR SOAK UP W/ABSORBENT/CONTAIN FOR
SALVAGE OR DISPOSAL. LARGE: DIKE. CLEAN AREA BY MOPPING REPEATEDLY
W/APPROPRIATE SOLVENT WASHING W/MILD CAUSTIC DETERGENT/HIGH
PRESSURE STEAM. USE PRO

TEC TIVE EQUIPMENT.

=====
Handling and Storage
=====

Handling and Storage Precautions:NO SPECIAL PRECAUTIONS. KEEP CONTAINER CLOSED. STORE AWAY FROM WATER OR MOISTURE.

=====
Exposure Controls/Personal Protection
=====

Respiratory Protection:USE RESPIRATORY PROTECTION IF VENTILATION NOT SUFFICIENT.

Ventilation:LOCAL EXHAUST, GENERAL RECOMMENDED.

Protective Gloves:CHEMICAL PROTECTIVE RECOMMENDED

Eye Protection:CHEMICAL WORKER GOGGLES

Work Hygienic Practices:WASH AT MEAL-TIME & END OF SHIFT.

Supplemental Safety and Health

NK

=====
Physical/Chemical Properties
=====

Boiling Pt:B.P. Text:NOT AVAIL

Melt/Freeze Pt:M.P/F.P Text:NA

Vapor Pres:NOT EST.

Vapor Density:NOT EST.

Spec Gravity:1.1

pH:NA

Viscosity:7000 CST

Solubility in Water:NONE

Appearance and Odor:GREEN VISCOUS LIQUID, NO ODOR

=====
Stability and Reactivity Data
=====

Stability Indicator/Materials to Avoid:YES

O

XIDIZING MATERIALS.

Stability Condition to Avoid:NONE

Hazardous Decomposition Products:SILICON DIOXIDE, CARBON OXIDES, TRACES
INCOMPLETELY BURNED CARBON COMPOUNDS, METAL OXIDES, FORMALDEHYDE.

=====
Disposal Considerations
=====

Waste Disposal Methods:DISPOSE OF COLLECTED PRODUCT/RESIDUE/CLEANING MATERIALS ACCORDING TO GOVERNMENT REGULATIONS. REPORT IF REQUIRED.

Disclaimer (provided with this information by the compiling agencies):

This information is

formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.