View NSN Online: https://aerobasegroup.com/nsn/5805-01-017-4703

MINNESOTA MINING & MFG CO TELCOMM PRODUCTS DIV -- 8985 RIGID BODY SPLICE KITS

W/HIGH GEL 4442, PART B (SUPPLE) -- 5805-01-017-4703

Product ID:8985 RIGID BODY SPLICE KITS W/HIGH GEL 4442, PART B (SUPPLE)

MSDS Date:03/26/1997

FSC:5805

NIIN:01-017-4703

Kit Part:Y

MSDS Number: CDZWL === Responsible Party ===

Company Name: MINNESOTA MINING & MFG CO TELCOMM PRODUCTS DI

۱/

Address:3M AUSTIN CTR

Box:2963 City:AUSTIN State:TX

ZIP:78769-2963

Country:US

Info Phone Num:512-834-1800

Emergency Phone Num:512-834-1800

CAGE:55203

=== Contractor Identification ===

Company Name: 3M MINNESOTA MINING AND MFG CO ADHESIVES SEALERS DIV

Address:3M CTR Box:City:SAINT PAUL

State:MN

ZIP:55144-1000

Country:US

Phone:800-364-3577/651-737-6501(24 HOURS)

CAGE:04963

Company Name: MINNESOTA MINING AND MFG CO TELCOMM MARKETS DIV

Address:3M AUSTIN CTR

Box:City:AUSTIN

State:TX

ZIP:79769-2963

Co

untry:US

Phone:800-426-8688

CAGE:55203

====== Composition/Information on Ingredients ========

Ingred Name:MINERAL OIL, HYDROTREATED (MILD), HEAVY NAPHTHENIC DISTILLATE, PETROLEUM; (HYDROTREATED NAPHTHENIC DISTILLATES)

CAS:64742-52-5 RTECS #:PY8035000 Fraction by Wt: 35-55%

Other REC Limits: NONE RECOMMENDED

Ingred Name: POLYBUTADIENE RESIN

CAS:69102-90-5

Fraction by Wt: 30-40%

Other REC Limits: NONE RECOMMENDED

Ingred Name: EPOXIDIZED FATTY ACID ESTERS

CAS:71302-79-9

Wt: 5-15%

Other REC Limits: NONE RECOMMENDED

Ingred Name: DIDECYL TERTIARY AMINE

CAS:7396-58-9

Fraction by Wt: 5-10%

Other REC Limits: NONE RECOMMENDED

Ingred Name: PART B INCLUDES INGREDIENTS #1-4.

Fraction by Wt: 50%

Other REC Limits: NONE RECOMMENDED

========== Hazards Identification ===============

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER. Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Ac

ute and Chronic:EYE:MILD IRRIT.SKIN:MODERATE TO SEVERE

SKIN IRRIT.INHAL:NO ADVERSE HEALTH EFFECTS ARE EXPECTED FROM INHAL EXPOSURE.INGEST:NOT A LIKELY ROUTE OF EXPOSURE TO THIS PRODUCT.

Effects of

Overexposure:EYE:REDNESS,SWELLING,PAIN,TEARING.SKIN:REDNESS,SWELLING,ITCHING,CRACKING,BLISTERING,PAIN.

Medical Cond Aggravated by Exposure: NONE SPECIFIED BY MANUFACTURER.

First Aid:EYE:IMMED FLUSH W/LG AMTS OF WATER .GET IMEMD MED

ATTN.SKIN:IMMED FLUSH W/LG AMTS OF WATER.REMOVE CONTAMIN CLOTH.IRRIT PERSIST CALL DR.INHAL:SIGNS/SYMPT OCCUR REMOVE TO FRESH AIR.SIGNS/SYMPT CONT CALL DR.INGEST:DRINK 2 GLASSES OF WATER.CALLDR.

========= Fire Fighting Measures ===============


Flash Point Method:PMCC Flash Point:>230F,>110C

Autoignition Temp: Autoignition Temp Text: ND

Lower Limits:ND Upper Limits:ND

Extinguishing Media:WATER SPRAY, CARBON DIOXIDE, DRY CHEMICAL, FOAM.

Unusual Fi



R.DISPO OF EMPTY CNS IN SANITARY LANDFILL.DISPO ALTER:DISPO IN FACILI PERMITTED TO ACCEPT CHEM WASTE.