View NSN Online: https://aerobasegroup.com/nsn/8030-01-181-5548

Product ID:PLASTISOL, VINYL CHLORIDE, BLACK MSDS Date:01/01/1996 FSC:8030 NIIN:01-181-5548 Kit Part:Y MSDS Number: CDZXW === Responsible Party === Company Name: INTERNATIONAL COATINGS CO Address:13929 EAST 166TH ST **City:CERRITOS** State:CA ZIP:90701 Country:US Info Phone Num:310-925-0 747 Emergency Phone Num:310-926-8332 Preparer's Name: EISENHARD CAGE:0M246 === Contractor Identification === Company Name: CHEMICAL COMMODITIES AGENCY, INC. Address:27447 PACIFIC STREET Box:City:HIGHLAND State:CA ZIP:92346-2640 Country:US Phone:909-864-2310 CAGE:60777 Company Name: INTERNATIONAL COATINGS Address:7059 BARRY ST Box:City:ROSEMONT State:IL ZIP:60018 Country:US Phone:312-824-6070 CAGE:0M246

Ingred Name: VINYL CHLORIDE

MONOMER (SARA III) CAS:75-01-4
RTECS #:KU9625000
Fraction by Wt: 15 MINUTES. SKIN: WASH W/SOAP &
WATER, INHAL: REMOVE TO FRESH AIR, INGEST: GIVE FLUIDS, SEEK
MEDICAL ATTENTION IN ALL CASES.
======================================
Flash Point Method:PMCC
Flash Point:415F,213C
Lower Limits:0.4%
Upper Limits:NA
Extinguishing Media:WATER SPRAY, FOAM, CARBON DIOXIDE, DRY CHEMICAL. Fire Fighting Procedures:USE NIOSH/MSHA APPROVED SCBA & FULL PROTECTIVE
EQUIP
MENT.
Unusual Fire/Explosion Hazard: CLOSED CONTAINERS MAY EXPLODE W/HEAT.
======================================
Spill Release Procedures: ABSORB, TRANSFER TO CONTAINER FOR DISPOSAL AS HAZARDOUS WASTE.
======================================
Handling and Storage Precautions:STORE IN COOL, DRY PLACE. ELEVATED TEMPERATURES THICKEN PRODUCT & SHORTEN USEFUL LIFE.
========= Exposure Controls/Personal Protection ====================================
Respiratory Protection:NONE REQUIRED.
Ventilation: GOOD VENTILATION SHOULD BE PROVIDED
Protective Gloves: IMPERVIOUS GLOVES (NEOPRENE).
Eye Protection: CHEM WORKERS GOGGS.
Other Protective Equipment:NOT REQUIRED. Work Hygienic Practices:WASH HANDS AFTER USE, BEFORE EATING, DRINKING
OR SMOKING.
Supplemental Safety and Health MORE INFORMATION ON FILE.

Boiling Pt:B.P. Text:410F,210C Vapor Pres:NIL Vapor Density:>1.0 Spec Gravit y:1-1.4 Evaporation Rate & amp; Reference:NIL (BUTYL ACETATE=1) Solubility in Water:NIL Appearance and Odor:BLACK, SMOOTH THICK LIQUID; FAINT ODOR.

Stability Indicator/Materials to Avoid:YES STRONG OXIDIZERS. Stability Condition to Avoid:ELEVATED TEMPERATURES. Hazardous Decomposition Products:CARBON MONOXIDE, CARBON DIOXIDE, HYDROGEN CHLORIDE, ACETIC ACID, TOXIC METAL FUMES.

================ Disposal Considerations =

Waste Disposal Methods:DISPOSE OF ALL WASTES I/A/W FEDERAL, STATE & LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.