View NSN Online: https://aerobasegroup.com/nsn/6810-00-281-2686

ASHLAND CHEMICAL CO -- SODIUM DICHROMATE TECHNICAL -- 6810-00-281-2686

Product ID:SODIUM DICHROMATE TECHNICAL MSDS Date:01/01/1998 FSC:6810 NIIN:00-281-2686 **MSDS Number: CFCSL** === Responsible Party === Company Name: ASHLAND CHEMICAL CO Box:2219 City:COLUMBUS State:OH ZIP:43216 Country:US Info Phone Num:614-790-3333 Emergency Phone Num:606-324-1133 CAGE:5A188 === Contractor Identification === Company Name: ASHLAND CHEMICAL CO Address:5200 PAUL BLAZEL MEMORIAL PARKWAY Box:City:DUBLIN State:OH ZIP:43017 Country:US Phone:614-889-4505 CAGE:5A188 Company Name: PHOENIX INDUSTRIES INC Address:1519 CHAMBERLAYNE PARKWAY Box:City:RICHMOND State:VA ZIP:23222 Country:US Phone:804-264-5183/FAX: 264-5535 CAGE:0YED2

Ingred Name:SODIUM DICHROMATE DIHYDRATE CAS:7789-12-0 RTECS #:HX7750000 Fraction by Wt : 100% OSHA PEL:C, 0.1 MG/M3 (CRO3) ACGIH TLV:0.05 MG/M3 (CR);8990

======================================
LD50 LC50 Mixture:HIGHLY TOXIC (PER ALDRICH) Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:YES IARC:YES OSHA:YES Health Hazards Acute and Chronic:ACUTE:CAN CAUSE SEVERE IRRITATION,REDNESS, TEARING,BLURRED VISION OF EYES,IRRITATION AND CHROME SORE;PERFORATION OF NASAL SEPTUM.INGESTION MAY CAUSE MUCOUS M EMBRANES AND DEEP TISSUES. Explanation of Carcinogenicity:HEXAVALENT CHROMIUM (CHROMIUM VI) IS A SUSPECTED HUMAN CARCINOGEN. Effects of Overexposure:EYES:SEVERE ITTITNT.SKIN:IRRTNT,CHROME SORES.INHAL:NASAL PERFORATION.INGEST:MUCOSA,VISCERA DAMAGE. Medical Cond Aggravated by Exposure:PRE-EXISTING CONDITIONS MAY BE WORSEN.
======================================
First Aid:SKIN:WASH S.SOAP AND WATER.EYES:FLUSH W/ LARGE AMTS WATER.INGEST GIVE 2 GLASSES WATER,INDUCE VOMITING.INHAL:MOVE TO FRESH AIR.OBTAIN DR. ATTENTION.
======================================
Flash Point:NONE Extinguishing Media:USE SUITABLE MEDIA FOR SURROUNDING FIRE. Fire Fighting Procedures:USE NIOSH/MSHA APPROVED SCBA IN AN ENCLOSED AREA. Unusual Fire/Explosion Hazard:DECOMPOSITION RELEASES O2(SUPPORTS COMBUSTION)AND REDUCES SUFFOCATION TYPE EXTINGUISHER EFFECTVNESS
======================================
Spill Release Procedures:SMALL SPILL:SWEEP UP MATERIAL ONTO PAPER. LARGE SPILL:SHOVEL MATERIAL INTO CONTAINERS.THOROUGHLY SWEEP AREA OF SPILL TO CLEAN UP ANY RESIDUAL MATERIAL. Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.
======================================
Handling and Storage Precautions:CONTAINERS MAY BE HAZARDOUS WHEN EMPTIED(RETAIN PRODUCT RESIDUES)ALL HAZARD PRECAUTIONS MUST BE OBSERVED. Other Precautions:NONE SPECIFIED BY MFR.

Respiratory Protection: USE NIOSH/MSHA APPROVED RESPIRATOR FOR DUST/MIST (HIGH EFFICIENCY) RESPIRATOR IF ABOVE PEL/TLV. Ventilation:MECHANICAL(GEN/LOCAL EXHAUST)TO MAINTAIN EXPOSURE BELOW TLV Protective Gloves:NEOPRENE Eye Protection: CHEM SPLASH GOGGLES Other Protective Equipment:NORMAL WORK CLOHING/BOOTS COVERING ARMS AND LEGS. Work Hygienic Practices: AVOID CONTACT WITH EYES & SKIN; DO NOT BREATHE VAPOR/DUST OR MIST;W ASH THOROUGHLY AFTR EACH USE; USE FULL PERSONAL PROTECT Supplemental Safety and Health HCC = D2 ASSIGNED BASED UPON THE FACT THAT ITEM IS AN OXIDIZER AND TOXIC, ALSO HAS ACUTE & CHRONIC HEALTH EFFECTS (SEE TABLE B-3 OF DLAI 4145.11). HCC:D2 Spec Gravity:2.52 Solubility in Water: APPRECIABLE Appearance and Odor: RED OR RED-ORANGE DELIQUEESCENT CRYSTALS. === Stability Indicator/Materials to Avoid:YES AVOID CONTACT WITH ALKALI METALS. Stability Condition to Avoid:NONE SPECIFIED BY MANUFACTURER. Hazardous Decomposition Products: MAY FORM TOXIC CHROMIUM FUMES, ETC.

Waste Disposal Methods:SMALL SPILL:PACKAGE AND DEPOSIT IN LANDFILL IAW LOCAL,STATE,FEDERAL REGULATIONS.LARGE SPILL:DEPOSIT IN LANDFILL IAW LOCAL, STATE,AND FEDERAL REGULATIONS.

Disclaimer (provided with this i

nformation by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.