View NSN Online: https://aerobasegroup.com/nsn/9150-01-410-8972

MOBIL OIL CORP -- EAL ARTIC 68 -- 9150-01-410-8972

Product ID:EAL ARTIC 68 MSDS Date:12/16/1996

FSC:9150

NIIN:01-410-8972

MSDS Number: CFCXZ === Responsible Party ===

Company Name: MOBIL OIL CORP Address: 3225 GALLONS ROAD

City:FAIRFAX State:VA

ZIP:22037-0001 Country:US

Info Phone Num:800-662-4525/800-227-0707 X3265 Emergency Phone Num:800-424-9300 CHEMTREC

CAGE:3 U728

=== Contractor Identification ===

Company Name: MOBIL CHEMICAL CO., CHEMICAL COATINGS DIV.

Address:RT 27 AND VINEYARD RD.

Box:250 City:EDISON

State:NJ

ZIP:08818-0250

Country:US

Phone:609-737-4411 OR 800-424-9300

CAGE:77988

Company Name: MOBIL OIL CORP, NORTH AMERICAS MARKETING AND REFINING

Address:3225 GALLOWS ROAD

Box:City:FAIRFAX

State:VA ZIP:22037 Country:US

Phone:800-662-4525/856-224-4644

CAGE:3U728

Company Name: SALATHE OIL CO INC

Address:2226 PETERS RD

Box:City:HARVEY

State:LA ZIP:70058 Country:US Phone:504-366-4542 CAGE:0T5C6 ======= Composition/Information on Ingredients ========= Ingred Name: MANUFACTURER LISTS NOTHING UNDER "INGREDIENTS" IMPLYING THAT THERE ARE NO HAZARDOUS INGREDIENTS PER HAZ COM STD. Fraction by Wt: 100% Other REC Limits: NONE RECOMMENDED =========== Hazards Identification ========================== LD50 LC50 Mixture:ORAL LD50 (RAT) IS >2000 MG/KG Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP :NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:PRODUCT ASSESSED IN ACCORDANCE WITH OSHA 29 CFR 1910.1200 AND DETERMINED NOT TO BE HAZARDOUS. Explanation of Carcinogenicity: NO INGREDIENT OF A CONCENTRATION OF 0.1% OR GREATER IS LISTED AS A CARCINOGEN OR SUSPECTED CARCINOGEN. Effects of Overexposure: NOT IRRITATING ACCORDING TO US & EC GUIDELINES. Medical Cond Aggravated by Exposure: NONE SPECIFIED BY MANUFACTURER. First Aid:EYES-FLUSH WITH WATER FOR 15 MINUTES. GET MEDICAL ATTENTION IF IRRITATION OCCURS. SKIN-WASH WITH MILD SOAP & WATER. INHALED-REMOVE TO FRESH AIR. ADMINISTER OXYGEN OR ARTIFICIAL RESPIRATION AS NEEDED. GET MEDICAL ATTENTION IF ANY SYMPTOMS OCCUR. INGESTED-IF GREATER THAN 1 PINT INGESTED, GIVE 1-2 GLASSES

WATER & CALL PHYSICIAN, HOSPIRAL EMERGENCY ROOM OR POISON CONTROL CENTER. DO NOT INDUCE VOMITING

=======

Flash Point Method:COC Flash Point:450F,232C

Extinguishing Media: WATER FOG, CARBON DIOXIDE, DRY CHEMICAL, FOAM. Fire Fighting Procedures: WEAR SELF-CONTAINED BREATHING APPARATUS AND FULL PROTECTIVE GEAR. COOL FIRE EXPOSED CONTAINERS WITH WATER. Unusual Fire/Explosion Hazard:NONE.

Spill Release Procedures: ABSORB ON FIRE RETARDANT MATERIAL. SHOVEL UP AND PLACE IN A CONTAINER FOR LATER DISPOSAL. PREVENT SPILLS FR

OM

ENTERING STORM SEWERS OR DRAINS AND CONTACT WITH SOIL. IF ENTERS WATERWAYS/DRAINS, NOTIFY NATIONAL RESPONSE CENTER AT 800-424-8802. Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

=========== Handling and Storage ===============

Handling and Storage Precautions:DO NOT STORE IN OPEN OR UNLABELED CONTAINERS. STORE AWAY FROM STRONG OXIDIZING AGENTS OR COMBUSTIBLE MATERIAL.

Other Precautions:THIS MATERIAL IS NOT INTENDED FOR USE IN AIR COMPRESSORS FOR BREATHING APPLICATIONS.

===== Exposure Controls/Personal Protection ========

Respiratory Protection: NONE NORMALLY REQUIRED.

Ventilation: NO SPECIAL REQUIREMENTS UNDER ORDINARY CONDITIONS OF USE.

Protective Gloves: NONE NORMALLY REQUIRED.

Eye Protection: SAFETY GLASSES W/SIDE SHIELDS.

Other Protective Equipment: NONE SPECIFIED BY MANUFACTURER.

Work Hygienic Practices: USE GOOD PERSONAL HYGIENE PRACTICES.

Supplemental Safety and Health

MSDS PRESENTED BY CAGE 0T5C6 FOR CONTRACT NUMBER S

P0400-97-T319.

======== Physical/Chemical Properties ==========

HCC:V6
Boiling Pt:B.P. Text:>600F,>316C
Melt/Freeze Pt:M.P/F.P Text:-38F,-39C
Vapor Pres: