Product ID:FAST CLEAN, #8514 MSDS Date:02/04/1993 FSC:7930 NIIN:01-362-3208 MSDS Number: CFDGZ === Responsible Party === Company Name: ANCHOR Address:50 INDUSTRIAL LOOP NORTH City:ORANGE PARK State:FL ZIP:32073-2828 Country:US Info Phone Num:904-264-3500 / FAX 904-269-8932 Emergency Phone Num:904-264-3500 Preparer's Name:L. ANDERSON CAGE:NO510 === Contractor Identification === **Company Name: ANCHOR** Address:50 INDUSTRIAL LOOP NORTH Box:City:ORANGE PARK State:FL ZIP:32073-2828 Country:US Phone:904-264-3500 / FAX 904-269-8932 CAGE:NO510 Company Name: ANCHOR LITHKEMKO Address:50 INDUSTRIAL LOOP NORTH Box:City:ORANGE PARK State:FL ZIP:32073 Country:US Phone:904-264-3500 CAGE:1G327

Ingred Name:VM & P NAPHTHA 66/3 CAS:74742-89-8 RTECS #:QJ0525000 Fraction by Wt: 75-85% Other REC Limits:NONE RECOMMENDED OSHA PEL:300 PPM ACGIH TLV:300 PPM

Ingred Name:METHYLENE CHLORIDE (SARA 313) (CERCLA) CAS:75-09-2 RTECS #:PA8050000 Fraction by Wt: 23.68% Other REC Limits:1000 PPM CEILING OSHA PEL:500 PPM ACGIH TLV:50 PPM EPA Rpt Qty:1000 LBS DOT Rpt Qty:1000 LBS

Ingred Name:VOC = 5.306 LBS/GL RTECS #:9999999VO Other REC Limits:NONE RECOMMENDED OSHA PEL:NOT EST.

Routes of Entry: In halation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:EYE: BURN, TEAR, RED. SKIN: IRRITATION, DEFATING, DERMATITIS, ABSORPTION. INHAL: HEADACHE, NAUSEA, VOMITING, CNS DEPRESSION. Medical Cond Aggravated by Exposure:ANGINA, HEART DISEASE, HEAVY SMOKING.

First Aid:EYE: GENTLY FLUSH W/LARGE AMOUNTS OF WATER FOR >15 MINUTES. GET IMMED MED AID. S

KIN: REMOVE CONTAM CLOTHES, WASH BEFORE REUSE.

WASH W/SOAP & WATER. GET MED AID. INHAL: IF BREATHING IS DIFFICULT OR IF PERSON IS DIZZY/LIGHT-HEADED GET FRESH AIR. IF BREATHING STOPS GIVE ARTIFICIAL RESPIRATION & GET IMMED MED AID. INGEST: DONT INDUCE VOMIT. GET IMMED MED AID.

Flash Point Method:TCC Flash Point:>200F,>93C Extinguishing Media:WATER SPRAY, FOAM, DRY CHEMICAL Fire Fighting Procedures:USE SCBA AN D FULL PROTECTIVE CLOTHING. USE WATER SPRAY TO COOL CONTAINERS AND STRUCTURES EXPOSED TO FIRE Unusual Fire/Explosion Hazard:KEEP WORK AREA FREE OF HOT METAL SURFACES AND OTHER SOURCES OF IGNITION.

Spill Release Procedures:STAY UPWIND/AWAY FROM SPILL UNLESS WEARING APPROPRIATE PROTECTIVE EQUIPMENT. STOP SPILL IF SAFE. DIKE. ELIMINATE IGNITS. USE NON-SPARKING TOOLS FOR CLEAN UP. VENT AREA. ABSORB. NOTIFY AUTH

ORITIES IF R EQUIRED. CALL SPILL RESPONSE TEAM IF LARGE SPILL.

Handling and Storage Precautions: KEEP CONTAINERS COOL, DRY, AWAY FROM IGNITS. USE/STORE IN WELL VENTED AREA. KEEP CONTAINER CLOSED WHEN NOT IN USE.

Other Precautions: CONTAINERS RETAIN RESIDUE/VAPORS. VAPORS ARE HEAVIER THAN AIR AND WILL COLLECT IN LOW PLACES.

Respiratory Protectio n:USE RESPIRATOR/GAS MASK W/APPROPRIATE CARTRIDGE OR CANISTER (NIOSH APPROVED) OR SUPPLIED AIR EQUIPMENT. Protective Gloves:IMPERMEABLE Eye Protection:SAFTEY GLASSES RECOMMENDED Other Protective Equipment:EYE WASH & SAFTEY SHOWER IN WORK AREA. Supplemental Safety and Health NK

Boiling Pt:B.P. Text:104 TO 377F Vapor Pres:3.74 Vapor Density:>AIR pH:NA Evaporation Rate & amp; Reference:FASTER THAN BUAC Appearance and Odor:CLE

## AR BLUE LIQUID W/SOLVENT ODOR

Stability Indicator/Materials to Avoid:YES
STRONG OXIDIZING AGENTS. STRONG ACIDS/BASES, AMINES, ALUMINUM, SODIUM, POTASSIUM, MAGNESIUM.
Stability Condition to Avoid:EXTREME HEAT
Hazardous Decomposition Products:CO, CO2, HYDROGEN CHLORIDE, CHLORINE, PHOSGENE.

Waste Disposal Methods: IN ACCORDANCE W/APPLICABLE LOCAL, COUNTY, STATE

AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this in formation to their particular situation.