View NSN Online: https://aerobasegroup.com/nsn/6810-00-264-3937

Product ID:OXALIC ACID, DIHYDRATE MSDS Date:04/05/1995 FSC:6810 NIIN:00-264-3937 MSDS Number: CFFDH === Responsible Party === Company Name: CHEM ONE CORP Address:15150 SOMMERMEYER City:HOUSTON State:TX ZIP:77041 Country:US Info Phone Num:713-896-9966 Emergency Phone Num:713-896-9966/800-424-9300(CHEMTREC) CAGE:0YSB8 === Contractor Identification === Company Name: BARTLETT CHEMICALS Address:4955 RIVER ROAD Box:10710 **City: JEFFERSON** State:LA ZIP:70121 Country:US Phone:504-734-1971 CAGE:1V771 Company Name: CHEM ONE CORP Address:15150 SOMMERMEYER Box:City:HOUSTON State:TX ZIP:77041-5308 Country:US Phone:713-896-9966 CAGE:0YSB8

Ingred Name:OXALIC ACID (DIHYDRATE) CAS:144-62-7 RTECS #:RO2450000 Fraction by Wt: 99- 100% Other REC Limits :NONE RECOMMENDED OSHA PEL:1 MG/M3 ACGIH TLV:1 MG/M3/2 STEL; 9596

LD50 LC50 Mixture:LD50 (ORAL, RAT) IS UNKNOWN. Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic: TARGET ORGANS: EYES, SKIN, KIDNEY, RESPIRATORY & GI TRACTS. ACUTE- POISON, MAY BE FATAL IF SWALLOWED/INHALED. CONTACT MAY CAUSE DISCOLORATION, **IRRITATION/BURNS OF** SKIN. SEVERE EYE IRRITANT. CAN PRODUCE IRREVERSIBLE EYE DAMAGE AFTER REPEATEDCONTACT. LARGE DOSES CAN CAUSE IRREGULAR HEATBEAT, KIDNEY DAMAGE. CHRONIC- UNK. Explanation of Carcinogenicity:NONE Effects of Overexposure: BURNS, SEVERE IRRITATION, PAIN, NAUSEA, VOMITING, SHORTNESS OF BREATH, COUGHING, SORE THROAT, REDNESS OF EYES AND SKIN, SHOCK, CONVULSION, COMA, HEADACHE, DIFFICULT BREATHING, POSSIBLY DEATH Medical Cond Aggravated by Exposure: PERSONS WITH PRE-EXISTING SKIN

DISORDERS, EYE PROBLEMS OR IMPAIRED KIDNEY OR RESPIRATORY FUNCTION MAY BE MORE SUSCEPTIBLE TO THE EFFECTS OF THIS PRODUCT.

First Aid:GET MEDICAL ATTENTION. EYES/SKIN:FLUSH WITH WATER FOR 15 MINUTES. HOLD EYELIDS OPEN. REMOVE CONTAMINATED CLOTHING. INHALED:REMOVE TO FRESH AIR. PROVIDE CPR/OXYGEN IF NEEDED. ORAL:DO NOT INDUCE VOMITIN G. IF CONSCIOUS, DRINK PLENTY OF WATER.IF VOMITING OCCURS, KEEP HEAD LOWER THAN HIPS TO PREVENT ASPIRATION.

Flash Point:NONE Lower Limits:NOT RELEVANT Upper Limits:NOT RELEVANT Extinguishing Media:USE WATER SPRAY, CARBON DIOXIDE, ALCOHOL FOAM OR DRY CHEMICAL. COOL FIRE-EXPOSED CONTAINERS WITH WATER SPRAY. Fire Fighting Procedures:WEAR PROTECTIVE CLOTHING AND NIOSH-APPROVED SELF-CONTAINED BREATHING APPARATUS. HAZARDOUS DECOMPOSITION PRODUCTS MAY BE FORMED. Unusual Fire/Explosion Hazard:A

S WITH ANY FINELY DIVIDED ORGANIC SOLID, DUST MAY BE EXPLOSIVE IF MIXED WITH AIR IN CRITICAL PROPORTIONS AND IN THE PRESENCE OF AN IGNITION SOURCE.
======================================
Spill Release Procedures:WEAR PROTECTIVE EQUIPMENTS. RECOVER IF POSSIBLE. SWEEP OR VACUUM INTO CLOSED CONTAINERS FOR DISPOSAL. AVOID DUST GENERATION. Neutralizing Agent:SODIUM BICARBONATE
======================================
 Handling and Storage Precautions:STORE IN TIGHTLY CLOSED CONTAINER IN COOL, DRY, WELL VENTILATED PLACE AWAY FROM INCOMPATIBLE MATERIALS. KEEP AWAY FROM FOOD AND DRINK. Other Precautions:USE WITH ADEQUATE VENTILATION. DO NOT GET IN EYES, ON SKIN OR ON CLOTHING. DO NOT GENERATE DUST. DO NOT BREATHE DUST. KEEP OUT OF REACH OF CHILDREN. WASH THOROUGHLY AFTER HANDLING. EMPTY CONTAINERS RE TAIN RESIDUE AND CAN BE DANGEROUS.
======================================
Respiratory Protection:NONE NORMALLY REQUIRED. UP TO 25 MG/M3, WEAR NIOSH-APPROVED POWERED AIR-PURIFYING RESPIRATOR WITH DUST AND MIST FILTERS/SUPPLIED AIR-RESPIRATOR. UP TO 50 MG/M3, WEAR A FULL FACE-PIECE RESPIRATOR. UP T O 500 MG/M3, WEAR POSITIVE PRESS SCBA. Ventilation:USE LOCAL EXHAUST (CORROSION-RESISTANT) TO CONTROL AIRBORNE DUSTS. Protective Gloves:NATURAL RUBBER, NEOPRENE, NITRILE Eye Protection:CHEMICAL SAFETY GOGGLES &/OR FACESHIELD Other Protective Equipment:RUBB ER BOOTS, RUBBER APRON, EYE WASH FOUNTAIN, SAFETY SHOWER Work Hygienic Practices:OBSERVE GOOD INDUSTRIAL HYGIENE PRACTICES AND RECOMMENDED PROCEDURES. WASH THOROUGHLY BEFORE EATING, DRINKING/SMOKING. Supplemental Safety and Health DO NOT EAT, DRINK OR SMOKE IN WORK AREAS.
======================================
HCC:C2 NRC/State Lic Num:NOT RELEVANT Boiling Pt:>148.9C, 300.F B.P. Text:300F - 320F Melt/Freeze Pt:=101.7C, 215.F Spec Gravity:1.65 pH:1.3 Vis

cosity:NOT RELEVANT Evaporation Rate & amp; Reference:NOT RELEVANT Solubility in Water:SOLUBLE 100 G/LITER Appearance and Odor:COLORLESS, TRANSPARENT SOLID - ODORLESS

Stability Indicator/Materials to Avoid:YES
OXIDIZING AGENTS, BASES, SILVER, ALKALI METALS, IRON AND IRON COMPOUNDS, ACID CHLORIDES
Stability Condition to Avoid:EXCESSIVE HEAT (215F/102C)
Hazardous Decomposition Products:CARBON MONOXIDE, CARBON DIOXIDE AND

FORMIC ACID MAY BE FORMED. FUMES MAY BE TOXIC AND IRRITATING.

Waste Disposal Methods:DISCHARGE, TREATMENT OR DISPOSAL MAY BE SUBJECT TO LOCAL, STATE AND FEDERAL REGULATIONS. AS SHIPPED, NOT REGULATED AS A HAZARDOUS WASTE. INCINERATION/RECYCLING OR REUSE IS RECOMMENDED.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of D

efense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.